KILN BURNT BRICKS

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE)
AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/PT/2071418

Bid Cosing date & time: 18-06-2025 at 1000 hrs Bid Open ag date & time: 18-06-2025 at 1030 hrs

Supplier must be active in FBR Active Tax Payer List (ATL)
Sealed quotation of severe referred requirement to be submitted in PKR

Yenue:

Tender Room, C. Building, Ground Floor SSGC Head office complex Karachi -75300 Ph. +92-21-99021024,+92-21-99021116.

Earnest Money (Fixed Bid Bond) PRR 160,000/-

"Note: Tender document is also available online on SSGC website for view only. Idder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."

Sui Southern Gas Company Limited

Procurement Department

ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan Phone: +92-21-99021223,

Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

	RFQ_Numbe	:r	SSGC/LP/PT/207	1418	Open Bld	ding Date	22-MAY-25	13:09
	Document_i	Number	2071418		Close Bld	ding Date	18-JUN-25	10:00
S#	Item_Code	Item Description	on .	Unit	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	Value PKR
1	2	1 1	3 .	4	5		- 6	7′= 5 x 6
1	03065203	CIVIL WORKS KLII 4-1/2" X 3"	N BURNT BRICKS, SIZE 9" X	Each	822800			
eliv	ery Schedule:	Delivery period 30	to 45 days after confirmat	on of PO			·	
Tota	l Fix Bid Bond A	mount PKR: 16	0,000					,
4. oti 5. 6. an 7.	EVALUATION nerwise. In case when fixed bid secuthe submission of the submission of t	bidder submit a rity amount app on of fixed amou the change/amount of the change a for rejection. mission (2%) of yer, other conte	red to quote in bid formarding subject tender or arding subject tender or alternate bids, a secrat pearing in price schedulunt of bid security is allend the BOQ or Price of the bid amount as ments of clause 9 will renulup to 120 days from the and warranty guaranty and warranty guaranty and security is allend the bid amount as ments of clause 9 will renulup to 120 days from the and warranty guaranty and warranty guaranty and warranty guaranty and security a	e Bld Bond d/BOQ ot se ha dat schedule (ntions i) nain unche	est Technically of for each bid is therwise bid will tory for all the bi Description, Qu the clause 9 of the ed pering of bids a	/ Commercially required. All the be liable for rejuicted. ds valuing RS.5(antity, UOM etc.) General Terms 8	bidders are advised t ection. 10,000/- of less. 10,001 render the bid a Conditions, to be tre	o furnish as conditional bid ated as null
Si	gnature	:				~		
	rson Name	:			L	C T		
6.	mpany's Nar	ne:				31		
Da	ite	:					O _^	

Delivery Schedule: The delivery shall be completed within 30 to 45 days and per day delivery shall be not less than 20,000 bricks. Delivery Location: At 03 to 04 dumping locations as per pipeline laying plan of Mehar City area or as per instruction of Site Engineer.

End of page, any entry beyond this line would be invalid



Following Special Terms and conditions shall be incorporated in the tender RFQ for compliance, in addition to the General Terms & Conditions of Tender enquiry.

Sr#	,	SPECIAL TERMS & CONDITIONS FOR KLIN BURNT BRICKS
1	SAMPLE	The bidder shall submit 02 No. samples of the offered Bricks at Material Control Unit (MCU), Projects & Construction department Karachi Terminal (KT), for physical inspection and further matching at the time of delivery.
2	DELIVERY PERIOD	The delivery shall be completed within 30 to 45 days and per day delivery shall be not less than 20,000 bricks.
3	DELIVERY LOCATION	At 03 to 04 dumping locations as per Pipeline laying plan of Mehar City area or as per instructions of Site Engineer.
4	UNLOADING	The bidder shall be responsible to unload the bricks at site in day time. The unloading shall be in in staking position in presence of representative deputed at site to witness the counting of supplied bricks.
5	QUALITY	Firstly burnt bricks are required for pipe laying activity, semi burnt or irregular shape bricks are not acceptable and will be returned at the time of delivery.
6	PRE-BID MEETING	For further clarifications and queries of the bidder, Procurement Department may arrange the De Aid meeting with bidders well before the tender opening date as per tender terms & conditions.

Engineer
Projects & Construction Jents
Sul Southern Gas Comman, "

Abdut A or Chemon Ger San Epoter Archerts & Projects & Country the Depti Suf Southarn Gas Country than the Country the Country that the Countr

Gindian Ali Mahar General Manager Properts & Construction Dept.

Checklist for Bidders

	g your bid check { }
Phone No.	d / provided along
	d l'animente have been suit dit d / provided along your bid check {
Opening Date:	Section 2
-ar.	:.
Enquiry No.:	M/s.

Please ensure before submitting the bid, that following information / documents have been appropriate bod.

documents	Sr. # Details of required information	1. Fixed Bid Bond as specified is curclosed if any	2. Original Technical Illerature is considered fax no. & emarkete at Intimated	3. Any change in your cuitement	4. Bid validity as specified is mentioned.	5. Delivery period has been speculiarian are signed & sta une	6. All correction /cutting over million	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the bluding	the bidder.	9. Original Bid + One copy is submitted a stamped	10 Form-X & Bid Securing Design
	Sr. #	-	2	3,		นกั	9	1	000		6	

Non-availability of the above informatio Adocuments, or incomplete/incorrect statement on this checklist may result in rejection of the bid at / after the bid opening. March 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak em (EPADS).

As per SRO296(I)/2023 (Acquisition and Disposa



Bidders Authorized Representative

Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

<u>Note:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder/supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful bidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully delivered or commissioned.

iii) It is no latory that the successful bidder / supplier will submit the attached undertaking at Annex-I, duly filled, signer & stamped.

iv) In case one approximance guarantee is not applicable, the supplier shall confirm that all supplied goods under the contract Approximate order are new, unused, of most recent or current models and incorporate all recent improvements in design and goods unless and otherwise provided in the contact / purchase order.

v) The Warranty Undertaking being provided by the successful bidder is required to be submitted at least on Rs.200/— Non-judicial Some paper and should be duly notarized attested.

vi) In case of Supply, Install don Testing & Commissioning, since all these activities are inter-related to each other, therefore, the paymen of spiles will be released after successful installation, Testing & Commissioning.

2. Bid Security:

- a) Bid bond submission (2%) of bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as nucleoid, however, other contents of clause, 9 will remain unchanged. The submission of fixed amount of bid country is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are advised to armis fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing which mer to will be rejected.
- c) The submission of fixed amount of bid sesurity is also mandatory for all the bids valuing Rs.500,000/- or less.
- d) The word lowest bidder or the lowest evaluated and has been substituted to read as most advantageous hid
- e) Sub-clause 9.2 of the General Terms & Conditions to be leated as null & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond (Under Single Stage Two Env. tope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bond as pect ase 109 of General Terms & Conditions to be placed in the Technical Proposal. However, if the bid bond to be considered. Without submission of bid bond (either in Technical proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bid bond that remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the Successful Bibber on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of Rs.10,000,000/- (Ten. Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

LP-Rev-23
24 April 2025
PROCUREMENT
DEPL

Page 1 of 4

clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents.

8. Correct Postal Address.

Bidder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal/ Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10. "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms uned in the General Terms & Conditions.
- de PBG (Performance Bank Guarantee) for Proprietary Tenders prietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required to Applicah
- nge / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render 14. Any Bidder who the bid as conditional bid and will be liable for rejection.
- 15. Clause 14.1 of Gen & Terms & Conditions is meant for vendorized items processed through negotiated tendering clauses.
- ke most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive bi order will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- arned in after 6 months of work completion / material delivered. 17. SSGC will not pay invoices if they do
- 18. It is mandatory for the bidders to follow any addition / deletion / amendment and s terms and conditions given in the tender documents without the bid accordingly. Therefore, in this context, the bidders are as it tantamount towards the conditional bid. Otherwise requested not to give their own terms and e Purchase Order / Contract will be awarded based on their terms and conditions will not be considered ap only as per SSGC tender terms and conditions.
- ne Bank Account number (IBAN number) on the 19. The hidders/contractors are required to provide the of ion, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one time of all the future payment transactions.

20. Payment:

ce to Finance Department of the The supplier after delivery of goods and its acceptance shall sub-Company, containing following information i.e. Par

- Purchase order No. & date
- (h) Items
- **Ouantity** (c)
- Price (d)
- Invoice value (c)
- Point of delivery (1)
- Delivery challan indicating delivery date, etc. (g)
- Supplier(s) are required to submit signed and stamp acknowledgement slip sales Tax return, (h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of re-evant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements;


- Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
- 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

PROCUREME DEPT


LP-Rev-23-24 April 2025

Page 2 of 4

- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will he responsible for any loss to SSGC.
 - 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
 - 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
 - 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 27. Fixed Bid Security Alternative Bid
 - A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the first will be liable for rejection. In case the bidder quote different make/brands/model that will also be onsidered as an Alternative bid/offer and require to submit separate Bid bond for each make/bland/model.
- 28. Bidder will be backlisted and henceforth cross debarred for participating in respective category of Public Procurement a sceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fraudulent plactices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have withdre to r modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified of the appropriate of bid by procuring agency during the period of bid validity (i) failure to sign the correct or accept purchase order (ii) fail or refuse to furnish the performance security or to correct yith any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" mentioned in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either on BCQ or inywhere in tender documents) the same shall only be applicable not exceeding 15% of the original proturement for the same items as given in the BOQ for package basis. In case the requirement is a deby wise basis (not package basis) then not exceeding 15% of the original Procurement for the ameritems (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following the ses to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed end hand as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening or tech feel proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be away ea separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 10% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
 - Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



- In case, the complaint is filed after the issuance of final evaluation report, the
 complainant cannot raise any objection on technical evaluation of the report. Provided
 that the complainant may raise the objection on any part of the final evaluation report
 in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.
- All the bidders are allowed to participate in the subject procurement without regard to nationality/origin, except bidders of some nationality/origin, prohibited in accordance with policy of the Federal Government. Following countries are ineligible to participate in the procurement process:
 - India
 - Israel



Form of Bid-Securing Declaration

[The Statier shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] No.: [number of Bidding process] [insert identification No if this is a Bid for an alternative]

To: [complete jame of Procuring Agency]

ording to your conditions, Bids must be supported

e blacklisted and henceforth cross debarred for participating in ic procurement proceedings for a period of (not more than) six months, it fail to ab with a bid securing declaration, however without indulging in commupt and fraudulent ces, if we are in breach of our obligation(s) under the Bid-conditions, because

- have withdrawn our Bid die period of Bid validity specified in the i of Bid; or مختنع تخر
- (b) having been notified of the accept our Bid by the Procuring Agency anduring the period of Bid validity, (i) f pfise to sign the Contract or (ii) fail or reruse to numish the Performance accordance with the ITB. (or guarantee), if required, in

We understand this Bid Securing Declaration shall ex Bidder, upon the earlier of (i) our receipt of your notificate successful didder; or (ii) twenty-eight days after the expiration

Name of the Bidder

Name of the person duly author the Bid on behalf of the Bid

Title of the person signing the Bi

Signature of the person

Date signed

. In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

F: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a fourt Venture, the Bid-Securing Deciarmon must be in the name of all members to the logic



	Supplier code:
FORM-X	
Bank account details form for all Benefici	arie <u>s</u>
(Mandatory requirement for Digital Online Ba	
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R date payment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the mandatory:	d 23 rd Sept'2021 to make the he below details, which is
Name of Firm:	
Address of Firm:	
<u></u>	
CNIC #:	
NTN #:	
Bank Name:	
Bank A/C Title name:	
Branch code:	
Bank A/c #:	(16 Digits)
Bank IBAN #:	(24 Digits)
Information already submitted.	
Note: Please be attached copy of Cheque / Account Maintenance Certi	ine(Candatory)
· .	Authorized Sign & Stamp
Date:	O
Note: All payments transactions will be made on above mentioned Acc	count details. This is only a
one time information to be provided by the all beneficiaries. Incase if	the above detail has already
submitted, please tick the box above "Information already submitted"	and also ensure Form-X is
duly signed & stamped.	



TTHE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

ANNEXURE: 1

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- Father's Name/Spouse's Name
- 3. NICOP/Passport No.
- 4. Nationality
- 5. Residential edgress
- 6. Email address
- 7. Date on which shall indicate control or interest acquired in the business.
- 8. In case of indirect sharefulding control or interest being exercised through intermediary companies, entries or other languages on legal arrangements in the chain of ownership or control, following additional passets are to be provided:


Commany/Limited Liability Parmership /Association of Persons/Single Member Company/Parmership Firm/Trusted/Any other Individual, 3ody Corporate (to be Specified) Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement Arrangement Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement Arrangement Arrangement Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement Arrangement Arrangement		re⊃al jour	, 3 ;	. 4	. 5	6	1 7		 . g	. 10
	Мание	/Company/Limited Liability Parmership /Association of Persons/Single Member Company/Parmership Firm/Trusted/Any other Individual, Body Corporate (to be	of Incorporation / I	of Registering		Country	Entell Addioss	control or interest of BO in the Legal Person or Legal	Shareholding, Compolior In prest of Legal Person Legal Arrang marking	identity of Natural Person who Ultimately owns or Controls the Legal Person or

g. information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set coposite respective names).



THE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 I

Name and surname (in block Latter's) CNIC no (in case of husband's Nationally Nationally lies) CNIC no (in case of husband's Nationally Nationally lies) Current Any other Nationally lies) Resident Numbers of Any other Any other subscribers (in full of subscribers (i	1	1 2	13	i 4				_
Total numbers of shares taken (in figures Any other information incidental to or relevant to beneficial owners). Name and supports.	Name and surname (in block Latters)	CNIC no (in case of foreigner	Fathers / Husband's	. Current	Any other Nationality		Residenti ally address in full of the registered / principle	Numbers of shares taken by cash subscribers (in figures and
Total numbers of shares taken (in figures and words) 10. Any other information incidental to or raise at the beneficial owner(s). Name and sometime							address for a subscribe rs other that natural Person	
10. Any other information incidental to or relevel to beneficial owners). Name and signature		·	0//	Total numbe	ers of snares t			
b issue notice on benefit of the company	Name and stop	120 tc=		or relevant	···	-		



47,700 ···

Sui Southern Gas Company Limited (SSGCL)

Contents

Part-A

Section -1 Terms & Conditions Included Section - 1A Terms & conditions for Included Special Terr & Section - 2 Included /Not required onditions Format of Bid Bond Bar Format of Performance Annexure-A Included Annexure-B Guarantee

Declaration by Supplier

Included

Included /Not required

Part - B

Annexure-C

Included Leduded Bid Form (Schedule of requirement) Section - 3 luded /Not required Specifications/Drawing (if applicable) Section - 4



	SUI SOUTHERN GAS COMPANY LIMITED
N .(!-	Procurement Department
M/s	
	T-1-T-win No
	Tender Enquiry No
	INVIATION TO BID
	thern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the
	material according to Terms and Conditions specified in the attached Tender Document. Please reading instructions before submission of bid:
1.	Bigs to to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number
2.	& it specifies date and time on the face of the envelope. Bid Bo d © 2% of the total FOR / FOB value shall be enclosed with the bid without which bid will be
2.	rejected and retuned to bidder unannounced. The Bid Bond shall remain valid till the last date of the month
	in which it is expirite.
3.	In case the bid or wing date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date it will be opened on next working day at the same time and at the same venue.
4.	The bidder shall be a self-crosses associated with the preparation and delivery of its bid sample and the
	Company will in no case to take in this respect.
5.	Prospective bidder requiring any immation or clarification of the tender may notify the same by fax or at
	the mailing address. The Company will respond to any request for explanation or clarification, if received within reasonable time prior to supplied of bids.
6.	The Company reserves the right to cancel add, delete or amend tendered items/quantities/any part of the
	tender during the bidding period without ast gin ng any reason. However, bidders shall be informed about it
7.	prior to bid opening/process. The Company reserves the right to accept or reference bid or part of a bid or to annul the bidding process.
	and reject all bids at any time prior to award or or ract/purchase order without thereby incurring any
	liability to the affected bidder(s).
8.	In case of Single stage two (02) envelope bidding to edure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be a binitted in separate envelopes Bid Bond
Ċ.	will be enclosed with "commercial" bid. "Technical Proposar" and Financial Proposal" is to be mentioned
	on the top of the envelope. Technical offers will be opened an ever hated first. Financial offers of only
	technically compliant bidders will be opened at a later intring a date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along
<i>'</i> .	with their bid bond.
9.	For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section-1A will also apply.
10	2). The Company will appreciate confirmation by fax No 92-21-99231583 or energy at a special at a special company of to DGM (Procurement) of your intention to submit the bid and if not interested it as burnision of bid, it will
	be appreciated if it is intimated through fax or email with mentioning of reasons.
11	. Bids are required to be submitted at:
	Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karach
	Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074
	Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk .
	Hope and look forward for your valued participation.
	Thanking you
	Yours sincerely
	3 Proceeding 1

General Manager (Procurement)

-

ocureme

General Terms & Conditions

1. Submission of bids:

- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.
- haled bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, Duilding, SSGC Head Office. Bids are to be delivered on or before closing time after which Il sot be entertained. In case bid is sent through courier, the same shall be delivered at least half ar four before scheduled opening time.
- 1.3. The Companymay at its discretion extend the closing date for the submission of bids, in which case all right and obligations of the purchaser and bidders previously subject to the closing date will thereafter oe spect to the date extended. However, any request for extension received from than one week prior to bid opening date may not be entertained. In case of prospective bid extension in bid ope mg date, the same will be advertised in press and intimated to prospective by any who had purchased the tender documents. g date, the same will be advertised in press and simultaneously shall be
- 1.4 The bid shall contain no in him ations, erasures or overwriting except as necessary to correct the "#" errors made by the bidder, of any correction etc. it shall be signed and stamped by the person signing the bid.
- 1.5. The quoted price shall be incluo all duties/taxes except GST, which is to be mentioned plicable) regarding non-applicability of GST for which separately. The supplier shall declar documentary evidence shall be enclose or all d be produced upon demand.
- 1.6. Rates shall be item-wise, as given in pric shedule/schedule of requirement/Bid Form unless otherwise specified.
- Bidder is responsible for timely delivery of bias a location specified 1.2 above. Company will not 1.7. be responsible for misplacement/ tampering/non-atte dance/delay or any other incident in case the bid is not delivered at the designated place & time.
- 1.8.
- Any bid received late after the closing date and time, will be rejected and returned unopened.

 The quotation shall only be acceptable on/as per Bid Form, a loss for foreign tender when Local 1.9 Agent submits bid on behalf of different bidders, a separat Bi and for each Bid is required. Likewise for tender when bidder submit alternative bids and are bid bond for each bid is required or else bid will be liable for rejection.
- orer, in unavoidable Deviation from tender terms and conditions is not allowed 1.10 circumstances, these shall be mentioned at the bottom of "Section 3: Aid deviation on any other page will not be entertained.
- Discount offered (if any) shall be mentioned on the "bid form" only. 1.11
- 1.12 The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- The bid is to be completed and returned to the Company in accordance with, General terms & 1.13 conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

Э. Qualification is squalification of Suppliers: The Condany, a any mage collemnthe streets, having predicte morons for or preda facts evidence of any defect in surplime distinct Mechanismies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial competes ern d

> Please Follow the Attached Black Listing Mechanism

SSGC

whether already pre-qualified or Respectively shan disqualify a supplier or contractor if it finds, at any time that the information regardless disting heches styplier or contractor was false and materially inaccurate or incomplete.

4. Joint Ventures:

in the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". any will respond in writing to any request for information or clarification of the tender if received five working days prior to closing date for the submission of bids prescribed by the Company. The ompany response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the all prospective bidders who have purchased the tender documents. Verbal instructions/refer are will not be acceptable.

6. Modification and what of bid:

- 6.1. The bidder may modify withdraw its bid after the bid submission, provided the written notice of the modification or with awal is received by the Company prior to the deadline prescribed for submission of bid. After the bid or otations are opened, no bidder shall be allowed to revise, propose or request any change in the b.
- The bidder's modification or with lavel notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by far followed by a signed copy.
- Bids once opened cannot be withdrawn during validity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in case of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. A bit ler giving extension to his bid validity will not be required or permitted to modify his bid. If there we have query/clarification or extension request asked by the Company, the bidder should reply the same with 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to the lidity period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the ful thr obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of: a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- The variation clause however shall not be applicable on line-pipe quantities which were 8.2.3 delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Fincuremen

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Amnexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessed bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond (if applicable). Bids without bid bond will not be considered. In case the order value is less than Rs. 500,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as at a requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replace with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with be add. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond may be released if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidder fails to:

- Accept purchase order,
- Furnish performance guarantee appropriate with clause 16 of Section 1,
- Supply material as per requirement an idelivery schedule.
- 9.1 In the event of bid bond validity following short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid symmission date or (ii) where so required by the procuring agency, then in such an event it shall be mandrator of the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of technic appropriate bid, and/or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnisher by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in very the nature of the procurement may consider and allow the bidder to deposit / furnish the balance to womant, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding the bidder terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (attendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- 11.1 The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 1) 4 Pid determined as not substantially responsive will be rejected by the Company and cannot subsequently be Find University by the broder through correction of the non-conformity.



12. Ciarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 problem in a lufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 el a pare under tropical climatic conditions.

13.6 Specimentic Compliance Sheet:

Company requires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness of those specifications or a statement of deviations and exceptions to the provisions of the specifications, has required/desired. For purposes of the commentary to be furnished pursuant to above, the bridge shall note that standards for workmanship, material and equipment and references to brand up the or catalogue numbers; designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and a catalogue numbers in its bid provided which demonstrates to the Company's satisfaction that the abstitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above do ame is, certificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical documents/certifications as required under the tender specifications. Evaluation shall be carried by on the basis of data/ documents/certifications submitted with the bid. No clarification, additional information may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and it entire of effered specifications along with reference to its technical brochure/literature (page/clause No.etg). Telement such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and telepical specification is not acceptable. However, if bidder feels to mention minor deviation, to take shall be referred categorically on the "Bid Form" as well as on the technical compliance these tating reference of its technical data sheet/brochure. In case of insufficient information, data or documents, the Company is not liable to seek clarification and the bid may be determined non-compliant on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Procuremen Dept.

- Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.
- Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself.

15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming echnical specification, shall form the basis for cost compensation/loading.

ppany will encourage participation by local bidders who will be given price preference. factor shall be determined as per prevailing Government policy / SRO. However they will submit details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

~ 16. Performance Bond:

- In case purchase order as it is above Rs:500,000, the successful bidders shall submit performance bond guarantee which is to be submitted within ten days from receipt of LOI or order along with 16.1 ders shall submit a performance bank guarantee (PBG) in the form integrity pact. The successfir of a pay order or bank guarantee (specimen attached at Amexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 0% of the total value of the numbers order or as a partial in Pakistan, for an amount equivaler to 0% of the total value of the purchase order or as specified, in the "letter of intent". The performance or d unless specified otherwise: shall remain valid till: d unless specified otherwise; shall remain valid till;
 - Completion of final satisfactory delivery in case of consumable items.

12-18 months from the date of sat are pay delivery of the equipment/machinery. Satisfactory delivery/installation of system in case the installation responsibility. 16.1.3 mem in case the installation responsibility is on supplier's part.

16.1.4 120 days in case of chemicals.

16.1.5 In case of locally manufacturing item, the PBG equivalent to 3 months delivery schedule will be required after placement of purchase order which should remain valid till completion of final satisfactory delivery of the ordered quantity.

In case of small diameter line pipe (MS/MDPE) me B) shall remain valid up to 3 months after completion of satisfactory final delivery.

In case of Vehicles, Manufacturer's Warranty is required in

- The guarantee will be released after completion of this period, subject the 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. The gry performance er shall keep the guarantee valid at their cost until fulfillment of the obligations.
- 16.3 In case the bidder does not submit the performance bond as specified, the delivery time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mithally by the Company/Supplier.

The performance bond will be discharged / returned by the Company not later than thirty (30) days 16.4 following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance.

The Company shall premptly notify the supplier in writing for any claim arising under this lő.5 guarantee. Upon receipt of such notice, the supplier shall promptly repair or replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired on replaced goods or parts from the port of entry to the final destination

ern G

71Page

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Noming herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

Contract: 17. Purchase

quoted material may be placed on fulfillment of conditions mentioned at 14 &16 above Purchase order of which is through for and confirmation for proceedings with the suppliers.

required to give satisfactory assurance of its ability and intention to deliver 18. Assurance: The successful bidder will the goods, pursuant to the tenger enquiry and contract within the time set forth therein.

19. Force Majeure:

- In the event of either party as teto being rendered unable, wholly or partially, by force majeure circumstances to carry out it obligations under the purchase order/contract documents, such party shall give notice and full projects and other satisfactory evidence of such force majeure circumstance(s) in writing or to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligation of the party giving such notice so far as they are affected by such force majeure shall be suspended to the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable dipatch. The term force majeure as employed herein, shall mean acts of God or public enemy, and insurrection, fires, floods, earthquakes or other physical disasters, order or request of governments blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-available if of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's sie shall not be included in the term 'force majeure'.
 - In case the force majeure contingencies last continuous, for a pre than one month, both parties will agree on the necessary arrangements for the further implementation of the purchase order/contract. In case further implementation is unforeseeable. It is not parties shall In case the force majeure contingencies last continuous 19.2 arrange for the termination of the purchase order/contract, but without puriode to their rights and obligations prior to such termination it being understood that each puriode fulfill its contractual obligations so far as they have fallen due before the operation of force maj

20. Amendment in purchase order/contract:

- The Company may at any time by a written notice to the supplier make changes within the general 20.1 scope of the purchase order/contract in any one or more of the following:-
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - 20.1.2 The method of shipment or packing.
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
- Company reserves the right to increase/decrease the quantities or delete any or all items listed in 20.2 the price schedule/schedule of requirement/bid form without assigning any reason.
- Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable.

procurement שטים.

Guishau

- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension in deliv as period:

- Delivery of the goods shall be made by the supplier in accordance with the schedule of requirements ad delivery period; however, the supplier may claim extension of the time limits as set forth in the chedule of requirements and delivery period in case of
 - 21.1.1 Modificant to the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in provision of any services which are to be provided by the Company (services provided by the corp pany shall be interpreted to include all approvals by the Company under the contract.
 - 21.1.3 Delay in performance work caused by orders issued by the Company.
- The supplier shall demonstrate to the Company's satisfaction that it has used its best endeavors to avoid or overcome such causes for delay and the parties will mutually agree upon remedies to mitigate or overcome such causes for delay.
- Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of supplier at the time of supplier are completion unless the supplier at the time of supplier at the circumstances arising, immediately has notified the Company in writing of any delay that it may clause accused by circumstances pursuant to clause 21.1 above and upon request of the Company, the applier shall substantiate that the delay occurred is due to the circumstances referred by the supplier.

22. Packing:

- .22.1 The material shall be in original/sealed packing to ensure delivery without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at me p int of embarkation, the supplier shall be responsible for replacement of those goods free of any energe and cost to the Company, within the delivery time schedule of the contract/purchase or any energy and cost to the
- 22.3 The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- Handling and Transportation:

 The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of deliver; and at the goods finel destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

Procurement

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
 - 26.1.1 R & D Section. Stores Department Abul Hasan Ispaham Road Flarachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of test or from the date of purchase order/contract whichever is earlier, unless otherwise
- 24.3 The applier shall replace defective material at their risk & cost including transportation, duty,
- 24.4 GST Invoice if applicable be submitted at R&D section Stores Department along with material & delivery challan
- Unloading and status, through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material like Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be mad at ctly in accordance with "delivery schedule" as specified by the
- 24.7 The rejected material is to be so lected/lifted by the supplier within a maximum period of one month after its intimation by the Company. Beyond specified period, the Company shall not be responsible for storage/safety of the molllected material.

25. Delivery Failure:

- In case the supplier fails to supply/ship the interial within the stipulated period, the Company have the right to make an alternative arrange that for the purchase of the goods on such terms as may be offered. In such event all losses, cost and clauses sustained/incurred by the Company on stated purchase shall be recovered from the Supplier without prejudice to any other right or remedy available to the Company which includes accover of losses sustained by the Company from any due payment of the said supplier.
- In the event Company remains unable to make such alternative arrangements, the Company has the right to recover from the supplier any or all losses sustained as result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- In the event Company being forced to purchase any quantity or any one alternative not specified in this document as a result of any failure to supply/ship the material, the company shall have the right to terminate the contract/purchase order without prejudice to any other rights or remedies available to the Company.

26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
 - (a) Purchase order No. & date '
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

26.2 Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is a Gas

Procurement

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Thenever liquidated damages become payable, in the event that delivery of all goods and pain the second of the period specified except on account of force majeure, the company shall quantify the same and shall serve notice to the supplier requiring payment thereof. If the applier fails to remit payment within 15 days of receipt of such notice, the Company shall forth-with became entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance bond.
- 27.3 The payment of light deed damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or sold sed in any manner.
- 27.4 In case of order placed on POF &F basis, the delivery period shall commence from the date of confirmation of L/C. However, delayed submission of PBG period in excess of time limit will be deducted from the delivery period or the purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be in such equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed services for each day of delay, until actual delivery or performance, up to a maximum deduction of the Contract price. Once this maximum is reached, the Company may consider termination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remedy viritten "notice of default" sent to the supplier, cancel the purchase order whole or in part; if:
 - 28.1.1 The supplier fails to deliver any or all of the ordered quantity as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under me " in hase order".
 - 28.1.3 The Company during the delivery period has reasons to believe has an supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment
 - 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
 - 28.2.3 The supplier becomes be drupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

Procurement

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankempt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applica law:

The purchase of ler/contract shall be governed by and interpreted in accordance with the laws of the Islamic Rep. Lac of Pakistan.

31. Declaration/Integration:

- 31.1 Successful supplier shall furnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of porder/contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchast order/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required integration of this clause.
- 31.3 Bidders to submit a certificate or As: 00/- non-judicial stamp paper certifying that they are not black listed by the Government/Amendo as bodies and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- Any difference or dispute arising out of or in emptection with the contract between the Company and the supplier which can not be amicably too red shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the math, shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The unpire shall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act. 1940, as a pended from time to time
- or the Supreme Court of Pakistan. Such arbitrators and umpire shell together proceed to adjudicate he disputes in accordance with the Arbitration Act, 1942, at a mended from time to time.

 32.2 Prior to exercising any right by the Company or supplier to tensariate the purchase order/contract under the conditions stipulated above, a return notice shall be required to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished with the similated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.

33. Redressal of grievances by the procuring agency.

- Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
- Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
- Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email.



- address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.
- The Committee shall investigate and decide upon the complaint within fifteen days of the 33.4 receipt of the complaint
- Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. 33.5 Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or compactor who either constantly fails to perform satisfactorily performance or found to be indulged in the standard fraudulent practices as defined below:

- Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything of value to influence the action of anything // Company.

 The supplier/contractor found supplier/c
- och rement/contract, pro
- resentation of facts a cr 34.3 to influence the procurement process or the execution of the purchase or as contract.
- 34.4 es among bidders (prior to or after bid submission) designed to establish bid prices at artificial ngn- competitive levels and to deprive the Company of the benefits of free and open competition

Supplier's Guarantee and R nasibilities:

The Bidder/Supplier shall guarant that the materials supplied against this tender enquiry is new and is of acceptable quality and has been rie and approved on similar jobs. The validity and scope of such guarantee will be in accordance will conjutions stated in this document. In case the opinion of the litions stated in this document. In case the opinion of the Company the Goods fail to perform the structure in accordance with the specifications specified in Section IV due to manufacturing defects of rective material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at his compost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such additions that it shall perform in condition or to replace it with the condition or to replac condition or to replace it with new Goods at Supply of cost so that the goods shall perform in accordance with the specifications and details as set forth in the Correct/tender documents. If the Supplier shall with the specifications and details as set forth in the Copyrict/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this experience on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the Goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replain m the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any protection to the bid exchanged by the enture furnished by the bidder may be written in another language provided that this literature is accompanied by an English translation in which case for purpose of interpretation of the bid, English translation

Vehicle Applied by Authorized dealer of local manufacturer:

Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procurement

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

1.1 Bid bond (Earnest money) @ 2% of the total F.O.B value as per clause?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority later in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.

1.3 In case of Bider of lering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be day a thorized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf

1.4 Bids shall be submitted (circular through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and Shasis is to be quoted separately. Following are to be essentially indicated in the bid form:

1:5.1 Country of origin.

1.5.2 Port of shipment.

- 1.5.3 Estimated gross/net weight discension & volume of offered item and estimated weight of each item
- 1.5.4 Delivery period or schedule in case of pulk quantities.

1.5.5 Original technical literature.

1.5.6 Beneficiary's complete address.

1.6 Foreign bank charges and L/C confirmation charges will be borne by the supplier.

1.7 Bid Currency:

The rates shall be quoted in bidder's home country, or in frite! States Dollars. A bidder expecting to incur a portion of its expenditures in the performance of the country is more than one currency and wishing to be paid accordingly shall indicate the same in their bid. How her bidder from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B vary, in layor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in taking the bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful pick as while the bid bond of the successful bidder shall be retained, till submission of Performance bond. But without bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. " freight to collect basis ".

(Clause 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bids:

Freight charges from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid to loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive in reals in price of material.

(Clause 15 of Genera Terms & Conditions is also applicable).

6. Performance bond:

14 THE

- 6.1 In case purchase order value is U.S.C.,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for storiusion of performance bond guarantee which is to be submitted within 15 days from receipt of L.O.L. he accessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specialty attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless specifie to the otherwise, shall remain valid till:
 - 6.1.1 Completion of final satisfactory delivery completion of final satisfactory delivery
 - 6.1.2 12-18 months from the date of satisfactory delivery of the equipment/machinery.
 - 6.1.3 Satisfactory delivery/installation of system in case the installation liabilities will be on supplier's part.
 - 6.1.4 120 days in case of chemicals.
 - The Letter of Credit shall be operative upon receipt of Performance Box (a specified in pane.1) and integrity pact, any delay due to late submission of Performance Bond will be on him as account. Late submission of PBG should not affect the delivery schedule.
 - 6.3 The performance bond shall be denominated in foreign currency or in currency of the contract/purchase order or in a freely convertible currency acceptable to the Company and shall be a the form of a bank guarantee.
 - 6.4 In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G. supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

Delivery:

7.1 In case of "FOS" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2. . The goods/material will be shopped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplies shall reimburse the Company all additional duties, taxes and other such charges paid by the ecount of short shipment by the supplier for all items subsequently shipped on a no-charge Company basis or otherwise is the supplier. The supplier shall also reimburse the Company all additional duties, taxes es aid by the Company on account of incorrect invoicing by the supplier. and other such
- 7.5 Shipment shall be been made when the supplier has shipped the goods against a clean bill of lading and all other such accumentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company.
- The supplier shall ensure that all above mentioned acts and other incidental and ancillary functions are conducted in accordance with sour I and acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take 7.6 The supplier shall ensure that a oppose any incorrect or manequate produce adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to take a such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the supplier shall be responsible for replacement free of all charges and costs to the Company within the delivery eriod specified in the purchase order/contract.

8.

- 8.1 All goods supplied under the purchase order/contract hall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or application, transportation, storage and delivery in the manner specified in delivery clause 7.
- 8.2 Marine Insurance shall be the responsibility of the Compa walless otherwise specified.
- 8.3 The supplier shall advise the Company by fax at least seven (7) sy prior to the expected date of shipment, the following particulars:-PA
 - 8.3.1 Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - 8.3.3 Lloyds 100A1 or equivalent classification of the vessel.
 - 8.3.4 ETD from Port of dispatch and ETA at Karachi
 - 8.3.5 FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, s. Varional Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. No.

9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

Procurement

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consigning

9.3.1-Invoice 4 copies 9.3.2-Packing list 4 copies 9.3.3-Bill of lading " freight to be paid by consignee 3 originals & at destination" evidencing shipment in terms 6 non-negotiable of the purchase order to Karachi-Pakistan made copies. out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd., Certificate of Origin (Verified/ Endorsed by Chamber of Commerce) 9.3.4-Manufacturers test certificate/ 9.3.5-2copies Inspection report.

4.334 414

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company importantly after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karack por

9.4.1 Invalce
9.4.2 -Bull of Cading
9.4.3 -Packing Lis
9.4.4 -Certificat of Origin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Manufactures Text Certificate/

9.4.6 The invalce to be a copies of Commerce of Commerce of Commerce of Copies o

9.4.6 The invoice to be expected a per order/contract. Any deviation which render or cause the company to pay demurrage or any other disarges with respect to clearance/handling etc. will be borne by the supplier.

No payment hereunder shall be it and to be accepted by the Company of the goods covered by such payment nor release the supplier from responsibility thereof under the terms of the purchase order/contract.

9.6 If the Company is compelled to pay deship are or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discretion a secover the same amount from supplier.

$\frac{10}{2}$. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract/pur wase order if:-
- 10.1.1 The Company fails to establish the letter of credit within the strong of period as required under clause 9.1 hereof after the supplier has made compliance with the proving of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for the enefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities and the contract/purchase order.

11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupee and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable ite (fuel/or) & lubricant/sparses) are easily available in Pakistan.



On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

	·
	BANK GUARANTEE NO
	DATE OF ISSUE
	DATE OF EXPIRY
	AMOUNT
ST. 4/E Guisha	uthern gas Company Jamin d, B, Block-14, m-e-Iqbal, ah Suleman Road,
Dear S	Sirs, But and Bank Guarantee
•	
havin	asideration of M/s
1.	To make unconditional payment of Rs
2.	To accept written intimation (s) from you as conclusive and sufficient evidence of the distance of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly with 03 days of the receipt of the written intimation.
3.	No grant of time or other indulgence to, or composition or arrangement with the Bidder in paper of the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, effect this Guarantee and our liabilities & commitments hereunder:
4.	This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.
You	rs faithfully,



(stamp and signature of the issuing bank)

Annexure'- B

Procurement

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

	BANK GUARANTEE NO
	DATE OF ISSUE
	DATE OF EXPIRY.
	AMOUNT.
	A Company
	uthern gate or pany Limited, 3, Block-14
	m-e-Iqbal,
Sir Sh	ah Suleman Road
Karacl	ni.
Dear S	Sire C
J 5001 L	In The App of Rs. Account.
	o Yoy in Karachi under the Purchase
in≕coi lated:	sideration of your having placed Furnam Order No
	eration for value, received from Supplier, we tarry agree and undertake as under:
1.	To make unconditional payments to you from tangle to time as called upon or make an unconditional
	payments Rs
- 10 100	mentioned in the said Purchase Order, on your writing cas and(s) without further resource, question or reference to Supplier or any other person, in the event of default or non-performance and for non
Anton Mar	fulfillment by Supplier of his obligations liabilities & response Aities under and in pursuance of the said.
day Charles exercis	Purchase Order of which you shall be the sole judge.
7	To present written in timestics from your constitution of a first in the second written in timestics from your constitution of the second written in the s
2.	To accept written intimation from you as conclusive and sufficient of the existence of a default or breach as aforesaid on the part of Supplier and to make payment accordingly within 3 (three) days of
	receipt thereof.
3.	To keep this guarantee in full force from the date hereof as specified in Central Special terms &
	conditions.
4.	That on grant of time or other indulgence to amendment in the terms of the purchase order by agreement
	with Supplier in respect of the Performance of his obligations under and in pursuance of the said Purchase
	Order with or without notice to us, shall in any manner discharge or otherwise, however, affect this
	Guarantee and our liabilities and commitments there under.
5.	This Guarantee shall be binding on us and our successors in interest and shall be irrecoverable.
6.	This Guarantee shall not be affected by any change in the constitution of the Guarantor Bank or the
	constitution of M/sthe Supplier.
	· · · · · · · · · · · · · · · · · · ·

19 | Page

Yours faithfully,

(stamp and signature of the issuing bank)

Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Read, Karachi.
Dear Sir.

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any or intent, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt busiess ractice.

Without limiting the general y of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission rose etc. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone vicine, or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, as intrassociate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratificant to bibe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from St. 60 except that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made area year pake full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, represents from it warranty.

(The Seller/Supplier) accepts full responsibility and strict liability or making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to declaration the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privileges or the colligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies wailable to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Sule (Supplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any coranges on, gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of or thing or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsever form from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIMI (ED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

SCOPE 2

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southers (as Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PE) or any other competent forum. The procedure shall also be applicable on the prequalified firms. To procedure shall be applicable on any "Person(s) / Firm(s)", which for the purposes of this Mechanism stall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute 7 1 or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or tules chall prevail. This SOP shall become a part of the future Bidding Documents.

DEFINITION OF TERMS 3

- 3.1 "Appellate Authority" Authority to Appeal against issuance of Blacklisting Order.
 3.2 "Appeal" Right of firm/individual to trace protest against the issuance of Blacklisting Order.
- Order.

 3.3 "Procuring Agency" Any department/diction/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty disqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for impections committed during the competitive bidding stage, whereby such firms/indivitor ore prohibited from further participation in the bidding process of Procuring Agency.
 - entract in accordance 3.6 "Contract Implementation" - A process of undertaking a project with the contract documents.
 - 3.7 "Termination of Contract" Extinction of contract by reason or resolution or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
 - 3.8 "Delist" Removal of supplier/contractor from blacklisting.
 - 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
 - RPC-SSG's Rights Protection Committee To examine the justification of PC. 3.10

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



4. REASONS FOR BLACKLISTING

- 4.1 The following shall comprise the broad multilateral guidelines for blacklisting:
 - 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
 - 4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
 - 4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and
 - 4.1.4 "Coercive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the procurement process or affect the execution of a contract.
- 4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

4.2. I Competitive Bidding Stage

Do not the competitive bidding stage, the Procuring Agency shall impose on bidders or prospective bidders the penalty of Suspension from participating in the public bidding process, we hout prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable bus, for violations committed which include but are not limited to the following:

- i. Submission of biblity requirements containing false information or falsified documents.
- ii. Submission of bide the contain false information or falsified documents, or the concealment of such any mation in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.
- iii. Submission of unauthorized or the documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.
- iv. Failure of the firm to provide athentic Warranty Undertaking and Performa Invoice of the manufacturers / Principal / Trading house.
- v. Failure of the firm to submit specific and only letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;
- vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms and ditions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or Ness operform the job or enter into contract with the government without justifiable our after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
 - ailure by the contractor to fully and faithfully comply with its contractual obligations of the valid cause, or failure by the contractor to comply with any written lawful as us on of the Procuring Agency or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultant contracts, lawful instructions include but are not limited to the following:
 - a. Emply an nt of competent technical Person(s) / Firm(s)nel, competent engineers and/o.we & supervisors;
 - b. Provision of arning signs and barricades in accordance with approved plans and specifications appropriate provisions;
 - c. Stockpiling in ar peoplaces of all materials and removal from the project site of waste and excess alertals, including broken pavement and excavated debris in accordance with approval class and specifications and contract provisions;
 - d. Deployment of committed e ujoment, facilities, support staff and manpower; and
 - e. Renewal of the effectivity the pof the performance security after its expiration during the course of contract in termentation.
 - f. Non-Performance of the supplier in respect of tender terms & conditions and the delivery / supply of material.
- iii. Assignment and subcontracting of the contract of any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress; (1) delivery of the goods by the manufacturer, supplier or distributor arising from his author negligence and/or unsatisfactory or inferior quality of goods, as may be provided nobe contract.
- unsatisfactory or inferior quality of goods, as may be provided in the contract.

 v. For the procurement of consulting services, poor performance by the consultant of his services arising from his fault or negligence, any of the following a suby the consultant shall be construed as poor performance:
 - a. Defective design resulting in substantial corrective works in design and/or construction:
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Jaming fraudulent payments;
 - ii. O aim g contracts by misleading the purchaser:
 - iii. Refi sal boay SSGC dues etc.;
 - iv. Failure to arill contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of first with a new name by the Proprietor or family or a nominee thereof of a firm that has been all any blacklisted;
 - vii. Consequential operational demages caused to SSGC equipment or infrastructure as a result of equipment or parts there supplied on trial basis or due to failure of such equipment;
- of equipment or parts there supplied on trial basis or due to failure of such equipment;
 viii. Contractors who have negotical Plea Bargain under the National Accountability Ordinance
 1999, or contractors involved with any other criminal proceedings conducted by any
 investigation agency where default has been proved specifically in relation to supplies made
 to or contracts concluded with SSCC
- ix. Involved in litigation or needless petitioning to influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
- x. A firm may be disqualified for a period extend ble to two years in case a decision by a court is awarded against the said firm after litigation, or there the firm is involved in litigation at least three times during two financial years, or where a firm has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government of a tries / Divisions / Departments and organizations / autonomous bodies subordinate thereto area
- xii. Blacklisting in case of Joint Venture firms will also result in termination of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1 Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt; 3 Sept 2024



- practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;
- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

- 1. It is oplier or contractor who is to be blacklisted for a specified period is given adequate of popularity of being heard.
- 2. The supplied y contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before aking any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to him. / her to attend the meeting on the revised date and time. Despite the final notice, if the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form comprising of User, Procurement and HSE&QA departments to address the issues in the nating with the supplier or contractor. Members of committee may not below of grade IV
- 5. In case the supplier or contractor is found at densite based on the fact of the case as well as the tender terms and conditions, and do no justify the grounds of his default as per the tender terms and conditions, the approval is so the from the management for their temporary or permeant blacklisting along with ency large, t of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the definited supplier or contractor through a formal letter.
- A copy of the letter of the defaulted supplier / contractor alongwith covering letter with
 pertinent documents is / also forwarded to the Authority (PPRA) for uploading on
 PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. **DELISTING**

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual of the to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the less poor ry blacklisted firm / individual shall be restored.

9. AMENDME (TS

- 9.1 In the implement not of Blacklisting Mechanism, the modifications may be introduced thereto through the adjustment of its specific provisions as the need arises.
- 9.2 Any amendment to this Black string Mechanism shall be applicable to tenders advertised for bid after the effectivity of mesaid amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendments hereof shall take effect immediately and from the date of its issuance. All future tender do are also must be governed by these instructions. However, these cannot override the provisions of the Procurement Rules, 2004.

11. The Steps to be Followed are AD Under

The causes and reasons to be taken into consideration for Debarment / Blacklisting of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST-AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Exploralinary delay in signing or refusal to accept the Notification of Award and/or the contract y ithout any cogent reason.
- ii. Misconduct, i.e. failure to proceed with the signed contract, withdrawal of commitments, quoting an unassonably and unfairly low financial offer and subsequently withdrawing such an offer, fastraing the evaluation/bidding process and not responding to written communication in the sample time.
- iii. Causes mentioned in Sub-sass i, ii and iii above.
- iv. Submission of fake / frivolous in utilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions classes of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, by defect in a product, equipment, plant, facility or services rendered that may subseque to face during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect licelly period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bilding Documents shall be issued against original authority letter or in case of scanned copy the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the teasons given by the reject Authority prior to blacklisting. Member of RPC must be one grade up from the member of PA.

5. PROCEDURE FOR BLACK TING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in her mat ove under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the context of Project Authority / formation shall promptly formulate its recommendations and submit that ish the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, declared charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recognized and additions of Blacklisting / Debarment from the concerned Project Authority, the Codyste of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person(s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend stid charges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMPANICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RPC), the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be converted to Pakistan Engineering Council.

The temporary Blacklishne of the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases to be debarment/blacklisting has been done by any other government department or an international Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of errorary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution pointr Agency) debarred the contractor (whichever is higher). However the permanent black sting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blacklisting List:

- i. The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which the absolute blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority. (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT FOR BIDDING BURBOSE

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be projective about safety!

Report Hazard before it is suits in an Accident

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it







Suf Southern Gas SSGC Company Limited.

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director
August 2021.



MR



1. PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

- SSGC existing facilities/installations. a.
- Any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.
- Any new project. C.
- Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and ues related to scope of operations, requirements, information, ectations of relevant interested parties.
- Providing tida ca to employees in relation to hazard identification, risk control in respective areas.
- Identification, courd, monitoring and management of environmental aspects f. and assessment of its injects.



SCOPE 2.

ification of occupational health and safety hazards and associated This procedure is applicable to the risks, environmental aspects and impacts associated with activities, processes and equipment related to SSGC existing facilities/installations, appropriate project or any routine/non-routine activity, performed within SSGC existing facilities/installations, an analyproject or any routine/non-routine activity; performed within permanent locations or outside permanent of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and

DEFINITIONS & ACRONYMS 3.

- HAZARD: Source or situation with a potential for fact in terms of injury or ill health, damage to property, damage to workplace environment, or a combination of mese. a.
- resulting RISK: Combination of probability of occurrence of a b.
- OPPORTUNITY: Opportunities can arise as a result of a situation favorable to achieving an intended result; for example, a set of circumstances that allow the organization to attract customers, develop new C. address opportunities can also products and services, reduce waste or improve productivity. Actions include consideration of associated risks.
- SWOT: Strength, Weakness, Opportunity & Threat. d.
- RISK MANAGEMENT: The set of control measures used to reduce one in the specific risk.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard lification. This is the f. overall process of estimating the priority of risk and deciding significance of risk
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk sment matrix. g. Hazards related to applicable legal requirements will fall in the high risk category
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment. i.
- IEE: Initial Environment Examination.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work.
- MOC: Management of Change.
- MOC Owner: The employee who initiates the MOC.
- JSA: Job Safety Analysis.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.





RESPONSIBILITIES

4.1 Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues.
- c. Providing support to corporate HSE&QA team and zonal representatives.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure. d.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.
- Maintaining records of the OHS&E with the help of local HSE&QA team.
- rang this procedure. Liaise with corporate HSE&QA team if required.

4.3 Zonal H & representative

- Coordinating with Zonal HSE team leader for carrying out HIRA and EAIA in their zones.
- Liaise with corporat (HSE&QA team and zonal HSE team leader for OHS&E. b.
- Reviewing/monitoring all and EAIA in their zones and providing input on any changes. C.

4.4 Departmental Head of Executing Department

Acquiring PTW for any activity that equires prior permit to identify and mitigate safety risks.

Ensure implementation of JSA is in factivity performed outside SSGC permanent locations.

4.5 Employees

Participating in the identification and as ent of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.6 Visitors & Contractors

Identifying and reporting any risk or hazard at any location SSGC. This also includes the worksites and SSGC temporary locations during project executions.

DECISION MATRIX

Type of Risk/Hazard Assessment	Methodology	Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Zonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
ASL	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

ern Ga. Procurement Dept.

Integrated Management Syst



Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.	MOC owner
-----------------------------------------------------------------------------------------------------------	-----------

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

6. PROCEDURE

Section 1 Context of the Organization

6.1. Context of the Section

i. Management defines so the of the company services and its boundaries considering the internal and external issues of the organization.

ii. In consultation with HSE&QA, W namement & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be impact to by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements	
Board of Directors	Good financial performance, legal/compliance/avoidance of fines.	
Law Enforcers/Regulators	Identification of application statutory and regulatory requirements for the product and services provided and understanding of the requirements.	
Customers	Value for money, quality service, facilitation and quick response.	
Bank/Finance	Good Financial Performance.	
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.	
Insurance: **	No claims/prompt payment/risk management.	
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.	
External providers	Prompt payment as per agreed terms, health and safety, long-	
(Vendors/Suppliers)	term working relationship.	
Trade Unions	Compliance of local labor laws.	

MR

HandBook | February

iii. By using SWOT analysis or any other tool, identify external and internal issues that are relevant to company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- a. Operations spread in two provinces.
- b. Complex transmission and distribution network.
- c. Succession planning.
- d. Contractual relationships.
- e. Availability of reliable, qualified and competent workforce.
- f. Staf retention.
- g. implicion pionization.

6.1.2. External ssues could include in risk & opportunity assessments, but are not limited to:

- a. Political: Government policies, political stability, international trade agreements etc.
- b. **Economic:** Fuel attack of inflation, general taxation issues etc.
- Social: Consumer buying piti m, education level, advertising and publicity, ethical & religious issues, demographic
- Technological: Intellectual process issues, software changes, internet, technology legislation, associated/dependent to apply renewable energy etc.
- e. Legal and regulatory: Consume projection, industry-specific regulation and permits, trade union regulations, employment law international legislation, human rights/ethical issues etc.
- f. Environment: Customer demographics and invigonmental issues,
- g. Government: The directives from Prime Ministry of Petroleum (energy division), regulatory bodies like OGRA, SEPA & BEPA etc.
 - Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction.
- e. The management shall monitor and review information about the external and internal issues during the management review meetings.



Always be proactive about said

Report Hazard before it results in an Accident

46

Procurement Dept.



Section 2 Hazard Identification and Risk Assessment

I. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- butine & non routine activities, any emergency situations.
- wities of all persons having access to the SSGC permanent and temporary locations.
- nan behavior, capabilities and other human factors.
- Designation of work processes. Material in use.
- Infrastructure equipment and materials at the workplace or project site, whether provided by Ť. organization of
- Changes or proposed changes in the organization, its activities or materials. g.
- Fabrication, installation & commissioning.
- Handling & disposal of waste material. i_
- Purchase of goods & se
- hat is related to risk assessment and implementation of necessary Any applicable legal obligation controls.
- peration/activity. I. Before commencement of any
- Periodic Review for updating the hazard identification and risk assessment information.

At SSGC, we adapt five steps of r assessment:

- Step 1: identify the hazards...
- Step 2: Decide who might be harmed and how
- Step 3: Evaluate the risks and decide on precautions
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if ne

Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below

Risk Priority		Probability			
	ority	Very Likely	Likely	ปกแหล่ง	Very Unlikely
C ·	Catastrophic				/ Medium
	Significant			Medium	Medium
и е п	Harmful		Medium	Medium.	
C e s	Negligibie	Medium	Medium·	un I	





	HAZARD CONSEQUENCE RATING TABLE
· Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
Hald	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.

,		PROPASILITY RATING TABLE
	Very Likely	Exposure to have reliably to occur frequently. Similar incidents reported more than once in FSC L during last 10 years.
	Likeiy	Exposure to hazard likely a occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
	Unlikely	Exposure to hazard unlikely to accur
*.4	Highly Unlikely	Exposure to hazard so unlikely that it can be assumed that it will not happen.

	RISK PRIORITY TABLE	
Risk Priority	Definitions of Priority	
	Situation is considered critical, stop work immediately or consider cessation of this operation/task.	
	Must be fixed ASAP, Zonal HSE team leader should take immediate actions.	
Medium	In your immediate anything for Justice	
Eow	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.	







Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- c. Description or reference to control the risks/impacts.
- d. Pescription or reference to monitor the risks/impacts.
- e. Lightified competency and or training requirements.
- f. In an or setting improvement objectives and programs for its achievement.


The risk/impact neasures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/impact assessments as input for the following:

- a. Setting objectives to targets.
- b. Training needs ider incation.
- c. Terminating the risk/imp & if it is practical.
- d. Facility engineering con-
- e. Emergency Preparedness
- f. Administrative controls.
- a. Insurance.

The ultimate requirement is to reduce the risk in part to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further actuation becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control



Administrative



MR.

HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. **Elimination:** The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it to the first time". Departments shall incorporate this concept during planning phase of any project process and must seek out for best possible solution in terms of OHS&E.
- d. Administrative: Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. PP should be properly identified for specific process/job.

System & work area Hazaros	Likely Consequences
	Mhor injury, trips and falls
Asphyxiate Gas (CO₂ fire suppression)	Response death by asphyxiation
Buried Cables	Expo are buried cables - major / minor injury
Electricity (HV/LV)) 工程 (本中 表)	Fatality welectric shock or serious burn injuries
Falling Loads / Objects	Serious head no / or body injury
Flammable Vapors / Gases / liquids: "	Explosion or fire
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disorients of consciousness
Moving Parts	Entrapment, major or minor
Noise January 1	Long term.hearing loss, tinn tils
Openings in Floor / Walkways	Falls from height, major injury for lib fatality .
Flammable Materials / Gases:	Creation of hazardous area: fire e closion.
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort, long term loss of vision
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and it or body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes





10



Oxygen deficiency	Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	*Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, toxic; poisoning-, irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part 经总统	Major injury, potential for fatality
	Amputation and cuts, predominantly to hands
Smoke / Fumes (本) 中国 (本)	Triconsciousness, respiratory problems.
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Han Zools	Minor laceration and impact injuries
Lise of Hazarray Substances	Burns to skin, eyes, and respiratory system. Environment Hazards
11. 15. 15. 15. 15.	Impact injury, hand / arm vibration—loss of sensation over ::
	Major / minor injuries - entrapment, cutting tools
	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury
Repetitive Task / Operation Rotating / Moving Part Sharp Edges / Cutting Surface Smoke / Fume Trailing Cables and Hoses Use of Hart Zools Use of Hazarday S bstances Use of Power Tools Use of Workshop Equipment Vibration	Muscular / skeletal injuries Major injury, potential for fatality Amputation and cuts, predominantly to hands Cinconsciousness, respiratory problems Tripping hazard causing major / minor accident Minor laceration and impact injuries Burns to skin, eyes, and respiratory system. Environment Hazards Impact injury, hand / arm vibration—loss of sensation over time Major / minor injuries - entrapment, cutting tools Hand / arm vibration - loss of sensation over time

v. Environmental Aspect Lightification & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of Sacratusiness operation that negatively affect the Environment. While conducting environmental assessment, following aspects are usually considered:

"REDUCE CARBON, FOOTPRINT"

What we can do:


- Recycle: what you can
- Reduce: avoid: unnecessary consumption of resources
- Reuse: Buy items that are reusable and reuse them.
- Unplug electrical devices that are not in use
- Avoid unnecessary driving
- Use LED bulbs.
- Plant a tree

Emissions to air	Water Discharges
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources Ep 19	y Noise
Heat	Odor .
Dust	
Effect on visual / aesthetics	Use o Ozone depleting
Use of radioactive / nuclear material	Spillars of themicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

WR





b. Control of Aspects having Significant Environmental Impact:


The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical amechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring device /gauges, computerized feedback monitoring and control systems.
- g. Environmental frie dly disposal or treatment systems etc.
- h. Fire prevention/suppression systems.
- i. Containment walls.
- F. Scrubbers.
- k. Dust Collectors.
- 15 Other controls: Training, SOP.

The record of operational controls on a surject environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS-CM 5-02).

After identification of aspects and assessment of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where requires, in-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned to all HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related to the activities/processes/equipment are kept current by conducting at same assessment:

- a. Once every six months to update the information, and identify pow environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects
- b. Carry out assessment, for new or changes in activities/processes/rsument
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment Park Assessment):

in addition to all of above assessments, SSGC will carry out IEE / EiA as required vibrality requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to entire the compliance for all new projects.



When combusted;

- One liter of Diesel produces 2.68 kg of CO2
- One liter of Petrol produces 2.31 kg of CO2
 - One MMBTU of Natural Gas produces 53.07 kg of CO2

UB

Procurement Dept.



Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)
- c. Mainter Coa Work on High Voltage electrical equipment.
- d. Any janit val service involving Safety Risks such as work at height.
- e. Any Maintenan e activity by any department/contractor which compromises critical safety system.
- f. Work involving intraction with asbestos.
- g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity ar requires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SMS Jake Assembly/TBS/PRS etc.

II. Exclusion

Following activities are not under the sope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to be night the associated risks for the following:

- a. Providing Gas connections to new Justin ers
- b. Emergency Response to Consumer (1499)
- c. Planned enhancement of Distribution net ork
- d. Work on live pipelines like hot tapping, instance, Service Tee etc.
- e. Any major/minor rehabilitation/reinforcement w

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it

MR





III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	Area/Pscility where the task a swity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organication carrying out the Task Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present. Zonal HSE team leader will officiate for HSE&QA responsibilities.	If Leadled, Monitor the task/action during execution and identify any gaps related to proposed to trate. Responsible to close the Row and maintains records Authorized to stop work in case of noncompliance to PTW requirements.


y.



Integrated Management System, T



IV. PTW Process Flow



MR






V. Permit Display


Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

Vt. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.



NP





Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).

 d. Any Energy maintenance work.

ency maintenance work.

ph/activity requiring JSA as necessitated by HSE&QA. e. Any particular

II. Responsibilities

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring 15/14	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Authorize JSA Ensure Adequate resources are provided to carry out the carry activity in safe manner. Sees competent team and team-leade for the activity/task: Submit a cipy of JSA:prior to job execution as SE&QA/Zonal HSE Team Leades.
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

MR





Section 5 Management of Change

i. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried out using methodology.

II. Scope


This procedure is intended address those changes which may have a direct impact on SSGC's Integrated Management System, a subsequent delivery of services.

To make sure that changes To make sure that changes are at seed and documented in a consistent manner so that:
a. Unnecessary or counterproduct to changes are prevented.


- b. Changes do not adversely affect saf the environment, quality, operations, or the level of service to the
- c.: No changes are made by individuals with the mowledge and/or agreement of all relevant parties.
- d. A record of the assessment rationale and charge assessment process is produced.
- e. To make sure proper change out of employs es ng operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the designated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details scope of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is d d the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to author change after assessing the risk and their controls:







IV. Definition of Change

For the purpose of this procedure a "change" is an alteration to Processes;

- a. Documented information maintained by this
- b. Equipment hardware: software: infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any element of the process, such as inputs, resources, persons, activities, controls, measurements, outputs, activities.

Note: Not all alterations to a system require the Management of Charge rocess (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emironment.

Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

NR



HandBook | February 2022



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge ISE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Ma jor Impact), as appropriate to the change under consideration. Changes that have negligible impact may be a considerable by the Management Representative directly.

If the request is accept an in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward in request to the appropriate process owner for implementation.

Step 3 - Implementation of Agions

The process owner will be respons of nonimplementing and coordinating the actions required for the proposed change. If it is determined that further as a sment is required during the course of implementing the change, these assessments will be documented and upmitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The th-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The in-charge HSE&QA will retain a log showing each MOC (Control Veriller of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.








MOC Process Flow



NR






7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards	Control Measures
Ariverse weather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad houseke ning	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / cod	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning	guarding, lifesaving equipment, presence of first Aider.
Excavation work	Pkysical barriers; fencing, shoring, safe system of work, signs, caution to
Fail from height	Edge protection, safety lines / hamesses, safe means of access, (e.g. scaffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting	Good work area design and lighting equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing; mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.





7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manuspandling	Regulariassessment of handling techniques://mprovisation to eliminate stress / fatigue, training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	Proper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV swhere required, periodic pastion.

7.3. ELECTRICAL

Hazards	Control Measures:
Live working	Avoid (i.e. No Live W of g), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, granding.
Machines / Electrical cables	Electrical testing and maintenance, good electrical safety design, periodic inspection for design load vs. actual bad, use of circuit breakers, lockout / itag out, anti-static materials, Use double insulation, proper grounding.
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead/ Buried)	Look out for signs, contact local utilities (KE WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE.

Mr

Procurement Dept.

Integrated Management System

23

7.4. FIRE

Hazards	Control Measures
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition.
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area; signs, no smoking, color-coding.
Fiammade solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans.
Heaters	Segregation from sources of combustion, guarding special construction if used in hazardous areas.
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).
Oxygen (gas and liquid)	egregate from sources of combustion, controlled storage and usage.
Smoking materials	es greated smoking areas with proper ventilation, promote no smoking policy.
Static electricity	Limit use of a attic generators in hazardous areas. Use of anti-
Gas Leaks	Odourization or thely detection where possible, proper joining methods, Field successful training, leak detection techniques.

7.5. ** OTHER

Hazards	Contraction
Chemical: Chemical	Avoid use, substitute less harmf I a estances, use, maintain and
substances, Corrosives (acids,	test engineering controls, monitor for hazardous substances;
alkalis), Carcinogens, Irritants	inform and train employees, use personal protective equipment
(e.g. Ammonia)	(PPE), emergency plans for uncontrolled it leases.
かないとなって、一般には、一般の	Avoid use, substitute less harmful substance use maintain andi
Blological: Biological agents:	test engineering controls, monitor for hazardous substances.
(micro-organisms, pathogens)	inform and train employees, use personal protective equipment.
mutagens, carcinogens)	(PPE); emergency plans for uncontrolled releases. Periodic
Rodents, Snake Bite	rodent control drive, identification and elimination of snakes and
1. 17 · 10 元次13 955 数据194 第	other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	Good food hygiene standards, good cleaning / disinfection, employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergenomics	Educate / Train employees; avoid repetitive tasks, procure ergonomically design products (e.g. chair, Computer desk. podlaher,

IN



8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period	
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years	
SS-J-MS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years	
SSGC-IMS/2.M-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM0	Management of Change Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-06	Intext of the Organization	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-07	SWOT Analysis	HSE&QA Department	3 Years	
	NG SI			
MF	NG SCA			

Procuremen Dept.

Integrated Management System



IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

10/s

Zone		Department			Location			Date	
Hazard			Existing perational	Risk Priority			A 200		
S. No	(E.g. Wom out relectrical cord)	Wrong (E.g. Electrical shock to any employee)	Core (E.g. Charle with plast water	PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. · Significant)	PRIORITY (E.g. High)	Additional C (E.g. Isola)peratio ts/Replaci	nal Controls the wire).
	क्षांबर्द्ध केंग्न केंग्न -		~			,			
				11					•
					G.			•	
	•				70				
		·				Po			
Additio	nal Comments	(If any):			•	(2		
	Zona	HSE Team Leader				HIRA 7	eam		
Name	Name & Designation Signature			S. No N	lame & Designa		-	Signatu	'ਦ
				1					
		·		2					
	·			3		· · · · · · · · · · · · · · · · · · ·		•	

N





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

No.

Zon e		Department			Location			Date	
Proces	s / Operati	on Descriptio	n:(E.F. ov r Gene	ration)			,		,
S.No	Activity (E.g. Fuel Combustion)	input (E.g. fijel, air)	Outp (E.g. Hydrocarents CO2. H ₂ O, CO particulate matters	Eqvironme E.g. air s	ntal aspect missions)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Law)	Operation	al controis
					V_ 1				
					<u></u>				
-	J .								
Additi	anal Comm	ents (If any):		•		70			.;
	7	Zonal Team L	eader			EAIA ea			
Name	& Designa	tion Signa	iture	S. No	Name & Desig	mation	U S	ignature	
			- .	1 2		· ·	<u> </u>		
	•			3					

NR

Couliner 11 6 3 Procure many 5

Integrated Management System

SSGC
HSE&QA
Department

IMS Form

SSGC-IMS/CRM-F-03

Revision 01-

Issue Date: July, 2021

Permit To Work Form

AAGLY	Permit Number (1	o as littled by HS	ELQA):							
<u> </u>				Section '						
1.4	Department Na		•	Contracto	r Details	Contact Nan	18:			
`	Responsible	Name:		(if Any):	(If Any):		Signature: .			
	Рефол	Signature):		F	Date & Time:				
<u> </u>	e of Valid	Time:	· · · · · · · · · · · · · · · · · · ·	Permit Va	22-4 11-42 3	Time:				
1 E.	Fren	Date:	·	Pennit va	ing numit	Date:				
, a.	Location of the Type of World									
From Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date:										
i To he fi	Please mention Procedure: Context	the B350Ci	ated lated a	iment:		13		;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;		
Anterior A	Following servi Electricity (1)	ces to be is es □Wate	colated / log (e	d if if requir		and the second s	and the second of the second of the second			
ī	Lauthouse the ta	ak / arthine	to be parent a		.В.,		•			
To be filled	should carry out below.	work in com				on for specifie ified by HSE&	d time. Executing QA Department is	Department section:C'		
P	Name		Designatio	Designation Synature			Date and Tir	па		
			** *** ***	<u>. </u>		\				
·				Section "	C"	7	e en management de la company	في سيطيت		
	Name		· Design			ap ap		· ·		
Following controls must be implemented to mitigate the safety risk/hazard accepted with the lask/activity: PPE Required: Hard Hat D Safety Shoes D Cover all D Reflective Jackets D Ear Plug B Safety Gust Mask D Face Shields D Welding Shields D Safety Belit/ Harness D Safety Goggles D Hand Gives D Breathing Apparatus Any additional operational controls (Please Specify): Fire ExtinguisherD Ambulance D Bardcation D Other:										
	• • •		Section	"D" (Monito	ing & Class			AND THE SECOND		
	Area Authori		Exa	cuting Depart	ment		00000	<u> </u>		
work	e physically inspect site and verified the Monal controls are	1 0 ·	I declare that the above task / activity has HSE			HSE&QA	HSE&QA Department ISE&QA Observations during conitoring (If any);			
Nan	ne Sign & Stamp	Date	Any incident happened during execution: Yes U No D close		close.	permit is now con	sidered '			
	Cigir a starry		Name	Sign & stamp	Date	- Name	Sign & stamp	Date		
					•, ,	•				





IMS FORM

SSGC-IMS/CRM-F-04

Revision 01


⊳lssue Date: July, 2021

Job Safety Analysis Form

Executing Departs	ment			Zone		Date		
Job/Activity:	. Activity D	etails:	<u> </u>					
	·				,			
Location			•					
		·						
PPE Required:	Total Tage II Cr	en all 🗆 Reflecti	Yo lookata	□ Sori	Diam III Was Nikas			
□ Face Shields □	☐ Hard Hat ☐ Safety and es ☐ Cover all ☐ Reflective Jackets ☐ Ear Plug ☐ Ear Muffs ☐ Dust Mask ☐ Face Shields ☐ Walding Shields ☐ Safety Belt/ Harness ☐ Safety Goggles ☐ Hand Gloves							
i m prestuting Abba	Breathing Apparatus							
	☐ Fire Extinguihser ☐ Ambula (6 ☐ Barrication ☐ Other:							
S.No Steps	of field Activity	Potentia	il Hazards	i i	Con	itrois		
		7	٠,					
· \	• ; , •				٠			
	***	V						
		1 7 300 2 (-4	3			• •		
(²)	•	,	10,					
			C			• •		
				72				
	• .					:		
			•		10			
	•				N.	· · ·		
Activity	y Incharge / Supe	ervisor	Head of Executing Department					
I hereby certify	y that all opera	ational controls,	I authorize the team to conduct the job. The team					
	re, will be impler The team is traine	mented at each ed to execute the	is acequa	itely res	ourced to execu	te the job safely.		
	pment involved in							
Name &	Sign & Stamp	. Date	Name	_	Sign & Stamp	Date		
Designation	Aillin a country		Designa	tion	ordin or ordinith	Late		
<u> </u>	1		[Į.		i .		

MR

Integrated Management System -





IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

INC	3 NO: 1		•		Date		١			
L	Section A: Description	of propose	d change and potential ha	zards			1			
, [wner wner		Location of Work:			***	1			
,	Expected Puration of						ł			
<u> </u>	Work									
. I			Type of Change				1			
. <u>e</u>	☐ Pipeline construction ☐ Physical structure/building ☐ New or modification in ☐ Permanent construction ☐ New or modification in equipment/machine ☐ Material									
3		ocedure ⊔ Nev ica □ Other:	v or modification in equipmentmi	achine LI Mater	ial	•	ľ			
Ö			•			4	ŀ			
To be filled by MOC Owner	Detail of MOC/Scot	SC: (Summa	urize the basis for the propose g from the proposed change.)	d change and	any note	ntial health d	ŧ,			
<u>a</u>	safety and environment	s resulting	from the proposed change.)		, p-11					
8										
		~					١			
2			•	•			İ			
2	•						l			
-							١			
			to Area Authority for eval	luation.			1			
·	Name & Designation	n l	Stamp Stamp		Date		1			
							7			
				,	•		١			
	Section B : Evaluation of the impact(s) relate the change									
	Evaluation Criteria	Yes No	Co	mments *	7					
<u> </u>	Does the proposed change	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		4					
5	requirements?					· · ·	Ť			
3	All modifications in the exi	sting process/	equipment are Environment	C)			1			
A A	Manageable and Safe?	•					- 1			
be filled by Area Authority	Does the change requires	changes in St	SGC HSE Procedures]			
7	Does the change will affe	ct the use of 8	Emergency/response				7			
d b	equipment of the location						1			
1	Does the change requires				-		↲			
- g	The man and shares le	in case or YE	S" please provide details on a	separate S			4			
101			ed to in charge HSE&QA for	aumonzaud			4			
-	Name & Designatio	<u>n </u>	Sign & Stamp		Date	·	4			
		·					1			
=		<u></u>		<u> </u>						
_	Section C : Authorizat					•	٦			
9	Following proposed contro	ols should be i	mplemented while execution of	of the job.			٦			
100	Potential hazard/risk	Risk level	Proposed control	Respons	ibility	Timeline	٦			
E H]			
百]			
led bed					~		_			
be filled by HSE&QA	Maria 2 A 1	l					_			
B	Name& Designatio	n]	Sign & Stamp		Date		4			
Ta		ļ								
<u></u>				1						





HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

LIST OF INTERESTED PARTIES

External Interested Parties	Needs & Expectation
Board Of Di actors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
	Protect shareholders interest.
P	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	Follow best practices of corporate governance.
	e sure committee meetings are held as per plan.
	Financial benefits of the organization.
	Avoidance many fines / penalties.
·	Reputation emancement.
	Corporate Social it esponsibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to achieve quality goals.
	 Achievement of safe and healthy conditions in organization.
,	 Commitment to quality, safety and health.
	 Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

3

//	
/	
	1 %
	A
	1887

SSGC-IMS/CRM-F-06

SSGC

Context of the Organization

Revision 00

HSE&QA Department

Issue Date: July, 2021



- Ensure that policy and related objectives are established.
- Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
- Effective management of hazards, risks, incident, emergency, and injury.
 - Workers engage and participation in all quality, environment, health and safety activities.
 - Continued graph in quality and productivity.
 - Effective controls of quality, health & safety issues.
 - No major accident a wat place / safe working conditions for all employees.
 - Develop positive quality and health & safety culture.
 - Continuously improve quality, setty and health performance with review process.
 - · Well performed employees.
 - Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- · Good and safe working conditions.
- __Job security.

Dept.

HandBook | February 2022



SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department Context of the Organization

Issue Date: July, 2021

Noncoppe

- Training and development opportunities.
 - Sustained reputation and image of company.
 - Consultation.
 - · Communication and participation.
 - No accident / injury / ill-health.
 - Reward and recognitions.
 - Opportunities for dialogue / improvement / changes.
 - Timely and fair provision of remuneration coupled with career progression.

Client/Customer

Timely provide high quality services, quick response on any complaint ollow all local laws and QH&S requirements.

OR

- Unint rrupted gas supply.
- Customer . tation.
- Quick responses & complaints.
- Value for money.
- No health and safety is us a product.
- Prompt actions on quality, he said and safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.

Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment

Integrated Management System

Dept.+





SSGC-IMS/CRM-F-06

HSE&QA

Department

Context of the Organization

Revision 00

Issue Date: July, 2021

Trade Lion & Worker Repres

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- SOP S Timely provision of information necessary for workers
 - No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media na ragement.
	 Patient and positive attitude.
	Effective communic to in.
Visitors	Safe entry and exit during stay at SSGC.
	Communication of pertinent in himation.
·	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
(1 Hermenical etc)	Emergency procedure in place and drilled.
·	. • Regulatory compliance.

HandBook | February 2022



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

	 Regular drills for flooding, spillage, site excavation and first aid etc.
1-	Availability of adequate resources.
Utility Provilers	Prompt payment.
(Power/water tell, Telecom)	Good Management.
Academic Institute	Effective learning programs for employees.
	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
•	Learning from SSGC.
Insurance Companies	o claims, risk management, prompt payment.
Banks	Financial performance, cash flow.
Neighborhood/Community/	 Safe w rking conditions.
Society	Environment of dly operations.
	 Contribute positive/to local environment and populations.
•	 No complaint relating to note pollution, waste and employment.
Share Holders	Minimize risk and losses.
	• Increase market capitalization.
,	Return on investment.
•	Transparency.
	Rights are protected.
	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR



SSGC-IMS/CRM-F-06

HSE&QA

Department

Centext of the Organization

Revision 00

Issue Date: July, 2021

Third party auditors-Finance



Smooth data collection

- Better financial performance
- Effective communication
- On time response on queries
- No fraud or illegal acts detection

Certification bodies

Effective implementation of ISO standards with allrelevant clauses in the organization

Creditor/Financial Institution

Government/ Regulators (Local/Regional/Provincial/ National/International)

Repaid on time, good financial performance

- itified applicable statutory and regulatory ments for Quality and health & safety.
- sonses in case of any non-conformance.
- Proper investigation on uncontrollable.
- Implementation of safe policy in the field of occupational sale
- Fulfill the requirements stall applicable laws, rules, regulation, orders, guidelines interpretations and directives.



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	 Major fire Major gas leakage Explosion Bomb blast Vehicular accident 		Inform respective departmental head/in-charge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	Significant seet / huma loss of an an untow rd situation including		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	natural disaster, damage or	0	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
	theft of asset / property having an estimated amount of more than	8/2	Report the incident using incident notification form via web portal to in-charge HSE&QA immediately (or a in 24 hours) after the occurrence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSRACE will complete the investigation report via web portar within seven working draw after receiving incident notification form.	HSE&QA	SSGC- IMS/IAM -F-02
	on workdays.		Additional days may also be required depending to the criticality of investigation	٥	
			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	O SEAÇA	·.
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
		·	Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

- HandBook | February-2022

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
•	Minor Injuries where only asia first Aid		Inform respective departmental head / in-charge.	Anyone who has witnessed or received the initial information about the incident.	
2	two or days provided to the victim. Minor Vehicular accidents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team	SSGC- IMS/IAM F-01
and the state of	where there is no significant injury or loss.	8/2	HSE&QA will share the information with all cancerned to avoid red currence.	HSE&QA	·
3 .	Any Near Miss Occurred / Observed.	· ·	Report he Near Miss using come Near Miss Notification Form via web portal. Enter details as mentioned on the form attach evidence (if any) and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset damage etc. will be considered as accidents and will be reported through online Incident Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR

Procuremental Door


Integrated Management System

CORRECTIVE

4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.




- a. Determination of root cause using any suitable method like tripod analysis etc.
- b. Investigation in be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- c. When indicated by the severity of the incident, steps to secure the incident site must be initiated immediate, to ensure that investigating party can reconstruct the events leading to the incident.
- connected with each person present at the time of the d. Individual interviews will be incident. The following rules are followed for interviews with all individuals:

 1. The witnesses should be interviewed promptly, separately and privately.

 2. The interviewer should avoid questions that give a yes or no answer.

 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
 - 1. The investigator or investigating team must to us on getting accurate and complete information.
 - 2. Facts must be separated from opinions, and diest evidence from circumstantial evidence.
 - Each concern identified in the investigation must be well didressed.
- Upon completion of the investigation, the team will fill and subrat the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Information, Root Cause Analysis, Conclusion and Recommended Corrective / Preventive Actions.
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be upated including controls, risk level, likelihood etc.

4.5. Data Aralysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measure actions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification	in-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation: Form	Local HSE Team Leader	5 Years
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	Il charge HSE&QA / Zoner le Team Leader	3 Ŷears

NR



SSGC HSE&QA

IMS FORM

Incident Notification Form

SSGC-IMS/IAM-F-01

Revision 01

Issue Date: Aug. 202

)ate:	T	:em		Report No. (To be filled by HSEZQA)	
Reported by:			•		
ocation:	·.				
SCC Premis	565	Outside	SSGC Premis	es L	
ocation Deta	ails:		· ·		
Responsi	Zone		_ Zonal HSE	Team Leader	•
Region					
Sensi No	r Aff etcd Pe	rson(s):	1 3	Details of Affected As	sset
Name(s)					
Employee ID	<u> </u>				
	(3)	Q_			
Designation		_0,			
	Permanent		4		•
Type of	Contractual .		V		
Employment	Contractor		V		-
	Visitor		~		
;	Other				. •
Age				7	
(Note: For furthe	r details additional	oage may be used			•
incident Ty	•			_	
. —		icular Accident		age .Work Related In	WY.
	botage Nat	•	Gas Leaka	ge Other:	•
	nsequences:		·		
Fatality SSG Othe		Ilzation Ass	et Damage	First Ald Other	·
incident Cla	assification:	•		·	
Major 🔲	Minor 🗌	Near Miss]		
Incident De				,	
1					

N



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

Incident Date Inyestigated by (ACL'STROUND INFORMATION: ROOT CAUSE ANALY S) CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions A Company (whom): Action till (data) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	Incident Notification Form Ref. No.	incident Detail (Brief)
ROOT CAUSE ANALY S CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PROVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	Incident Date	 .
RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions A D by (whorn): Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	Investigated by .	
RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions A by (whom) Action till (data) 1. 2. 3. 4. Is risk essessment required for the corrective actions? If yes, please mention the serial numbers for the	SACY SECUND INFORMATION:	
RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions A by (whom) Action till (data) 1. 2. 3. 4. Is risk essessment required for the corrective actions? If yes, please mention the serial numbers for the		
RECOMMENDATION OF CORRECTIVE AND PROVENTIVE ACTIONS Recommended Actions Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	ROOT CAUSE ANALY (\$)	الرحال من
RECOMMENDATION OF CORRECTIVE AND PROVENTIVE ACTIONS Recommended Actions Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	'& ,	
RECOMMENDATION OF CORRECTIVE AND PROVENTIVE ACTIONS Recommended Actions Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	7 0.	
Recommended Actions A to by (whom) Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the		
Recommended Actions Recommended Actions A so by (whom) Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	CONCLUSION:	
Recommended Actions A to by (whom) Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the		
1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	RECOMMENDATION OF COR	RECTIVE AND PERVENTIVE ACTIONS
2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	Recommended Actions	
Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the		O _a
4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	2.	32
is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the	3.	
Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		
	is risk assessment required for the corrective action recommended actions:	s? If yes, please mention the serial numbers for the
Incharge HSE&QA	. lash	ame HSEROA

- Additional pages can be used for mentioning other details
 Transmission/Distribution department must submit the quantity of

18.02



IMS FORM

SSGC-IMS/IAM-F-03


Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Cate of Type:	☐ Unsafe Act ☐ Unsafe Condition
Name:	· · · · · · · · · · · · · · · · · · ·
Executive / Employee No.:	THE PARTY OF THE P
Designation:	· 1975年 · 197
Department	· 10年,10日本 10日本 10日本 10日本 10日本 10日本 10日本 10日本
Location / Area:	The state of the s
Near Miss Details	
Date:	· · · · · · · · · · · · · · · · · · ·
Time:	
Location:	AND THE PROPERTY OF THE PARTY O
Near Mas Rélated To:	Leakinger
Brief description of what you saw! (max. 100 words	
Atrach Pictures	Choose File. No file chosen

M



1. PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- a. Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- b. Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- c. Define merhanism and frequency to test plan so as to ensure prepared each and effectiveness of emergency response system.



2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency site out to variations in nature of operations, various departments/sections have developed their own ER Plans attring for their strategic, operational and physical requirements. The same includes FISE emergencies arising from company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations, maid environmental damage, external terror or bomb threats, public unrest, war and etc.


3. DEFINITIONS

- a. Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines vii installations and other assets.
- b. Rescue: It refers to responsive operations that retaily involve the saving of life or prevention of injury during an incident or dangerous situation.
- C. Emergency Response Organization (ERO): It is group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any for gency incident, such as a natural/disaster or an interruption of business operations.
- d. Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- e. First Aid: It is the provision of initial care for an illness or injury. It is ally performed by non-expert, but trained personnel to a sick or injured person until definitive medical treatment can be accessed.
 f. Assembly Areas: If an evacuation to the outside is appropriate, the opticated assembly areas for
- f. Assembly Areas: If an evacuation to the outside is appropriate, the princated assembly areas for personnel shall be far enough away from the building, structure or work lack to ensure that, where practicable, everyone is protected from falling glass and other objects.
- g.. Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

4. RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- a. Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- Call the fire brigade & other emergency services like ambulances if required.
- d. Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- e. Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



HandBook | February 2022 4

PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are listed below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need by be limited to these areas:

- Fire 4 Dicsion
- Heavy Soil of Toxic/flammable chemicals or leakage of gas
- Heavy rain! flood
- Earth quake
- Bomb threat
- Building & office lookdoy h/shelter in place
- Active shooter/hostage

6.1. Fire & Explosion

In case of fire & explosion each person esent within the premises must act as per but not limited to the following instructions:

a. Give voice alarm - FIRE! In case of fire for a limit hediate employees in the area.

b. Push the nearest located call point button in case of fire (if present):

- case of fire (if present):
- c. Immediately inform Emergency Response Q nication through phone or in person.
- d. Try to control the fire by using fire extinguishers use fire extinguisher wonly if you have been trained.
- Remove all explosive, inflammable and poisonous away to: the maximum possibility.
- f. Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable....
- Report to the designated Assembly Point away from the scene of h. xplosion if asked by Emergency Response Organization through emergency exits and wait for the further extructions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage &

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person. a.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. b.
- Turn off gas supply from nearest control valve... C.
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be d. taken to ventilate the gas. Ensure the availability of fire extinguishers.
- Stop leaks if this can be done without having any risk. e.
- f. . Do not touch or walk through spilled material.
- Prevent entry into waterways, sewers or confined space, g.
- If available wear the Personal Protective Equipment recommended. h.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

FUE RETRIANGLE

Integrated Management System

reguirement

6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but not limited to the following instructions:

- Try to stop water by keeping sand bags.
- Protect building, machines, equipment, tools, parts & material. b.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. b.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be acres sittle in case of any emergency.

 Sufficient of an ity of tarpaulin and rain suit is available to meet the rainy condition. C.
- . d.
 - Keep the cair line open all the time.
- All pumps used or draining out the rainy water are in running condition. e.
- Sufficient quantity of coald bags is available to stop entering the water inside, which may be placed in advance if required

oi.		CIASSES OF FIF	
Class	Material	Examples	Type of Fire Extinguisher to be
· A .	Solids.	Paper, w. od Jastic, etc.	• Water
В	Flammable Liquids	Paraffin, petrologi pt.	• CO2
∵0 -	Flammable Gases	Propane, butane, m thene, etc.	Dry Powder Dry powder
Ď.	Metais .	Aluminum, magnesium, tien impete.	Sodium chloride based For the search of
Ε	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	powder fire extinguisher
i.F	Cooking Oil & Fat	Animal fat, etc.	Drye. nical based: Potassium

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the

- Immediately inform Emergency Response Organization through phone or in person. b.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.





- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- c. Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The army Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On guarance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.6. Building of Office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per by not limited to following instructions:

- a. Remain calm and stay with ur colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or or lang under a lockdown situation until asked otherwise.
- d. Keep quiet and away from doors at a wildows
- e. If a gunshot is heard, lay down on the non-and shield under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life on health of that of others in danger

Be prepared for the

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel pre en within the premises must act as per but not limited to the following instructions:


- a... If it is safe to do so, exit the building; if not, lock or barricace, carself inside a room.
- b. Turn off lights, cover and lock the windows, and lay on the for
- c. If the shooter(s) leave the area, go to a safer place, if possible, right of n escape route/plan in mind, keep your hands open and visible, and follow any instructions given by law entire ment.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use a guiet voice, and provide as much information as possible (your name and location, details about the shorter(s) appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen a fetty to pinpoint the location.
- e. Cooperate and negotiate with the shooter, in order to buy as much time as to take until the rescue team reaches.

7. EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System



EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. b.
- Leave the building/premises immediately, do not try to investigate the source of the emergency.
- C. Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- e. Assist people with special needs.
- As you make your way out, encourage those you encounter to exit as well.

N BE EVACUATED

evacuation should be carried in the following order: In case of emergence

9.1. Personnel

Those personnel who a not have sound health such as patients of Heart, Asthma and physically/mentally. disabled people are to be evaluated on priority basis.

9.2. Raw Material

Raw material which is explosive, inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to car onust also be removed.

Important records and files must also be

9.4. Equipment

Cash Lockers, Computer Sets, External Hard Expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan should be conducted at each location of SSGC tox evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to periodically conduct the exercise. The frequency and type of drill at each location should be as below:

A STATE OF THE STA		
Location	Type of Emergency Drill	Frequency
 a. Head Office b. Regional Offices c. Billing Offices d. P&C Offices e. Store (all locations) 	Evacuation and Mock Emergency Drill (all employees)	Six Monthly
f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



Meter Manufacturing	Evacuation and Emergency Mock Drill (all 'employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Line day on the Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Headquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal by Eteam leaders ensure that emergency detection and response equipment are identified, available and properly maintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-IMS/ERP-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge IME&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular

location/operation/equil mer installation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucke water pump.
- c. Smoke/gas detectors.
- d., Communication equipment (the a phones, Alarm systems; walkie-talkie etc.)
- e. First aid box.
- f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- i. Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equip and will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of in-charge HSE&QA or Zonal HSE team leader.

12.	Location	Frequency
.a.	Head Quarter Stations	7
ъ.	Meter Manufacturing Plant	Monthly
C.	K.T (Transmission)	
a.	Head Office	
b.	Regional Offices	
c.	Billing Offices	Quadate
d.	P&C Offices	Quarterly
e.	Store (all locations)	
f.	Distribution (Zonal and Sub-zonal offices))

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

MR

\$1 Paracurament





IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

	T				· ·		· · ·
Zone		Region		Location	• . •	- Date	
Туре	Of Emergency Drill	•		· ·	·		
☐ Fire	☐ Fire and Explosion ☐ Heavy spillage of toxic/flammable chemicals ☐ Heavy gas leakage ☐ Earthquake —						
□.Bor	nb Tue L Other:			**		o leavage a Es	ruiquake :
			Obse	vations			
S.No	Descri	ption:	Tim		• • • • • • • • • • • • • • • • • • • •	Comments	
1	Emergency Sire (ra	ng at			· · · · · · · · · · · · · · · · · · ·	- , ,	* ·
2 *	Evacuation started			·	,	· . · -	, , , , , , , , , , , , , , , , , , ,
. 3	Last person reachs point				: .		
4	Firefighting/Bomb di	spostil squ	other ·			· · · · · · · · · · · · · · · · · · ·	
5	interested party read Emergency under co	ned at 9 .e					
	time of Drill (minutes	nuol at				•	
Addit	onal Observations (f anv):			· · · · · · · · · · · · · · · · · · ·	• •	
·		• •		1			
						-	
S.No			Annabet of the specific property.		477	and said	4 ·
3.10		·	Assess		· · · · · · · · · · · · · · · · · · ·		. Yes. No
2	Emergency responde	ers were pr	esent at the site		· ·		1
3	Employee were prop	eny instruc	ted	,			
4.	Behavior of employe Evacuation route was	es was sat	Istactory				
5	SSGC firefighters we	sausracio	ory ·	<u> </u>			
6	Firefighting equipmen						
7	Response of the med	lical staff w	vas estiefactore				
Overa	Il Assessment:	ilogi otali Yi	vas saustaciui y	<u> </u>	· <u> </u>		- '
	List the same of t	and the second		والمستندية والمستناء والمستنافة والمستنسبة الور	Satisfacto	ry 🗆 💙 nsatis	sfactory
S.No	Correcti	ve Actions	s/improvements	Required	I	Responsibility	Target Date
							1950 2003
							
							
	Entransación de la companya del companya del companya de la compan						
	Security Services Representative HSE&QA Representative						e la maio dispetation and a succession
	Name . Signature			N	эте		
		_		146	21116	Signa	iture



- HandBook | February 2022





IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

Zon	e id.	gion			•			-	·
Тур	e Of Equipment			Location				Date	
O FI	re Extinguisher m	ira Hudenstar		,	•			Date	
□ Aı	re Extinguisher mbulance First A	id Boy II Comm	ter Pump/Bucket	⊠/Hose □ Si	moke/	Gas D	etector 🗆	Emergeno	W light
		CONTIN		Cate	r:				-,g
S,N		What to c	hack	CKLIST	•				
Fire					Yes	No		Comme	nts.
01	expired.	are in operabl	e condition and r	not I					1
02	Pipe and nozzie								
03	Lever and I	o not nave cra	cks.			·			
04	All extinguisher	in place	and locked.						-,
Fire I	All extinguisher	ale it saidy visib	le and accessible	9.					
01	No leakage in fire	hvora et system	· · · · · · · · · · · · · · · · · · ·						
02	Hydrant valves a	e aropedy.	stand and an						, , , , , , , , , , , , , , , , , , ,
03	I TOUR DING IS TOUR	0.300 Propaga	Marries Namies	ional.		515.			
				ere	.	. T			
04	Fire buckets are :	maintained and a	ac a sir , filed	with					
First /	Ald Box		U ,						
01	All necessary/requests	ured medicines	are available	rs Aid	. ,				
02									
Smake	Medicines are not	expired and val	id for use			¥ 145			<u>.</u>
01	Alarms and Smok	entertan enter			7			· · · · · ·	
Other	Equipment (If any)	are properly fund	tioning.			•		
01	.1		<u>_</u>	`		4			<u> </u>
02	•		<u> </u>		<u> </u>				
S.No		05- "					Δ	,	
	•	Observatio	ns	1		. R	80 100	ndations	
1	·		-					7	
2									
_				_ •				X —	
. 3	,	•	7					_	····
dditton	al Comments (If ar	ıy):							
		···							
	8							•	-
	Security Service	Representativ	Ve		HSE	IOA P	~~~	·	•]
Name	s & Designation	Signa	ture	Name & D	2010-	- T	epresent	ative	
				Name & Da	aaigna	חסטו		Signatu	re
			.	•					
			}						1
•		•							_ 1

Integrated Management System

K

Dark.



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and quality of goods/services provided.

2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs agreed with SSGC.
 b. Supplied an independent employer/organization that is responsible to provide goods or
- n independent employer/organization that is responsible to provide goods or services.
- Contract coor mator: Is an executive of SSGC procurement department, who has been delegated/given responsibility and authority from the head of department to initiate and maintain the contract.
- NEQS: National Environmental Quality Standards.
- SEPA: Sindh Environment otection Agency.

4. RESPONSIBILITIES

4.1 Suppliers/Contractors and Sulf 201 tractors

- The contractor must take all necess v salety precautions related to the performance of the contract in order to protect the work site, including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety of mell-being of their employees.

 c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors who are their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequate trained to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies, to acedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for env ental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

HandBook | February 2022



5. PROCEDURE

- The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the aquirement of this procedure.
- f. Sup ther shall adhere to technical specifications provided by SSGC to ensure quality of goods provided.)
- g. The contracts shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC NSE&QA department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable to interstand and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please leter to risk assessment and management procedure (SSGC-IMS/CRM-02).
- i. The contractors are responsible to dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- j. The contractors must ensure the only trained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor diving the project must not pose any environmental and/or safety concerns, and should be in accordance with STAC's safety procedures and NEQS and SEPA set standards.

 Any identified barrage discovered by the project must not pose any environmental and/or safety.
- I. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contract coordinator and HSE&OA department in writing.
- m. The contractors must ensure that the workforcs involved must be physically fit and should not carry any contagious disease. SSGC reserves the right ask for medical examination/tests of any employee. Contractor will bear all expenses incurred daring the medical examination/tests.
 - n. For contracts related to providing food services/canteen so the services are must be submitted to head of administration services department for entire crew once the contract is awarded and annually for following diseases hereithes 9 & C, tuberculosis, and chest X-ray.
 - o. In case of violations from SSGC safety standards/policies/procedure, actions will be taken to penalize the contractor depending on the severity/recurrence of breaches is per following matrix:

S. No	Violation	Action Live of the Car
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
4.	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract

Integrated Management System

54



6. ACCESS

a. Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.

b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.

A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.

d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each n sign-in and at the beginning of each day all contractors must receive a new badge from security.

Contractor implyees must stay in their assigned area(s) at the job site and not visit other areas or make any adjustments to any piece of equipment or device unless authorized to do so by an authorized SSGC representative. Failure to abide by this work rule will result in immediate dismissal from the facility and actualing prosecution.

Each zone maintains secure work areas with limited access at all times. No one is permitted to override any security devices of onvenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the

Anywork not performed during normal basiness hours must be approved in advance by the SSGC . representative.

h. All contractor employees will go through actor safety/induction training upon initial work at SSGC: and annually thereafter. A copy of author urrent) personnel for contractors will be updated and . kept at guard shack.

6.1 Tools and Property

- For any situation in which the Contractors activity may endance to oduct quality such as: drilling, welding, or removing ceiling tile or any other job which creates metal fragment, shavings or dirt in exposed product of manufacturing equipment areas, approval must be made through be seen tative and conditionally approved by the ZTL or representative before work is to commence. The representative and conditionally established by the Zonal Team Leader or representative to protect the equipment phactor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for an earlie is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the Pay telephones are not available.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Carneras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

HandBook | February 2022



h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.

Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.

b. Pens, pencils tools and supplies must be carried in a secure manner to eliminate the possibility of product

contamination or adulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).

Appropriate it is not be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to bein workforce.

d. Proper clothing must be worn at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry

and rings are safety and commination hazards and are not to be worn in working areas.

e. Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin abrasions will not be permitted to rock in any area that could result in contamination of SSGC personnel.

The use of tobacco in any form is so libited at all times except in the designated Smoking areas.

Chewing gum, candy, storing lunches reating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage area. There will be a designated area for contractors to eat: (Cafeteria)

the SSGC premises and storage area. There will be a designated area for contractors to eat. (Caretena)

In the event that there are open tanks, or event sed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the lossibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hammerin, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, co other debris may be generated.)

The use of containers, boxes, cans, jugs etc. in holding or storing parts, lubricants, solvents or

construction material is strictly prohibited.

The contractor is responsible to motify the SSGC representative immediately if foreign material used or generated by the contractor's activity; was accidentally spill into the cone area/ SSGC premises.

k. Contractor will follow 'Spill-Response Procedure' of SSGC in case of any spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

a. All applicable Occupational Safety and Environmental regulations must be followed

b. Contractors shall supply to their personnel and to the SSGC representative an algency contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate their on-site work.

c. Contractors shall provide the SSGC representative with a current copy of their Salay Program including: Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and associated training certificates.

d. The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.

e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.

Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

Integrated Management System:

- Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or
- All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- e of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- compressed gas cylinders must be supported and secured standing upright according to Pakistan and s. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks or full. Acetylene cylinders, when in use must have a wrench in place.
- Areas where overhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to
- night excavation pole is, night lights shall be provided by the contractor.

 In the event an organ, once or other harmful volatile release is caused or discovered, the contractor and/or his employees shall go the property of the peacest SSGC office and request for further actions immediately. at once to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are required andhere to the declared speed limit.
- Any contractor, contractor e or subcontractor violating Zone area safety or security rules shall be subject to immediate dismissal.

7.2 Accident Reporting.


- a. Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.

 b. In the event of a fire, medical or other emergency, contractors are required to notify zone security or the SSGC representative immediately. When proving notification give all pertinent information, including your
- c. All contractor injuries requiring medical assistance bey per pasic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor Accident Investigation. Form). This report must be submitted to the SSGC representative for forwarding to the CETTA Department.
- d. All contractors and subcontractors must maintain their own Okes wred document/record

7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being hired in the work will involve entry into confined spaces. The form included in documents will be used to make this not space.
- b. All Contractors who conduct confined space entries must adhere to the SSGC confined space entry
- At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in immediate dismissal.
- All contractors are required to keep and maintain their own equipment for confined space entry.
- In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System



7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- b. All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- c. All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness,
- d. Working with cranes and demicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upp a equest.
- f. In the vent that overhead work must occur in locations within the Zone where high voltage, overhead power lines are located, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event proper clearance cannot be maintained, the power lines are to be de-energized and locked out prior to performing work. In the event the lines must be de-energized, prior approval must be given by the SSGC representative.

7.5 Hazardous Energy control (Lockout) Procedures

- a. All contractors, contractor imployees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, contractor employee for subcontractor servicing or entering a piece of machinery where the danger of injury exits from unexpected energizing of the equipment or unexpected release of stored energy, the contracts or contract employee must disconnect the source of energy and lock/tag out this equipment before beginning with
- c. In the event that SSGC employees or other up nown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energies the equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC representative or remove LO/TO without communicating to all affected associates.
- d. Contractors are required to supply their own lockout locks, to and hasps.
- e. In the event that a contractor or subcontractor has de-energized and locked out a piece of equipment; the equipment specific lockout procedure must be adhered to contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure from the SSGC representative.
- f. The lockout tag used by the contractor must have the contractor's price jumper and a person name, SSGC to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- c. Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forkifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- e. All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



HandBook | February 2022

Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to i.
- Provide the SSGC representative with a listing of all hazardous chemicals.
- Properly label all containers, adhering to SSGC labeling requirements. ii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property. C.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed with the Company representative.
- the use or storage of explosives or other hazardous materials or equipment is necessary for the of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the sup wis mof properly qualified personnel and in conformance with all applicable Zone Requirements and local envir nimental and safety regulations.
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their expresses of all hazardous substances in use at the job site and of the appropriate safety wees of all hazardous substances in use at the job site and of the appropriate safety

7.8 Emergency Procedure

- In the event of a fire, medical office emergency, Contractors are required to notify zone security or the SSGC representative immediately. Tell the security personnel the location of the fire and any other pertinent information. In the event that Zon security or SSGC representative cannot be reached, evacuate the area and call area/city emergency department as soon as possible.
- All contractors, contractor employees and authoritractors are required to follow the predetermined exit routes and emergency evacuation procedures poster at the facility.
- All contractors, contractor employees and support are required to exit the work area/building in the event of emergency alarm activation or if instructed troby an SSGC representative. In the event of an evacuation, contractors are required to go directly to the playee staging area located at guard shack.

7.9. Gasoline and Propane Powered Equipment

- a. Contractors are required to inform the SSGC representative of any co ane or gasoline powered equipment that is to be used indoors.
- SSGC Management discourages the use of internal combustion engire no reasonable alternative means are available to complete the job. s, and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices. b.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have ground-fault circuit interrupters (GFCI).

Integrated Management System

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC C. representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been d. made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding:

- zers belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet et SGC Work at Height Requirements.
- b. us on Zone property must be properly secured.
- All scaffolding must be equipped with railings and toe boards.
- All "swinging" type scaffolds must be inspected by the contractor and repaired if necessary before use.
- All overhead work forms forklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comply with all applicable environmental rules & regulations

8.1 Non-Hazardous Waste

- Construction refuse and debris will not be wad to accumulate and will be removed daily by the contractor
- at its expense, unless otherwise negotiated? It is contract document.

 Contractors shall take ownership of all waste and debris in accordance with all applicable site or from demolition activities, and shall dispose of such waste and debris in accordance with all applicable. laws and regulations.
- Reference to SSGC, The SSGC Company or any of its trad marks shall not be used in any documentation associated with the disposal of such waste and debris.
- Contractors shall coordinate with the Zone, whenever practical Degregate debris or waste which may be recycled or re-used in a safe and environmentally responsible map en
- Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such the as the worksite and property is obligations under its contract. Final payment will be withheld until such the as the worksite and property have had a final inspection and removal of all containers, debris, wastes are materials has been confirmed. by the SSGC representative and documentation has been printed that all pastroous wastes have been properly disposed.
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior a. to bringing them on-site:
 - Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.





- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately. C.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC d.
- or shall assure that all employees dealing with hazardous materials and hazardous wastes have quired training and are familiar with the hazards presented by such wastes or materials.


8.3 Spill Response Procedures

- Each contractor is leave a written emergency response plan to handle spills and releases which may occur during transport selivery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its emerge by response plan to the SSGC representative prior to beginning work.
- equipped with appropriate spill response equipment. All contractors, contractor employees or subcontagrans who engage in the emergency response of a hazardous material release must have been trained and are the appropriate spills response certification and meet response
- Contractor must provide documentation to period that it has contracted with at least one reputable outside spill response contractor, that is reasonably agree that to SSGC, to respond to larger spills or releases which to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of haza dous materials.
- The contractor shall be responsible for appropriate dean-up of spills caused by their activities. Such clean-up will include removal or remediation of any materials impacted by such spill; such as: building materials, soil,
- in the event that a spill or release of contractor's material occurs e. not respond to the release to the satisfaction of SSGC, SSGC in the right to take any reasonably necessary steps to respond to or remediate such spill or release. The confactor shall reimburse SSGC for all costs incurred by SSGC to respond to such spill or release. f.
- Spills and releases of hazardous materials must be reported immediately it contractor to the SSGC representative, g.
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to h.
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized apresentative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the terms listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who prior these rules will not be permitted to work for SSGC. We also understand that we are responsible for exacting that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, complex with these rules.

Compliance with the SSGC Contractor Work Rules are not in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local affety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable of contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with a population population and rules while we are engaged to work or perform services for SGC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold paralless SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breath of the above warranty and/or any violation of applicable laws, regulations and/or rules.







Company	
Date	
SSGC (Print)	
Signature	•
Title	
SSGC Representative	
cc: Project Manager File Zone Holf Manager Contractor	· ·

11. DOCUMENTED INFORMATION

٠.	Record No.	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	HSE&CA Avareness Form	HSE&QA Department	3 Years

NR

areness







SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Organization		10	Contact name		
Name			Contact number		
Type of contractor ☐ Mechanical Monk Contractor ☐ Pipelin	C Electrical Work C e Construction C T	☐ Civil Work ☐ Was hird party inspection	ate Disposal □ Cant n □ Goods Supplier	een 🗆 Transport 🗆	i Manpower
Area of Working:			<u> </u>	<u> </u>	
Contract Coordinat	tor:				
	7	HSE&QA AV	vareness	na .	
-	Description	/_	a yer 'su was	Remarks	<i>.</i>
ISO & OHSAS Stan	dards	0.			•
HSE&QA Policy		0.	•		
PPE Policy				·	
Risk Assessment a	nd Management Pro	ocedure			er
Incident and Accide	nt Management Pre	ocedure)		· · · · · · · · · · · · · · · · · · ·
Emergency Respor	se Procedure		10,	•	•
Technical Specifical	tions/Performance	and Testing			
Remarks:			'/	O _C	
Supplier	Contractor Repres	entative	HSE	&QA Ke Asentat	ive
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.			I have met the Sup provided basic in Integrated Manag shown its commi HSE&QA Policies /and related required integrity of the good	comation of HSE of the sement System. The transition adherent in adherent street of the sements to ensure of the sements the se	AQA Policies and the Contractor has be to Company's cal specifications quality, safety and
Name	Signature	Date	Name	Signature	Date
					-

No

Integrated Management System





PENALIZATION MECHANISM

, NISINI SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2022


ant for Service Contacts Only


1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Penalitation mechanism

Following fow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.








/#3	,		SSGC-HSEQP-F-10
SSCC.	PENALIZATION	Revision 01	
IISE&QA)epartment	for Service Contrac	ts Only	Issue Date: Sep. 202
NR			
Project		Date	
Section		Contractor	
User Dept.		Focal Person	
Nature of	Non-Compliance (As per Anno	exure J-1)	
Mode of P	enalization		
	Init	or a	
	Name	Signal Si	nature
		70	
	Recommend	ed by HSEQA	-
	Name	Sig	u ilve
	Recommended by User De	partmental/Divisio	nal Head
l		·	
Following S	ection is applicable ONLY in	case of Financial P	enalization
	,		
	DMD (Ops)	DAID /F	inner)
L	Dillo (Ope)	DMD (F	mance)
	•		34.8

Copy to: Procurement/Finance/P&D Department, Contractor Note: Adequate evidences MUST be furnished along with form by initiator



No



SSGC HSE&QA Department

NR

PENALIZATION MECHANISM for Service Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision () (

Issue Date: Sep. 20

S. No. Nature of Non- Compliance Mode of Penalization HSE 1st Time --- Verbal Warning Iron site in charge I 2nd Time -PPE related -- Written warning! **Explanation Letter** 3rd Time — Removal of worker from duties 1st Time ---- Stop work ct / Unsafe Condition 2nd Time ----- Stop work along with written warning letter 3rd Time ---- Removal from duties . major incidents within the time frame specification Tender documents / 3 Financial Penalization up to Rs. 200,000 HSE&OA Plan for each accident No proper tag out lock of barrication / signage boards and sy 1st time ----- Waming Letter tie PPE non-2nd time —— Stoppage of Work
3rd Time —— Financial Penalization up to compliance as advised by 4 representative(s) at Site or me d in SSGC SOPs, work instructions or Tok 3% (Max.Rs. 200,000 can be penalized) Quality . Deviation in actual manpower provided vs the manpower (Organogram) submitted in tender 5 documents Cot of unavailable staff, as listed in 1300 r related documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international 6 Up to 2% of he invoice amount of the Standards & Codes and SSGC's SOPs. billing pe Reporting Non Submission of time bound reports (as mentioned in Tender documents / Construction 7 Financial penalization up to 2% of the Plan invoice amount of the billing period Unavailability of documents such as drawings,

SOP manuals, inspection reports and other

Providing wrong / insufficient information in

invoicing pertaining to equipment and

False reporting, misleading information

Technical data at site office.

manpower.

8

9

10

amount of the billing period

Up to 2% of the invoice amount of the

Financial Penalization up to 3% of involve

Explanation letter

billing period

Financial penalization

VALULATION WECHANISM Sexual Cornects Only.

\$\$\$Q-R3EQP-F-10

Revision 01

MSE&QA Department

12

ANNEXURE J-1

issue Date: Sep. 200

Ethics & Conduct

Non-camperation with SSGE team by any-staff of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or reprintative(s).

Removal from duties in case the request in made against this non-Compliance

instructions related to works given by SSGC's (03) absence/Unavailability of site

Note: Approval will be taken from contract owner i.e. User Departmental Head:

Contra for staff during surprise visits of SSGC teams

Financial penalization (One day salar; deduction of entire site staff of audited site)

Penalization up will not exceed the 5% of the total contract-value: Note:

If Three (03) no compliance (on any one issue or combination of issues) are issued to any contractor. Many contractor will decide to impose additional penalization (e.g. forfeiting of Performance Banks to angles / retention money), termination of contract or temporary blacklist (Blacklisting will be up to one (01) year.

Tender/ Project specific research ments and penalization are outlined intender documents/ ent will decide to impose additional penalization (e.g. forfeiting

ToR under special requirement settion.





