

Ref# SSGC/SC/PT/14045/14046/14047-Corr1/MOM/2025

Dated: Nov 25, 2025

CORRIGUNDUM / MINUTES OF MEETING

Hiring the Services of Construction Activities for Natural Gas Network Through HDPE 100 Pipe

- 1. Rehabilitation of GDN at Sultanabad Karachi (Tender Enquiry No. SSGC/SC/PT/EPADS/14045)
- 2. Rehabilitation of GDN at Sector 50-A, 50-B, 51-A, 51-L & Sector 44-C Korangi Karachi (Tender Enquiry No. SSGC/SC/PT/EPADS/14046)
- 3. Rehabilitation of GDN at Jackson Market Keamari Karachi (Tender Enquiry No. SSGC/SC/PT/EPADS/14047)

This refers to above mentioned tender enquiries, please find enclosed revised SORs Section-VII (Revision-I), and treat as an integral part of the tender document. You are requested to treat previous SORs (Section-VII) as null & void and quote according to the revised SORs Section-VII (Revision-I) attached with this letter, please.

Further, please find the attached Minutes of Pre-bid Meeting held on "11-11-2025 @ 1500 Hrs & 18-11-2025 @ 1100 Hrs at Ground Floor Conference Room SSGC Head Office Karachi". Please treat these minutes as integral part of tender document.

Procuremen

All other terms & conditions will remain unchanged.

Inconvenience caused is highly regretted please.

For General Manager (P)

Minutes for Pre-Bid Meeting with Bidders for Rehabilitation Schemes | Sultanabad, Jackson market, Korangi & Nawabshah.

SSGC Procurement scheduled a First Pre-Bid Meeting on the subject matter that was chaired by GM (P) dated 11 November 2025, 03:00 PM and second meeting was chaired by SGM(TS) on 18 November 2025, 11:00 AM in Auditorium conference room SSGC HO.

Agenda of the Meeting:

1. Discuss the technical section of up-coming schemes & Biding Rates of Rehabilitation schemes 2025-26.

2. Awareness Session regarding Biding protocols (new system)

S. No	2. Awareness Session regarding Biding protocols (new system) Decision and action Points	Actions Taken By
1.	The meeting was chaired by SGM(TS) at the SSGC Head Office Auditorium. SSGC(TS) formally initiated the session and, as per the contract / tender documents, provided a comprehensive briefing on the construction details and the BOQ. He explained each rehabilitation activity and presented the corresponding rate details on an Excel Sheet.	INFO TO BIDDERS
2.	 SSGC – GM(P) GM(P) instruction to contractors: Contractors have been informed that all documents must be scanned and submitted on the EPADS. No physical documents will be accepted. Contractors must submit a fixed bid bond equal to or higher than the amount specified in the tender. A bid bond of lesser amount will result in rejection of the bid. Further, bidders are required to upload the scanned copy of the Bid Bond on EPADS and the hard copy of the Bid bond to be submitted in Tender Room SSGC, H.O before the bid submission deadline, if not timely submitted the bids will be liable for rejection. All Tender documents must be duly signed and stamped. Unsigned or unstamped documents will not be accepted. Bids must be submitted online on EPADS on time, even a delay of one minute will not be considered / accepted on the EPADS. Further, also briefed the Contractors that their Total Bid must not exceed the total Budgeted Cost of the projects which is the ceiling estimated Cost and are re-iterated as below: T.E # SSGC/SC/14045 (Rehab Sultanabad) Rs. 59,400,547/- T.E # SSGC/SC/14047 (Rehab Jackson Market) Rs. 170,759,841/- T.E # SSGC/SC/14048 (Rehab Nawabshah) Rs. 83,069,161/- 	INFO TO BIDDERS
3.	 SSGC & Bidders SSGC advised to contractor to review thoroughly all the techno-commercial requirement in Tender documents i.e. TOR, SOR, drawing, HSE Manual, ITPS and all special & general condition of contract while quoting price. Contractors respectfully asked SSGC whether the rates mentioned in the tender bid could increase or decreased separately for each SOR, or whether the increase or decrease would apply collectively to SORs 1 to 6. In response, SGM(TS) clarified that any increase or decrease in rates would apply collectively to SORs 1 to 6, and that the activity-wise rates would remain fixed. Contractors would be required to derive the reverse rates in which they would add their own profit, taxes, and other site expenditures before quoting the final rates. 	INFO INFO TO BIDDERS



Contractors shared their experience from ongoing projects and highlighted various
site situations and problems that often result in payments at the site that are not
covered in Scope of works. They further stated that by fixing activity/SOR rates,
SSGC is reducing the contractor's prices / profit, which are impracticable. On which
SSGC has advised the contractor to ensure to comply with the tender terms and
conditions and quote the price based on their costing in term of percentage increase or
decrease.

INFO TO BIDDERS

• The Contractors requested that the previous pattern be restored, wherein lump-sum rates were allowed SOR-wise. They also referred to the Nawabshah Tender, in which ditching and joining SORs were separated, and each SOR had its own option for rate percentage increase or decrease. SGM (TS) declined the request, stating that the rates would not be opened and would remain fixed as they are SSGC's MLR-approved rates. However, he added that SSGC will provide provision by separating SORs sizewise pipe dia, allowing contractors to adjust the percentage increase or decrease according to the pipe size laying / jointing, while ensuring that the final quoted rates remain within the approved budget. Revised SOR will be circulated to all prospective bidder with the extension of time.

SSGC

SGM (TS) inform that SSGC has utilize the TPI resources through which inspections
are carried out in accordance with the project quality plan. Based on their site reports,
SSGC makes the corresponding payment deductions & work verification.

INFO TO BIDDERS

• Contractors explained that the provided rates are suitable for SSGC's in-house work, where the P&C department receives manpower (engineers), machinery, and camp resources from SSGC. In contrast, contractors have to pay engineers' salaries and bear the investment or rental costs of machinery themselves, all of which must be managed within these rates. In response SGM(TS) stated that an open option has already been provided, allowing contractors to increase the percentage of rates after completing their own detailed costing. The invoicing will be based strictly on the actual executed work. Any work not executed and any compromises in quality will not be paid and deducted respectively.

INFO TO BIDDERS

Contractors advised that for activities where the work percentage is being reduced the
volume of work should be maintained (i.e. Road Cutter, Bush Cutting, De-watering
etc), and rates for those activities should be adjusted within the remaining activities
(i.e. Testing, Jointing, Ditching etc). This would ensure that the rates, which are set
lower in SSGC, are made practical and workable. In response, SGM(TS) stated that
the rates are MLR-Approved, and no changes can be made to them.

INFO TO BIDDERS





Ref: SSGC/SC/PT/EPADS/14045-Ext / 2025

Date 21 November 2025

Extension # 1

HDPE 100 Pipe of Dia. 180 mm Trial Pit (S) of Size (2' x 6') up to 4' to 6' depth Tender Enquiry No. SSGC/SC/PT/EPADS/14045

Dear Sir,

This refers to above mentioned tender enquiry, the bid submission / opening date has been extended up to "11 December 2025 at 1000 Hrs." instead of existing.

All other terms & conditions will remain unchanged.

Inconvenience caused is highly regretted please.

For General Manager (Procurement)

Procurement

Dept.



Ref# SSGC/SC/PT/Pre-Bid/2025 Dated: November 07, 2025

PRE-BID MEETING INVITATION

Hiring the Services of Construction Activities for Natural Gas Network Through HDPE 100 Pipe

- 1. <u>Rehabilitation of GDN at Sultanabad Karachi (Tender Enquiry No. SSGC/SC/PT/EPADS/14045)</u>
- 2. Rehabilitation of GDN at Sector 50-A, 50-B, 51-A, 51-L & Sector 44-C Korangi Karachi (Tender Enquiry No. SSGC/SC/PT/EPADS/14046)
- 3. <u>Rehabilitation of GDN at Jackson Market Keamari Karachi</u> (Tender Enquiry No. SSGC/SC/PT/EPADS/14047)
- 4. Rehabilitation of GDN Taj Colony, Junaid Colony, Golimar & Allied Areas, Nawabshah City, District Shaheed Benazirabad (Tender Enquiry No. SSGC/SC/PT/EPADS/14048)

Dear Sir.

This is with reference to above referred Tender Enquiries, the Pre-Bid Meeting of subject tenders has been scheduled on "11-11-2025 at 1530 Hrs at Ground Floor Conference Room SSGC Head Office Karachi".

Note: All bidders/contractors who possesses valid PEC C-2 Category License or above with Sub-Category CE-08 from Pakistan Engineering Council are invited to attend the subject Pre-Bid Meeting / awareness session on modified BOQ of the above cited tenders and to answer the other queries raised by the Contractors as per above mentioned schedule. The tender document of above cited tenders can be downloaded free of cost from PPRA, SSGC & EPADS portals. Contractors are requested to kindly go through the tender documents before attending the subject Pre-Bid Meeting.

Authorized person attending the subject meeting should bring:

- (a) Original CNIC.
- (b) Authority letter to attend the Pre-Bid meeting on their company's letterhead.
- (c) Valid PEC C-2 Category License or above along with Sub-category CE-08 Certificate.

In absence of above documents Contractors/ bidders will not be allowed to attend the Pre-Bid Meeting.

PROCUREMENT

For General Manager (P)

Checklist for Bidders

fime:	No:
1	hone No:
	1
Jate:	
ening (
Ö	
-	
5	
70	2
2	2
#	
quiry	/s/
띮	Σ

Please Ensure before submitting the bid, that following information/ Documents have been submitted / providing along you bid Check () appropriate box.

			1	Ė
S. No.	Details of required information / documents	Yes	No No	
1	Fixed Bid Bond as spec	,		
7	Original Technical literature is enclosed, if any			
w.	Any change in your current address, Phone Fax no & Email etc intimated			T
4	Bid Validity as specified is mentioned			Т
5.	Delivery / Completion period has been specified.		•	
ø	All corrections/cutting/overwriting are singed & stamped	P		
7.	Sample (if necessary) is enclosed			
∞i	Form- X Duly Signed & Stamped			1
e,	Each & Every Page of the bidding documents shall be signed and stamped by			
	the bidder;			_
10.	10. Original Bid + One Copy is Submitted	ē		\neg

Note:

Non-Availability of the above information/documents, or incomplete/incorrect statement on this checklist may result in rejection of the bid at / after the bid opening. As per SRO296(1)/2023 dated 08th March 2023 * P. Pak Progrement Regulations; 2023 all bidders are advised to register in e-Pak Acquisition and Disposal System (EPADS).





Ref. No. SSGC / SC / 14045 Date: November - 03 2025

M/s.	

Hiring the Services of Construction Activities for Natural Gas Network Through HDPE 100 Pipe:

Rehabilitation of GDN 63mm, 125mm, and 180mm at Sultanabad Karachi
Under Single Stage Two Envelope Bidding Procedure

Tender Enquiry No. SSGC/SC/PT/EPADS/14045

SECTION - I Invitation to Bid

Sui Southern Gas Company Limited (SSGC) intends to carry out the work related to <u>Hiring the Services of Construction Activities for Natural Gas Network Through HDPE 100 Pipe and Allied Activities for Rehabilitation of GDN 63mm, 125mm, and 180mm at Sultanabad Karachi (Total 23,000 Meters) (As Per Criteria/TOR/BOQ) (Having Valid PEC Certificate Category C-2 or Above Having specialization of CE-08 Category) (Under Single Stage Two Envelope Bidding Procedure) (On Complete Package Basis).</u>

The Company invites you to submit Technical Proposal and Financial Proposal in two separate sealed envelopes "Under Single Stage Two Envelope Bidding Procedure" i.e. Sealed Technical offer & Sealed Financial offers shall be submitted in separate envelopes. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened on later intimated date in presence of bidder's representative.

The priced bids shall be submitted along with FIXED Bid Bond Rs. 295,000 (Two Hundred Ninety-five Thousand Rupees Only) in the form of Pay order / Demand Draft in favor of Sui Southern Gas Company Limited. No bid shall be entertained without bid bond / earnest money.

The Company reserves the right to add, delete from or amend any part of these tender documents during the bidding period and bidders shall be informed accordingly.

Bids not conforming to the terms and conditions or a part there of stipulated in these tender documents may be rejected.

The Tender documents comprise the following:

	Technical Proposal
Section – I	Invitation to Bid
Section – II	Instructions to Bidders
Section – III	Scope of Work/Special Terms & Conditions/Evaluation Potential Bidders and
	Criteria /with Forms/Project Quality Plan (PQP)
Section – IV	Special Conditions of Tender Document
Section – V	General Terms & Conditions
	Gulshan-e. C

Financial Proposal

Section – VI Tender Form

Section – VII Schedule of Rate (SOR- 1 to 07)

Section - VIII Bid Bond Format/Performance Bond /Format of Declaration/Contract

Form/Form X/Annexure I/ Form of Bid Securing Declaration

Section – IX/X Blacklisting Mechanism/ Affidavit of Compliance with IMS Manual

/SSTW-05/Drawing

Bids will be submitted online on EPADS Portal on or before $\underline{24-11-2025}$ at $\underline{1000}$ hours. The bids will be publicly opened at $\underline{1030}$ hours on same day online on EPADS in the presence of bidders and / or their authorized agents who may wish to attend.

TECHNICAL PROPOSAL



SECTION - II

INSTRUCTIONS TO BIDDERS



SECTION - II

Instructions to Bidders

- I. All rates quoted in the prescribed SOR / BOQ shall be firm, irrevocable and not subject to change or escalation on any account what so ever. No modification, alteration or deletion in the bid will be accepted after the bid opening time.
- 2. Sealed Bids shall be received at Company's Head Office, ST-4/B. Block 14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi, up to specified time & date and will be opened publicly at specified time & date, in the presence of Bidders or their authorized representative who choose to attend. In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date, it will be opened on next working day at the same time.
- 3. All original bid documents accompanied with the bid bond shall be submitted by the Bidder in the envelope provided with tender documents. The sealed Bids must be submitted at the address stated above in person or by courier or by any other means but it shall be the Bidder's responsibility to ensure that Bids so submitted are delivered to the above address before the specified Bid opening date and time. The Company shall not be held responsible in any way for late receipt of Bids or their confidentiality. Bids received after the Bid closing time shall not be considered, and will be returned to the Bidder unopened.
- 4. In Case of single stage two envelop bidding system (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be submitted in separate envelops (bid bond will be enclosed with "Financial" bid unless and until specified separately in tender terms). "Technical" and "Financial" is to be mentioned on the top of the envelop. Technical offers will be opened and evaluated first. Financial offer of only technically complaint bidders will be opened at a later intimated date in presence of bidder's representative. Financial offers of technically non-complaint bidders will be returned un-opened along with their bid bond.
- 5. The Bid should be signed by a person having the authority for this purpose. In case of a bid submitted by a corporate entity, the same shall bear its seal and be duly signed by its secretary.
- Bids shall be submitted strictly in accordance with the requirements of the Tender Documents and as per specifications.
- 7. Bid shall remain valid for acceptance for a period of (120) days from the date of public opening of the bids.
- 8. The Company shall not reimburse any expenses incurred in preparation of Bids.
- 9. The Bid and all subsequent correspondence shall be in the English language:
- 10. Payment for the Contracted Work / Services will be made in Pakistani Rupees only. The rates quoted by the Bidder shall therefore, be in Pakistani Rupees.
- 11. In case of any queries / clarification with regard to this Tender, the same may be forwarded to Procurement Department upto 5 days before the bid opening date, thereafter the request will not be considered.
- 12. The Company reserves the right to reject any or all Bids without assigning any reason and cancel the bidding process. Company also reserves the right to accept the whole or a part of Bid and does not bind itself to accept the lowest or any particular Bid.
- 13. In case of any conflict between the Special Terms & Conditions and elsewhere in the tender documents the Special Term & Conditions, will supersede & prevail.
- 14. Each and every page of the bid documents being submitted by the bidders shall be singed and stamped failing which the bid may be liable for rejection.
- 15. All documentary evidence required for evaluation of bid should be submitted along with the bid in absence of any documentary evidence no marks will be awarded in accordance to the evaluation criteria.
- 16. In order to maintain cordial business relation and as per ethical business approach, please provide the justification in case of your non participation on our Fax # 99231583 & Email. mmte@ssgc.com.pk
- 17. Conditional Bid will not be accepted and liable to be rejected:
- 18. The quoted unit price and corresponding total amount shall be inclusive of all duties and Taxes and excluding provincial Sales Tax as per provincial laws.
- 19. Sealed bids shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which bid will not be entertained bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening the rn Ga

count, if rocurement Dept.

- 20. Price given in the Bid Form/BOQ is firm which shall take into account all relevant factors including any. Discount / escalation given separately at the time of bid opening will not be considered.
- 21. The bidders are required to fill form SSTW-05 (if deemed required) and submit with the bid.

Rehabilitation of Distribution Network



B. Rehabilitation of Gas Distribution Network

1. General Information

Sui Southern Gas Company Limited (SSGC) is Pakistan's leading integrated gas company. It is engaged in the business of Transmission and Distribution of natural gas in southern part of Pakistan mainly in Sindh & Baluchistan and also have the only gas meter manufacturing plant in the country.

2. Scope of Work

Sui Southern Gas Company Limited, intends to carry Construction and laying Activities for the rehabilitation of gas network in Central Region of Gas Distribution Division (South) at Sultanabad, Karachi comprising of 23.000 Km (180mm ϕ = 1.968 Km, 125mm ϕ = 3.132 Km and 63mm ϕ = 17.900 Km). The work includes laying & construction of (180, 125 and 63) mm ϕ Polyethylene (HDPE 100) pipeline, 2,532 Nos. Service connections to domestic/commercial customers, fabrication of Service connection risers, 5,310 Nos. Gas meters Installation on new Service Connections, provide skilled labor and equipment for killing of live existing pipelines & allied works completed in all respects according to drawings, route maps, specifications and applicable standards, etc.

Since, this is a time based project, hence, any lack of progress as specified in completion period/agreed completion schedule, SSGC without any advance notice to the contractor shall exercise its right to withdraw portion of work or entire contract at the entire risk of the contractor as to cost and consequences thereof. The contractor shall not institute any proceedings before any court, forum or tribunal on such action by the company.

This document is intended to carry only the construction activities that are required for the scope of work outlined below, and not to hire any manpower or anything else. The bidder is responsible for the resources, personnel, and equipment needed to complete the job.

Generally, the following shall constitute the Contractor's scope of work:

- a. Plan and prepare a Project schedule (on MS Project) for execution and work implementation as per Quality Assurance guidelines along with the manpower and equipment deployment histogram. Contractor has to submit the Construction/Execution procedures before commencement of work at Site.
- b. Contractor will be responsible for obtaining and renewal permissions from Civic /Land owing agencies for road cutting for laying of pipelines. The cost will be borne by SSGC, however, Liaison with concerned authorities will be the part of contractor's job. Contractor has to complete the required job within the validity period of NOCs of Civic agencies and any delaying cost will be borne by Contractor. Further, in case of any hindrances (Political & Other stakeholders) faced by the contractor during the execution, contractor responsibility to resolve these matter at his own.
- c. Before proceeding to the construction, Contractor shall carry out area survey along with all the other Civic Utilities stakeholders for route survey and prepare drawings for proposed gas pipe line laying and submit to SSGC for approval (if Require any changes). Changes must highlight the re-routing of PE line pipe route and any missing area of networks etc.
- d. All material provided by SSGC to the contractor in accordance with the TORs must be transported by contractor and temporarily stored at the contractor's site. The contactor is responsible for all released material till the completion of scope of work and hand over of network to SSGC. In the event of material harm, theft, failure or loss of material equal ERP cost shall be borne by contractor. Further, contractor shall also return the balance material (if any) before handover of

J



- network to SSGC and must ensure the material reconciliation of new issued material and redundant material as per company SOP before the handover of the project.
- e. Making trial pits to determine the underground utilities /services such as existing pipelines, Cables (Electrical/Communication), Conduits, underground drainage, Sewers, tunnels etc., and deciding best routes and depths for laying the pipelines based on the route plans. No extra payment shall be made for trial pits as it is the part of SOR work.
- f. Obtaining the approval for optimum route from the Project Manager/SSGC and grading the route as per the requirement.
- g. Wherever required the grass/ turfing, pavement, linings, drains roads and other such 'pucca' area shall be locally removed to facilitate trenching and pipe laying works.
- h. Installation of Safety/ Warning Signs, barricading of the entire route to be trenched. Pits to be similarly barricaded along the warning sign at contractor own cost. SSGC Caution / Warning Tape at any stage of work shall not be used as a mean for barrication.
- To make trenches but restricting minimum disturbance to above ground/underground services/ installation as per specifications and approved route plans; keep the trenches free from water and soil till placement of pipes and sand cushioning;
- j. Uncoiling/ stringing the HDPE pipes of required sizes (i.e. 20mm, 63mm, 125mm, 180mm and 250mm) into trenches as per construction specification and international standard.
- k. Joining the pipe ends with fittings, (elbow, tee, reducers, tapping saddles, end caps, transition fittings, casing etc.) including construction of supports, etc., and butt joining by approved/standard fusion techniques as per specification & international standard.
- Destructive & Non Destructive Testing of HDPE pipe Joints including Butt, Socket & Electro Fusion
 Joints in compliance to the standards & SSGC Specifications in the presence of Rehab SSGC
 representative / TPI.
- m. Wherever required, laying of pipeline using trench less technology methods with or without casing pipes as per specification and as directed by Project Manager/SSGC.
- n. Backfilling and Crowning using approved 'good' soil (5 mm down) or using excavated earth (after sieving with 5 mm mash) as per requirement and specification and cleaning of all unserviceable material i.e. Asphalt layer, Stone soling, debris, excess earth near trenches etc., to designated disposal area. Installing of caution tapes, Burnt Clay Bricks, warning signs etc. (Refer typical drawing of Pipe Trench and allied works).
- o. Carrying out poly pigging, if required, pneumatic testing, and air purging as per the SSGC specifications and approved procedures; deployment of all tools, tackles, instruments and other related accessories for carrying out the testing of pipes.
- p. Returning surplus material to SSGC's stores, reconciliation of issued/redundant material/ consumables if supplied by SSGC on the SSGC approved format for material reconciliation in ITP and obtaining 'No Objection Certificates' from SSGC.
- q. Preparation and submission of As-built/As Laid drawings, details of crossings, utility graphs, length, depth, coordinate (TP) and clearance from permanent structure i.e. house or building etc. Measurement sheets on line list and deviation statements on completion /commissioning of work by way of drawing, sketches and tables etc.
- r. Selection of route and marking on walls/floors between transition fitting to the Gas Meter, making openings and provisions for fixing clamps.
- s. Fabrication of risers from Steel/Galvanized Iron Pipes of ½", ¾", 1" dia., their installation between transition fittings to the gas meter including NPT threading of pipes, and jointing of fittings such as elbows, tees, connectors, regulators, meter, isolation valves etc.
- t. Shifting of CMSs from old pipelines onto the new HDPE 100 laid pipelines and isolation of old service riser with construction foam and good quality PVC end cap at its cost.

L



- Provide service connection, testing & commissioning of service lines including purging as per specification and handing over the installation to customer till the entire satisfaction of Project Manager/SSGC.
- v. Killing of live existing pipelines, handling of old / redundant risers, service valve, regulators, Swivel, MLC and associated fittings and its reconciliation on the SSGC approved format for material reconciliation in ITP and transporting to SSGC's designated places as per instructions of the Project Manager/SSGC.
- w. Shifting of gas meters from the inside premises of customers to the outside in such a way that it should be accessible to SSGC's Engineers/Field Workers. Dismantling of scaffolding/temporary structures and cleaning of site.
- x. Preparation and submission of Service Connections installation card for each house/commercial establishment, containing a list of materials used, reasons for not having connections, measuring pressure and date, and, if applicable, deviation statements upon completion/commissioning of work on the SSGC approved format for Service and meter installation in ITP.
- y. The painting of pipe with Silver enamel color and service valve with Red enamel color of metallic sections of the riser shall be completed to the satisfaction of SSGC's Project Manager / Site Engineer after the installation of the Service Connections.
- z. Maintaining the completed pipelines/installation for any defect, failures during Defect Liability Period after handing over. In case of any noncompliance, the SSGC will do by his own and incurred cost will be deducted from Bid/Security bonds etc.
- aa. Any other activity not mentioned/covered explicitly above, but otherwise required for satisfactory completion/operation /safety/statutory/maintenance of the works shall also be covered under the Scope of work and has to be completed by the Contractor within specified schedule at no extra cost to SSGC.
- bb. The leak free certificate will be provided on the basis of 100% underground leak survey of the laid pipeline and 100% survey of every service tapping point of new service line to Meter outlet.
- cc. Overhead leak survey of each & every riser assembly of Meter (above ground pipeline).
- dd. The Contractor will be responsible for leak free gas network (U/G & O/H) for six (06) months period, the Retention money/PBG will be allowed on the basis of leak free gas network criteria/Report endorse by HSE&QA.

3. Material, Plant and Equipment


3.1. SSGC's Scope of Material Supply

SSGC will supply all necessary materials related to HDPE pipe & its necessary fittings to complete the laying of gas mains, its branching pipelines and service connections. The materials shall be issued to the Contractor from the designated store(s) of SSGC. Contractor shall be responsible for lifting the issued materials from SSGC's storage point(s) and transporting the same to work site(s) at his own cost.

3.2. Materials Supplied by the Contractor

The contractor has to procure necessary items/consumables other than provided by SSGC or advised by Project Manager/SSGC, which are required to complete the laying of gas main pipelines, service connections, gas meter and CMS shifting as per the requirement of scope of work. In that case list of necessary consumables like Teflon tapes and all types of clamps etc., as per the requirement of SSGC would be provided by the contractor with cost breakup (along with POs) to the Project Manager/SSGC

Jv.



for approval. The inspection of bought out items would be carried out by SSGC's Team or as instructed by Project Manager/SSGC.

In addition to above, the contractor must have dedicated bar coded electro- fusion (automatically readable) machine, Butt Joining Machines, Pipe Cutters (like circular guillotine), End Scrapers, Pipe Straightener, re-rounding tools and test ends etc. Contractor has to arrange his own equipment for trenchless crossings such as Moling & rock cutting equipment.

Contractor must also have to arrange his own/lend equipment for restoration work like water tanker and jumping jack compactor for compaction of backfilled trenches.

3.3. Backfill and other Material

The Contractor shall be responsible to arrange the supply of approved soft soil/coarse sand (5 mm down) free from major impurities like clay, mica and soft flaky pieces as per the requirement of Project Manager/SSGC.

The specification of Soil Classification will be given by the Project Manager/SSGC.

For supply of sand in trench for rocky terrain, no separate charges are payable and is included in Schedule of Rate (SOR) item for excavation of hard rock/Morrum.

The Contractor shall supply the following items where required.

- a. All materials required for formwork, trench support, and temporary trench crossings.
- b. All sign boards, barricades, tin sheets, lights and protective equipment.

3.4. Collection, Acquisition & Storage of Materials

The contractor shall collect all issued materials from SSGC store through its designated material coordinator / controller between working hours following all required documentation procedures such as SSGC's Standard Material Requisition & Dispatch Advise and/or as directed by Project Manager. The contractor shall at the time of receipt of material physically examine all materials and notify the Project Manager/SSGC immediately of any damage.

Any damage not recorded at the time of inspection done by contractor will be deemed not to have existed at the time of receipt of material. Cost of repair, rectification, replacement will be borne by the contractor. Any defective material found during the time of installation will be noted and forwarded to the stores for replacement immediately and only with written approval of Project Manager. The contractor shall ensure that no defective material shall be returned to store at the time of closure of contract.

The contractor shall be responsible for security, maintain log book and a permanent locked store preferably near site in so that all the material is stored in such a manner so as to prevent theft and damage to the materials from scratching, gouging, indentation, excessive heat or by contact with any sharp objects and chemicals.

4. Progress of Work

The Contractor for the above aforementioned required services shall proceed with the Work under the Contract with due expedition and without delay. The Project Manager may direct in what order and at what time the various stages or parts of the work under the Contract shall be performed. Contractor has to regularly submit daily, weekly progress reports, graphs with utilities, testing reports, material consumption, inventory and deviation statements etc.





5. Authorizations from Civic Agencies/Intimation to SSGC's Customers

Contractor will take permissions, obtain NOCs/ clearances for laying of pipelines. However, SSGC will pay the departmental charges through cheque/pay order against the valid estimated Challan /Demand notes. It is the contractor's responsibility to inform and co-ordinate the concerned local authorities and also other utility agencies before commencement of work at site. To ensure smooth execution of the work on a day to day basis, the contractor has to liaison with respective authorities and obtains necessary approvals. If the time dependent permissions expire before the completion of pipeline laying, then the extra charges/penalties, if imposed by the authorities will be borne by Contractor.

Before shifting of gas meters and new service connection, the contractor shall be responsible for notifying/informing the customers, society/flat's unions etc., depending upon the work location and any other concerned authority, if required for completion of the work.

The contractor must ensure that their persons/ workers/ supervisors at site shall have proper contractor's issued identity cards/attire prior to entering the premises of the consumer.

6. Reference Specification, Codes, Standards & Regulations

The contractor must complete the work in compliance with the current applicable requirements, the terms of this reference document, the SSGC's HSE&QA SOPs, SSGC PQP for PE pipe laying, applicable construction specification and Issue for Construction Drawing package. The latest OGRA Guidelines and SSGC's approved procedures, ASME B31.8 – Gas Transmission and Distribution Piping Systems, API 1104 and ISO: 4437/ ISO: 14885 for underground polyethylene pipes.

If the contractor discovers any inconsistency, uncertainty, or dispute in or between any of the Standards and the contract documents, he or she should immediately notify the Project Manager/SSGC, who will make a determination that will be binding on the contractor.

7. Route Survey

- a) Pipeline Mains/Branches
- i) Plans detailing the size, operating pressure and approximate location of the proposed mains, connections and associated regulator installations will be issued to the contractor by Project Manager/SSGC at the start of the work.
- ii) The final alignment of mains will be worked out in consultation with SSGC/Project Manager after route survey and trial pits. Any change in routing from the issued drawings due to site constraint will be notified to Project Manager/SSGC & his specific written approval shall be obtained before carrying out the job. Contractor has to submit the survey report refer clause 2(c) of this document.
- b) Service Lines
- i) A survey will be conducted jointly by SSGC and the contractor at each premises or housing colony to be supplied. The survey record will note customer details, the potential gas supply points and proposed regulator positions and estimates of material quantities. The contractor's representatives will make sketches of the agreed pipe routes if required.
- ii) The contractor will be responsible for contacting the customer and making the necessary arrangements for access, and appointments to carry out the work. Contractor shall maintain



job card and complaint books at site. SSGC will not be responsible for any time lost due to broken appointments or disputes with customers.

8. Work Management & Hierarchy Structure

- a) All construction work will be carried out as per direction of SSGC's Site Engineer, and this will be the primary point of contact between the contractor and SSGC on site. All work will be issued and sanctioned through the Project Manager/SSGC. The contractor shall ensure that quality standards are maintained, that construction is carried out cost effectively and that a good customer and public image of SSGC is maintained for which contractor has to follow the SSGC's HSE&QA SOPs, SSGC's PQP for PE pipe laying and applicable construction specification.
- b) Contractor shall deploy an officer (Contractor's Project Manager) who will be the single point coordinator to interact with Project Manager/SSGC or SSGC's Site Engineer and authorized to attend review meetings, receive materials, authorized to sign documents, claims and receive payments etc. Contractor shall submit their organizational chart stating in charge of projects, store, HSE and QA/QC Key personnel and supervisory staff and will notify the SSGC/Project Manager.
- c) The contractor will deploy his own supervisory staff for monitoring the site execution, HSE and quality in minimum number instructed by Project Manager/SSGC on each work location. These personnel will be responsible for monitoring construction standards and for ensuring that all detailed technical requirements are met on each and every job which is undertaken.
- No deviation from the approved technical specification/ issued construction drawings shall be undertaken without written approval of Project Manager/SSGC.
- e) Contractor shall maintain a Project site office, Material store with following facilities:
 - i) Telephone, Mobile phones, printers, Computer(s) with internet facility.
 - ii) 02 No. Single Cabin vehicle with driver for survey meetings etc., with Project Manager/SSGC's representative. Also it shall be well equipped with tools and tackles for attending any emergency complaints and ongoing execution work.
- f) When the contract is awarded, the bidder must create and submit documentary evidence for the items mentioned above, which will be assessed by SSGC prior to the start of the work order. Any delay or non-compliance with the above can result in contract termination.

9. Structures, Services and Other Property

9.1. Underground Utilities

Both submerged utility pipes, underground wires, water mains, and other obstructions intersecting or adjacent to the work must be located by the contractor, and the contractor must expose and document the depth of cover of all obstructions prior to excavation.

The contractor must also excavate trial pits as required to decide the pipe path. Prior to any excavation, the number of trial pits will be agreed upon by the Project Manager/SSGC. In either case, trial pits must be spaced at a maximum of 100 ft. apart. The contractor is responsible for restoring the abandoned trial pits and trenches. No extra payments shall be made for trial pits & its restoration work.

2

It is contractor's responsibility to interact with other utility agencies regarding their existing utilities and finalize the route along with these agencies and SSGC/Project Manager.



There will be no extra charges for abandoned trenches resulting from insufficient or incomplete trial pits, as well as any time or delays incurred as a result.

9.2. Protection of Structures and Utilities

The Contractor shall support and secure all houses, walls, fences, or other structures, as well as all services, such as electrical cables, telephone cables, water pipes, sewer pipelines, and other property that may be damaged as a result of the execution of the works, at his own expense. Special care shall be taken while laying Pipelines near the trees & buildings.

9.3. Traffic Management, Street Drainage and General Public

The Work shall be carried out in a manner that causes the least amount of inconvenience to those who may use public or private roads, lanes, streets, walkways, rights-of-way, or passages in which the works are to be carried out. Closure of roads, etc., shall not be permitted without the approval of the Project Manager/SSGC.

The Contractor shall comply with all local Authorities requirements to traffic, and keep roads open to traffic, and maintain access to and within any private property.

Wherever, the pipe route crosses driveways, access tracks or entrances to private properties, the Contractor shall give the SSGC/Project Manager, occupier or relevant authority at least 24 hour prior notice of intended commencement of excavation.

The Contractor shall not obstruct any drainage pipes or channels in any road but shall deviate them where necessary and use all proper measures to provide for the free passage of water. The Contractor shall not block any drainage pipes or channels in any lane, but shall deviate them as required and take all reasonable steps to ensure that water can flow freely.

10. Trenching & Bedding

The Contractor shall excavate in such a way that the pipe can be laid in accordance with the heights, depths, curves, measurements, and directions shown on the typical trench drawings, specifications, or as directed by the Project Manager/SSGC.

When trenching, extreme caution must be exercised to ensure that no underground structures or services are disrupted. Wherever possible, a suitable crossing shall be given and maintained over the work site to enable the general public, property owners, or tenants to cross or transfer stock or equipment from one side of the trench to the other.

SSGC require excavation by hand tools and may allow digging by machines in special circumstances once is the approved by local bodies. For any works related to ground disturbance contractor need to follow and comply 100% to the SOPs of Local Bodies. Contractor has to use the road cutter to ensure minimum damage to the road. Before trench cuts through water table, proper drainage shall be ensured, both near the ditch and place of work in order to guarantee the soil stability.

The trench width shall normally be restricted to average width of 18" inch and minimum Soil cover of 42" inch over the pipe. Where 42" inch. Soil cover is not possible the cover requirement may be reduced after approval of the Project Manager/SSGC, but it shall not be less than 30" inch pipe top cover.





The minimum distance from the inside edge of the trench wall to the outside of the pipe shall not be less than 6" inch, unless otherwise ordered by the Project Manager/SSGC and where ground conditions permit.

In Addition, as per international codes and standards as a safe design practice, if two pipe runs being laid in single trench use minimum distance 0.5 m (19.685 Inches) to 1.0 m (39.3701 Inches) separation between parallel lines, unless constrained or justified otherwise.

10.1. Bedding / Cautioning around Pipe

The contractor shall ensure that the pipe when placed in the trench is supported and surrounded by 6" inch bed / caution of imported soil (5mm down) and screened excavated soil using 5mm steel mesh or sand cushioning (as per drawing), which shall be stone and clay free, having a maximum grit size of 5mm in order to ensure no damage occurs to the pipe.

10.2. Clearances with Other Underground Assets

Unless otherwise approved, the following clearances shall be maintained between the external wall of the gas pipe and the external surface of other underground assets in the vicinity of the works.

- a) 6-12" inch, where the gas pipe crosses other assets, other than electric cables, where upon the clearance shall be 12" inch.
- b) 12" inch, where the gas pipe is on a similar alignment to the other assets. Where the above clearances cannot be achieved, or in other special circumstances, the Project Manager/SSGC may approve/specify protection with Concrete/Steel pipe, etc. The protective material will be supplied by SSGC and installed by the Contractor.

10.3. Under Ground Facilities Interferences

During trenching, the Contractor must manually locate and uncover any underground facilities that might exist. If necessary, safety barriers must be erected to prevent any damage or accidents. The trench shall be progressively deepened to prevent sharp bends where the pipeline is laid under existing facilities and along the approaches to the crossing.

When Authorities and/or SSGC allow an open cut paved road crossing, or a line is routed inside the road pavement, the Contractor must remove the paving in compliance with the restrictions and requirements of the authorities having jurisdiction, or directed by SSGC/Project Manager.

In case of damage to any of above referred structures/ utilities the contractor shall be responsible for repairs/ replacement at his own cost, which shall be carried out to satisfaction of concerned authorities, resident and SSGC/Project Manager.

The Contractor shall excavate to additional depth without incurring any additional expense to SSGC, at all points where the contour of the earth may require extra depth, or where a deep trench is needed at the approaches to crossings of roadways, railroads, rivers, streams, and drainage ditches.

11. Laying & Jointing of HDPE 100 Pipeline

Laying of HDPE (PE 100) pipelines shall commence only after ensuring proper dimensions and clean surface of the trench. The HDPE pipe coil should be uncoiled smoothly inside the trench with care, ensuring that the pipe coil is not damaged during laying. Before lowering the pipeline, the Contractor must ensure that pipe caps are provided. After that, the trench can be backfilled, leaving sufficient lengths available at the ends for jointing.



PROCUREMENT



Where given specific approval (written form) by the Project Manager/SSGC, a pipe may pass through an open drain or nullah. Where this is permitted the pipe shall be installed inside a Steel Sleeve/Casing/Pipe for protection. The sleeve material shall be provided by SSGC and laid by the Contractor on advice of the Project Manager/SSGC.

All other work necessary to break through the walls of the obstruction, and to seal the annulus between the pipe & the sleeve and the sleeve and the wall, shall be deemed as allied works.

Jointing of HDPE 100 pipes shall be performed according to ASTM F2620/API 1104/ISO 21307. The procedure for jointing of PE pipe and fittings is discussed below. Only SSGC approved Third party certified bar coded electro- fusion machine (automatically Readable) & Butt Fusion machines shall be used for jointing of HDPE pipe/ fittings.

The equipment used by contractor shall be checked by the concerned SSGC' technical team or the person (s) nominated by Project Manager/SSGC. Contractor shall ensure that the machines are always available at site, no stoppage of work due to the non-availability of machines.

It may also be noted that no fusion will be allowed without clamping device and only the recommended cutting tools (Hack Saw shall not be allowed for cutting the Pipe) shall be used. The contractor has to supply all the consumables required for carrying out the fusion joints (like cloth/paper napkin, acetone etc.). If, upon inspection, the Project Manager/SSGC determines a joint is defective, Contractor shall remove the joint by an approved method. The cost of this work shall be borne by the Contractor.

12. HDPE Pipe Weld/Jointing Testing

Before and during the construction of the pipeline at site, at least once or as per the recommendation of Project Manager/SSGC, the contractor shall submit testing reports of High Density polyethylene pipe welding/jointing including Electrofusion, Butt & Socket Joints of each pipe diameter going to be used at site, from the independent laboratories of repute as per the prevailing Codes & Standards.

As stated below, destructive testing such as tensile and bending tests of Butt Joints and De-cohesion or Peel off tests of electrofusion joints, must be carried out and results of repute institutions shall be submitted to the Project Manager/SSGC for the assessment of jointing quality.

- a. Tensile Testing of Butt Welded Joints Polyethylene (PE) Pipes And Fittings Determination of The Tensile Strength And Failure Mode In Compliance to ISO 13953 or Equivalent.
- b. Imperfections in Thermoplastic Welded Joints Features, Description, Evaluation in compliance to DVS 2202-1 or Equivalent.
- c. Bead Back Bend Test to detect the poor fusion of Joint.

C .

- d. Bend Testing of Butt Welded Joints Testing of Welded Joints Bend Test In Compliance To BS EN 12814.1 2000, ASTM F2620 or Equivalent.
- e. Electrofusion Joint Peel Decohesion Testing—Peel Decohesion Test For Electrofusion Assemblies in Compliance to ISO 13954 or Equivalent (Nominal outside diameter equal to 90 mm or above)
- f. Test method for impact resistance of Plastics Pipes and Fittings Polyethylene (PE) Tapping Tees in compliance to ISO 13957 or Equivalent.
- g. Plastics Pipes and Fittings -- Crushing Decohesion Test for Polyethylene (PE) Electrofusion Assemblies in compliance to ISO 13955 or Equivalent.



13. Backfilling

The trench shall not be back-filled until Project Manager/SSGC has approved the fit and cover of the pipe in place in the trench and has sanctioned starting the back-filling operation. Dewatering shall be carried out prior to backfilling and no backfilling shall be allowed, if the trench is not completely dewatered.

The trench should be minimum covered by 42" inch over the pipe. Where 42" inch cover is not possible the cover requirement may be reduced after approval of the Project Manager/SSGC, but it shall not be less than 30 inch as per ASME B31.8 and industry practice to maintain the as a safe design practice.

When the trench has been dug through drive ways or roads, all backfilling shall be executed with suitable material in layers as approved by Project Manager/SSGC and shall be thoroughly compacted.

High Quality of Burnt Clay Bricks shall be placed after the padding of 12" inch above the top of PE pipe and then 6" padding cover followed by a plastic Caution tape shall be placed on distribution main and on service lines to act as first line of defense. Electro-fusion & butt joints shall be undertaken immediately after lowering and the activity shall not be kept pending for lack equipment.

14. Trenchless Methods - Moling/Boring

The Moling or boring shall be carried out as per the requirement specified by Project Manager/SSGC, and approved practices. To prevent harm to other utilities, the contractor must conduct a detailed survey of the underground utilities before proceeding with the Moling or Boring.

The supply of all equipment, power required for carrying out moling work, is in contractor's scope. The type of moling to be carried out i.e., Manual/ Machine with or without casing pipe shall be at the discretion of Project Manager/SSGC. A prior approval is to be taken before starting the Moling.

For manual Moling the contractor shall ensure that the size of the hole shall not be more than 20% of the size of the casing pipe whichever is applicable. After completion of Manual Moling the hole shall be properly compacted / filled with soil by watering and by approved procedures, the pits shall be backfilled & restored.

Any damages occurred to other utilities during the Moling operation shall be immediately notified and rectified by the contractor without any cost implication to SSGC.

The length of the Hole (excluding the sizes of the pits on both ends) shall be considered for the measurement of Moling length. However, intermediate pits will consider in the moling length.

15. Restoration

The contractor shall perform suitable restoration of workplace, excavated trenches and its vicinity or the places where the work is carried out to the entire satisfaction of Project Manager/SSGC. It may include backfilling of trenches, removal of debris around the excavated places, clearing of surplus material to the designated place to the entire satisfaction of Project Manager/SSGC/local authorities and restoration of the abandoned trial pits.

The Contractor has to ensure that restoration work is properly supervised, and that the material used is suitable for the purpose and properly compacted. Where the required standards are not achieved the Contractor will be required to replace the defective restoration work.



16. Cleaning Through Purging & Poly Pigging

Purging and poly pigging shall be carried out with air in accordance with standards/regulations or advised by Project Manager/SSGC. The air required for purging & poly pigging will also be provided by the Contractor. In addition, the Contractor shall submit and get approved a Purging & Ploy Pigging Plan before commencing any pipeline cleaning work. The process also specifically mentions the need to lay a wet cloth over the HDPE main and in contact with the ground, to disperse static electricity during the purging work. All accessories/equipment required to clean the pipeline shall be the responsibility of Contractor. The contractor has to ensure all safety precautions and Quality Assurance guidelines, especially while performing pigging to clean the constructed pipeline.

17. Pneumatic Testing of HDPE 100 Pipeline

Pressure testing shall be carried out in accordance with the principles defined in API and/or ASME B 31.8 standards. Testing will be carried out with compressed air and will be provided by Contractor for testing purposes and is to be included in the rates.

For main pipelines work the Contractor shall perform progressive pressure testing to avoid having to find leaks in long lengths of pipe starting from the larger dia i.e.250mm, 180mm and 125mm followed by adjoining 63mm pipe segments. The test pressure shall be 100 psig, and there shall be no unaccountable pressure loss during the test period. Project Manager/SSGC must authorize the test protocol, which includes Pressure test package, drawings of the pipeline to be tested, vent points, gauge position, and inlet pressure etc.

For main line, the test duration shall be 24 hrs. With these tests the pressure should be allowed to stabilize for a period of 30 minutes after pressurization. The holding period may then commence and continue for 24 hours.

All the measuring instruments i.e. pressure recorder, Pressure indicators at different point and PSVs all supplied by contractor shall have been calibrated and their accuracy and sensitivity confirmed. For testing of Network, calibrated pressure gauges of suitable range shall be supplied by the contractor. The pressure gauges shall be calibrated from time to time as desired by Project Manager/SSGC. A variance of 0.04 psi is acceptable for this type of test & any device used should be able to measure pneumatic pressure within this tolerance. All testing shall be witnessed TPI and approved by the Project Manager/SSGC or his delegated representative.

18. Fabrication of Steel – HDPE Pipe Riser for Gas Service Connections

The contractor has to manufacture all kind of risers for the service connections of domestic & commercial customers. The material includes Steel Pipe, HDPE 100 Casing, coating 2/3 Ply tapes, Transition fitting, Primer, Teflon tape etc. The manufacturing process of service risers includes pipe cutting, sand blasting, welding of transition fitting, threading, primer coating, bending, coating 2/3 ply tapes for sealing, other ancillary materials as necessary and its pneumatic pressure testing. The riser depth and height shall strictly conform to the dimensions provided in the typical drawing attached. Perform pneumatic pressure testing on each riser at 60 psig to ensure integrity and leak-proof connections.

All material for the fabrication of risers will be provided by SSGC. . The contractor is responsible for the proper handling and usage of these materials during the manufacturing process. An approximate estimation of required material per riser is given in below table.

lu



Month/Year

Month/Year

5. Form B-03

Assignment Completed by the Firm in the Last Five Years [Along with Documentary Evidence & Details]

[NAME OF THE FIRM]

1. Name of Assignment

2. Name of Client

3. Address of Client

4. Start Date

5. Completion Date

6. No. of staff / professionals deployed

7. Approx. Value of Services/ Assignments

8. Description of project

9. Description of Services provided by the firm

Note:

- i) One form for each assignment.
- ii) All the above information provided shall be supported with documentary evidence; otherwise no marks will be awarded.





6. Form B-04

UNDERTAKING FOR THE CERTIFICATION OF HDPE JOINTER/WELDERS Tender Enquiry No. SSGC /

1	, s/o, d/o	, holding CNIC No.	copy attached and
repres	sentative of Contractor/Compa	ny, solemnly affirm a	nd declare that the
follow	ing submitted certificates of HDPE Jointers/Welder	s are genuine & valid a	and are certified by a
Reput	able Third Party.		
			0004
	e of any fraudulent action, false or misinformation		
	Moreover, I also agree to bear all financial losses in		
facts.	I further undertake to pay all liquidated damage	es and penalties as pe	er SSGC's terms and
condit	ions.		
· · · · ·	LIDDE Walder/leinter Neme	Certificate	Verified By
Sr. #	HDPE Welder/Jointer Name	Certificate	verified by
ii.	,		
iii.	,		·
iv.			
v.			
vi.			
vii.			
viii.			
ix.			
х.			
xi.			
5			i
	v •	Name of Contractor	·
	Ø :	ignature of Contractor	
		actor's Name & Stamp	
Note:	The bidders are required to furnish this mandator	y undertaking on Stan	np Paper of Rs.
200/-	while submitting this tender.	/	3/2 10/1



Martial Description	Quantity
Steel Pipe ¾"	1.5 m/riser
Service Valve	1 No./riser
HDPE 100 pipe 40 mm	1.7 m/riser
Transition Fitting ¾" dia	1 No./riser
x 20 mm	
Welding electrode 1/8"	0.03Kg rod/riser
Primer	1 lit/50 risers
2ply coating tape	1 roll /10 risers
3 ply coating tape	1 roll /20 risers
Teflon Tape	1 roll /4 risers

19. Steel - Galvanized Iron Piping – for Gas Service Connections

The service connection work includes all work necessary to connect Service Tee onto the HDPE service pipe, fitting of HDPE transition piece, threading. cutting bending of galvanized iron pipe, installation of fittings and to connect the riser assembly upto the gas meter. SSGC will provide the single random length of Galvanized Iron Pipe 3/4" and ½". The joints of the service connection assembly i.e. service valve upto the meter shall be tested with soap solution after completion of the work and rectified immediately, if found leaked. The results of the tests must be accurately reported on the reporting cards.

The threading of Galvanized Iron Line pipe shall be NPT and conforming to ASME/ANSI B1.20.1. All riser and lateral pipe shall be clamped to the building at intervals not exceeding 5 ft.

Pipe should ideally join a structure above ground and stay in a well-ventilated area. The entry point must be located in such a way that it can be redirected to the usage points in the shortest possible time. The contractor must ensure that no gas supply is delivered to the customer through any hidden piping or from old service connection.

20. Inspection

Before going further, any fault discovered during the various stages of inspection must be corrected by the contractor to the complete satisfaction of SSGC's Site Engineer/Project Manager. Irrespective of the inspection, repair and approval at intermediate stages of work, contractor shall be responsible for making good any defects found during final inspection/guarantee period/defect liability period.

The Contractor will be provided periodic monitoring report of gas losses of the rehabilitated area. He is liable to perform under his work scope to reduce the losses through leak survey and rectification work upto standard level for the period of PBG.

21. Installation of Meters

The meter installation shall be preferred at the height of 5 ft. from the ground and in open/ventilated space so as to prevent Gas accumulation and easy dispensation of Gas to atmosphere in case of any smell/ leakage of Gas. The meter installation shall not be provided in any fixed enclosures, cabinets or confined space in the customer premises.





The Contactor's team will ensure that all household gas appliances are completely turned off by the customer to avoid occurrence of any hazard. Existing (old) service connection / assembly along with meter, regulator, ML cock & fittings shall be removed after dismantling all joints from (from outlet of service valve up to outlet of meter). New ML cock and regulator shall then be installed on new service connection along with meter by using Galvanized pipe, U-Bend, etc., as per drawing provided by SSGC. Fabrication of U-Bend will be carried out by the contractor.

Fire Extinguisher in working condition shall always remain on sites of work. The installation should have minimum clearance of about 3-4 ft., from electric point mains and switches.

22. Killing of Old Pipelines & Handling of Service lines/ Gas Meters

In coordination with the Project Manager/SSGC, the contractor must devise an action plan for the terminating existing pipelines and handling of old gas meters, regulators, and service lines. Previous pipelines should be decommissioned in such a way that there should be no interconnection between new and old pipelines.

The contractor has to excavate 4.5' x 4' x 5' ft. size Pits for Locating, Killing / Disconnecting of existing network and installation of fittings, as per site requirement or as advised by SSGC's site engineer. This can be accomplished with the use of appropriate tooling and equipment while causing the least amount of damage to the environment and vicinity. The contractor must ensure that no natural gas is left in the pipeline through portable leak detector testing and that it is safely purged into the open atmosphere in accordance with HSE and QA guidelines. The old pipelines should be cut off at several points with a fair gap between them or as per the instruction of Project Manager/SSGC in order to ensure that the old network has de-energized / disconnected.

After installing the new ones, the Contractor must disconnect the old service gas connection from the underground Service Tee Point, update the complete record, and communicate with the SSGC's Site Engineer/Project Manager. No new connections will be permitted to any customers unless the old service lines were successfully disconnected.

23. Civil Work

Wherever required or advised by the Project Manager/SSGC, contractor has to supply the adequate materials and services for the completion of the civil work of the damages/repair caused by the rehabilitation work.

24. Recording of As-Built/Laid Drawings & Submission of Record

The Contractor will be required to submit computerized as-built/laid drawings duly certified by Project Manager/SSGC in AO/ A1 sheet form at 1:200 scale in prints plus soft copy.

The as-built/laid drawing shall be submitted on area wise as specified. The bill of materials used for the particular area shall be specified on the drawings. The Contractor shall use the area and crossing survey drawings prepared by them as reference.

The lengths, depths of installed pipe work, changes in direction, coordinate of TP/ at every 100 ft length and major fittings, etc., shall be recorded together with appropriate references to other services crossed and in the proximity of the gas pipe.

li



Distance of pipeline from permanent property /structure should be provided at least every 30' ft. If there is any chance in alignment/orientation and offset distance etc., of the pipeline in between the above said 30' ft., the same shall be clearly mentioned in the as laid drawings.

Technical deviation (if any) should be provided with reference to the buildings and permanent structure around, and the same should be cited clearly with all relevant details.

Complete details of nullah crossings should be shown in a separate sketch, Name of roads, major landmarks and buildings should be mentioned appropriately for reference. Direction of gas flow should be indicated in each drawing. The details shall be prepared in standard format using AUTOCAD Map and format should be compatible (import/Export) to ArcGIS Software and submitted into CD ROM/USB.

The contractor must send three sets of the following documents:

- a) A full list of all houses and commercial establishments in the area assigned to him, including specifics of connections provided and reasons for not being able to provide or complete connections.
- b) Specifications of houses that had extra piping installed, as well as the materials used.
- c) A report on total material use.
- d) Material reconciliation with respect to the materials issued.
- e) Test reports & test certificates of gauges etc.
- f) Compilation of Dossier Documents (i.e. Test Pack size wise and area / lot wise) as per approved index, ITP & PQP. Duly witness and verified by TPI and SSGC Project Manager

Any other documents / records required.

C. Quality Assurance System Guidelines

1. General Information

This portion of document specifies the Contractor's Quality Assurance Requirements. If there is a dispute between this specification and other contract clauses, it must be brought to the attention of SSGC/Project Manager during the bidding process and addressed with SSGC/Project Manager prior to placing an order.

2. Scope of Work of Quality Assurance System

2.1. Prior to award of contract

Before making an offer, the bidder must consider the scope of work, drawings, requirements, Project Quality Plan (PQP) and standards, as well as other documents attached to the tender/enquiry form.

The bidder shall submit milestone chart showing the time required for each milestone activity and linkages between different milestone activities along with overall time period required to complete the entire scope of work.

The bidder shall develop and submit resource deployment chart and a manual or equivalent document describing/indicating/addressing various control/check points for the purpose of quality assurance and the responsibilities of various functions responsible for quality assurance.





2.2. After the award of contract

The bidder shall submit the schedule for submission of following documents in the kick-off meeting or within two weeks of the placement of order, whichever is earlier.

- a) Detailed Bar / Gantt Chart
- b) Format for Daily, weekly and monthly progress reporting
- c) Quality plan for all activities, required to be done by the bidder, to accomplish offered scope of work.
- d) Inspection and test plans, covering various control aspects.
- e) Technical Manpower List and Experienced Quality & HSE Manpower list with their Resumes.
- f) Procurement schedule for items to be supplied by contractor covering inspection of the same.

Various documents submitted by the bidder shall be finalized in consultation with Project Manager/SSGC. All Quality Assurance Plan (QAP) documents shall be reviewed by concerned Department of SSGC and the bidder shall be required to incorporate all comments within the framework of this specification at this stage of the contract.

2.3. During job execution

During job execution, the bidder must adhere to all quality documents submitted and finalized/agreed upon in accordance with the contract's specifications. Approval of SSGC/Project Manager on all these documents shall be sought before start of work.

3. Quality Assurance System Requirements

- a) The bidder shall nominate an overall in-charge of the contract titled as "Contractor's Project Manager" for the scope of work of agreed contract. The name of this person shall be duly intimated to SSGC including all subsequent changes, if any. SSGC shall correspond only with the project manager of the bidder on all matters of the project. The project manager of the bidder shall be responsible for co-ordination and management of activities with bidder's organization and all sub-vendors selected by the bidder.
- b) A well-qualified HSE & QA/QC Team leader shall be there to oversee all the operations and requirements pertaining to health, safety and quality assurance and shall be the focal person for the subject matter.
- c) The bidder must schedule the contract scope of work on a quality plan format such that no significant variations are required during contract execution. The bidder must schedule the types of services, as well as the different work methodologies, that he agrees to use to complete the contract scope of work.
- d) The bidder is required to review the contract at all appropriate stages to evaluate his capabilities with respect to timely and quality completion of all activities pertaining to contracted scope of work and shall report for constraints, if any to SSGC.
- e) For all documents, a system must exist which assures that latest/ required version(s) of the document(s) is available at all location/ point of use.
- f) Under no circumstances, contractor is allowed to sublet the complete or part of the scope given to him unless, otherwise specify in bid proposal. The work Sublet to Sub-contractors proposed by the Bidder are subject to SSGC/Project Manager approval and they have to comply all criterion mentioned in the contract.





- g) Bidder shall establish adequate methodology i.e. storage and laydown area such that the materials supplied by the SSGC shall be adequately preserved, handled and made use of for the purpose for which they are provided. Material issued shall be documented and records shall be maintained.
- h) All output delivered against contract scope of work shall be suitably identified in such a manner through identification that sufficient traceability is maintained which permits effective resolution of any problem reported in the outputs.
- i) Critical activities must be defined, and the bidder must have documented methodologies that he would use to carry out those activities within the contract scope of work. Wherever, it is difficult to fully inspect or verify the output (special process), bidder shall pre-qualify, the performers and methodologies.
- j) All inspections carried out shall be in conformity to SSGC's quality plans and or inspection & test plans. All inspection results shall be duly documented on controlled forms such that results can be co-related to specific product that was inspected /tested.
- k) All inspection, measuring & test equipment shall be duly calibrated as per International standards/codes for approved calibration laboratory.
- I) All outputs delivered against contracted scope of work shall be duly marked such that their inspection status is clearly evident during all stages of the contract.
- m) All non-conformities (NCs) found by the contractor's QA/QC supervisor or by SSGC representatives shall be duly recorded, including their disposal action and resolved suitably. Effective corrective and preventive action shall be implemented by the bidder for all repetitive NCs, including deficiencies.
- n) Bidder shall prepare sufficient records for various processes carried out by him for delivery of contract scope of work such that requirements of this contract are objectively demonstrable. In case SSGC finds that enough objective evidence/recording is not available for any particular process, bidder shall be obliged to make additional records so as to provide sufficient objective evidence.
- For all special processes, bidder shall deploy only qualified performers. Wherever, SSGC observes
 any deficiency, the bidder shall arrange the adequate training to the performer(s) before any
 further delivery of work.
- p) Contractor has to prepare and submit a Dialy, Weekly and monthly Progress Report. These reports will present summaries of the progress included but not limited to the NOC's / Permissions status, Road Cutting, Ditching, Pipe laying, Backfilling activities and all other allied activities covered in scope of works. The report will detail the progress made in the day, week and month and compare with the schedule, whether it is ahead or behind. It will also suggest remedial actions that will be taken to keep the project on track. There shall also be a summary of the material that was used and issued from the store. Any issues being faced by the contractor shall be highlighted to ensure timely communication and resolution.

D. Health Safety & Environment Guidelines

Prior to commencement of the Project, the Contractor shall produce a written safety policy and procedure for Project Manager/ SSGC approval and which the Contractor shall enforce during all execution and commissioning activities.

The Contractor must follow the specifications specified in the tender document. Furthermore, the Contractor must follow good working practices when storing and handling cleaning fluids, flammable fluids, and other hazardous materials, and ensure that no smoking or naked flames are allowed in the vicinity when these materials are being used.



Trench walls shall be sufficiently battered in order to minimize a trench collapse. Where there is a danger of an earth slide or collapse, the trench shall remain open for the minimum time possible with proper barricading. The Contractor is to ensure that no person enters a trench, which is of a depth of 5 ft. or greater, unless the trench has adequate shoring or the sides are battered to such an extent as to prevent a trench collapse.

The Contractor shall also protect all work sites with warning signs, barricades and night lighting. The Contractor shall inspect all fenced excavations daily, and maintain them in good order. The trenches/pits shall not be kept open in night times. However, in case the same is essential the same shall be properly barricaded with proper lighting arrangements & manned.

The Contractor shall provide First Aid & all Personal Protective Equipment (PPEs) to his deployed labor which are necessary for safe working practice. Any accident causing injury to any person or damage to property or equipment shall be reported to the Project Manager/SSGC. At any stage if, the Project Manager/SSGC determines that the work is being performed by the Contractor in an unsafe manner, he may suspend the work until corrective action is taken by the Contractor.

During the Service Line Connections, the contractor shall take care of all safety norms applicable for such works at site. Contractor shall provide all safety appliances e.g., safety helmets, gloves, safety belts, ladders, staging, shoes, goggles etc.

During purging/Killing of gas pipelines, special procedures to be followed so that there is no chance of any unforeseen explosion. After completion of service line connections and before putting gas in operation, the contractor's workers should be equipped with gas leak / LEL detectors in order to identify any potential and hazardous leaks.

The Contractor shall be responsible for ensuring that the Site is kept clean and tidy and that all scrap materials and tools are removed from the Site on completion of the work.

When working at heights, all appropriate precautions must be taken. Installation of proper barricading and warning signs is required and without adequate lighting and the Project Manager's permission, no night work shall be allowed.

Contractor shall follow the SSGC's HSE manual as minimum requirement.

SPECIAL NOTE:

Performance Evaluation:

Performance of contractor during execution will be monitored/evaluated and weighted on following parameters, that will be counted as weakness/strength of contractor in his next coming/future participation in SSGC tender;

- Technical activities implementation on execution of Job.
- HSE/QA procedure implementation in field during execution.
- Overall performance of contractor during the execution.



Jv



10. Special Term & Conditions

- 1. The payment shall be follow according to Milestone detail attached as per Annexure-08.
- 2. The contractor shall require completing the scope of work according to attached detail Annexure-08.
- 3. SSGC shall not pay for any idle charges to contractor.
- 4. SSGC shall not pay advance / mobilization charges to the contractor.
- 5. Concerned Dist. Regional heads will be representative of SSGC for contractor.
- 6. In case of deviation from the typical trench width and depth requirement, payment shall be made, based on actual width and depth achieved on pro-rata basis.





A. Evaluation of Potential Bidders

The purpose of this activity is to assess the potential bidders against pre-determined criteria for Construction Activities of the Distribution Network through HDPE 100 Pipeline & its allied activities. The process is on a Single Stage Two Envelope Basis, those bidders acquiring the Threshold marks in the technical evaluation, their financial bid will be opened on the given date and time.

The contractor shall be paid based on completion of pre-defined BOQ line items. The contractor is required to quote for all the construction activities as per BOQ line items, separately. In case of any BOQ item is not quoted by the bidder, the bid shall not be considered and would be rejected accordingly. Moreover, the contract will be awarded on complete package basis for all BOQ line items.

For removal of doubt, the bid value of BOQ line items will be added and lowest sum so arrived will be deciding factor for awarding the contract to the lowest complaint lowest bidder. SSGC shall pay the contractor for measured quantity of each line item of work actually carried out under the contract (successful completion & achievement of milestone see Annexure-8); no advance payments or mobilization advance shall be entertained. Payment shall be at the rate for the work set out in the agreed Schedule of Rates/BOQ.

1. Mandatory Requirements

1.1. PEC Registration C-2 or Above

The bidder shall have valid registration with PEC under C-2 or above having specialization of CE-08 category (copy to be attached with the bid).

1.2. Blacklisting

The bidder has to submit an undertaking that the firm has not been black-listed by any Government/Semi Government Organization.

1.3. Bid Bond

The bidder is required to furnish Earnest Money equal to <u>Fixed Bid Bond</u> with the bid in the form of a Pay Order, Demand Draft or Bank Guarantee issued only by a scheduled commercial bank operating in Pakistan. No bids shall be considered unless accompanied by the said earnest money.

1.4. Provincial & Professional Tax Certificate

The bidder has to submit valid copies of Active Status of FBR Income Tax, professional tax and active SRB/BST whichever applicable tax certificates.

1.5. Audited Accounts

The bidder has to submit valid copy of company's audited account of last fiscal year.

1.6. ISO Series

The bidder has to submit the valid copy of ISO series mentioning the required scope of work.

1.7. HDPE Welders / Jointers

The bidder shall submit HDPE welders / Jointer details (Certified by Third Party) along with undertaking for same.



Bid Evaluation Process

2.1. Methodology/proposal of work

The bidder shall provide a detailed description of how they intend to execute the project, detail the project schedule with timelines and activities, necessary resources deployment which will be used against each activity and expertise to achieve the desired project objectives.

2.2. Expertise of Contractor's Team

The bidder shall submit complete information of the team of the contractor to perform construction activities including but not limited to CV, qualification, experiences which shall be minimum five (5) years or above as per attached form <u>B-1</u>. The hired team of the contractor for construction activities may, as a minimum, comprise of the following expertise:

- Project Manager (Should be an Engineer) Valid PEC Registration
- Planning Engineer
- HSE Engineer / Team Leader
- QAQC Engineer / Team Leader
- Material Coordinator / Material Controller
- Field Construction Supervisors
- QA/QC Supervisor / Inspector
- HSE Supervisor
- Computer Operator / Document Controller.
- HDPE Pipe Welders / Jointers
- Compressor / Machinery Operator
- · Ditching & Backfilling Labors

Apart from the technical team, the HDPE pipe fusion/jointers shall be certified by a reputable Third Party Verification body and hold valid certification, copy of certification(s) shall be enclosed. The contractor has to provide necessary undertakings (Form B-04) to SSGC that he/she has certified HDPE Pipe Jointers. There should also be sufficient ditching / excavation personal available for the required services so that work can be done in smooth and uninterrupted manner. Lastly, relevant operators for smooth operation of compressor and vehicles shall be easily available.

2.3. Equipment Infrastructure/Office Facility

The contractor must have a designated office location equipped with necessary office equipment likes computer, internet, telephone, printing/printers etc. If bidder wins the tender, then he/she has to develop the temporary office along with all facilities at the worksite as well.

Contractor has to provide the list of Construction Equipment owned by his/her company required to execute the HDPE pipeline construction job that would be checked by SSGC along with an undertaking (Form B-05) that the equipment will be deployed at project site within the project period. Moreover, in case of heavy machinery such as crane, dumper truck, excavator etc., are required, the contractor shall arrange/lend on its own.

2.4. Related Experience & Track Record of Contractor

The track record will be graded on basis of past experience of similar projects on laying of HDPE pipelines ranging from 20 to 250 mm dia. The complete information regarding previous project assignments such as Project description, duration, completion dates, timely or delayed execution, resources deployed and project value/LoI etc., copies shall be provided.

f HDPE



2.5. HSE & Quality Certification

The bidder has to submit valid ISO 9001, 14001 and Occupational Health and Safety Certificate, ISO 18001/ISO45001 Certifications or equivalent and shall maintain valid certification throughout the execution of contract.

2.6. Financial Health

The bidder shall exhibit sound financial health / credit worthiness (Annual Turnover & Liquidity Assets as per criteria tabulated in Financial Requirements) and liable to submit bank statement of last one year of the company. The concerned team of SSGC will evaluate any liquidity or current assets risk of the firm to establish whether the firm will be able to execute the project without financial constraints.

Technical Evaluation of Bid

The evaluation parameters are detailed below against which the bidder shall be graded. The process is divided into two (02) parts, first being the Qualitative and the second being the Quantitative. For the Qualitative Part, it is mandatory to tick 'Yes' in all the clauses and submit supporting documents at the time of bid submission. Failing to do so will lead to the rejection of the bid. For the Quantitative Part, the bidder shall be graded against each category and has to score at least 65% marks to be technically complaint against each category. However, for the equipment category, the bidder must score minimum 70% marks out of allocated in that category. In case less than 70% marks are obtained in construction equipment category the bid will be liable for rejection even if the minimum qualifying marks i.e. 65% are achieved.

a. Qualitative Mandatory Section

Sr. #	Essential / Mandatory Requirement	Yes	No
1.	Registration with Pakistan Engineering Council for Category with <i>C - 2 or above</i> Certificate		
2.	Undertaking that the firm has not been black-listed by any Government Organization.		
3.	Fixed Bid Bond submitted (copy)		
4.	Photocopy of Active Status of FBR Income Tax, SRB/BST whichever applicable, & copy of valid Professional Tax Certificates	14	
5.	Valid copy of company's audited account of last fiscal year		
6	Valid ISO Series having relevant Scope of work ISO 9001 – Quality Management System 14001 – Environmental Management System ISO 18001/ISO45001 - Occupational Health and Safety Certificate		. !
7	HDPE Pipe Welders / Jointers (Certified by Third Party) & undertaking of the contractor for same.		

Note: Any "No" in this section means mandatory requirement not fulfilled and the bid is liable to be rejected without further Evaluation.

DEPT.



b. Quantitative Section

3			Score	
Sr. #	Item Description	QTY	Marks Assigned	Maximum
1	Methodology/ Proposal of Work i. The bidder shall submit a detailed description of construction activity of the project along with necessary resources, which will be used against each activity and expertise to achieve the desired project objectives.	01	03	05
	 Detail project schedule with completion timelines against each activity along with man power and equipment deployment histogram. 	01	. 02	3
	Expertise of Contractor's Team The hired team of the Contractor for Construction activities may comprise the following (CV, qualification, and experiences of at least 5 years or above as per attached form <u>B-1</u>		ency and education	level just as
•	Project Manager Experience: Minimum 08 years. Qualification: BE (Mechanical, Metallurgy, Materials, Electrical, Industrial, Petro-Gas & Civil). Certification: PEC Certified / PMP	01	03	03
	Planning Engineer Experience: Minimum 05 years. Qualification: BE (Mechanical, Metallurgy, Materials, Electrical, Industrial, Petro-Gas & Civil). Certification: PEC Certified / PMP, Primavera and MS project	01	02	02
	HSE Engineer / Team leader Experience: Minimum 05 years. Qualification: BE (Mechanical, Metallurgy, Materials, Electrical, Industrial, Petro-Gas & Civil). Certification: Familiarity with ISO 9001, 14001, 45001,	01	02	02
Ò	QAQC Engineer / Team leader Experience: Minimum 05 years. Qualification: BE (Mechanical, Metallurgy, Materials, Electrical, Industrial, Petro-Gas & Civil). Certification: Familiarity with ISO 9001, HDPE Pipe works Code and Standards,	01	02	02
*	Material Coordinator / Material Controller Experience: Minimum 05 years. Qualification: Graduate / DAE Certification: Familiarity with the material used in construction industry	01	02	02
	Computer Operator / Document Controller. Experience: Minimum 05 years. Qualification: DAE / Intermediate Certification: MS Office	01	01	01
	Field Construction Supervisor* Experience: Minimum 05 years. Qualification: DAE (Mechanical, Metallurgy, Materials, Mechatronics, Electrical, Industrial & Civil). Certification: DAE and Educational Certificate	02	O2 PROCURENCY FORT	04
	QAQC Supervisor / Inspector* Experience: Minimum 05 years. Qualification: DAE (Mechanical, Metallurgy, Materials, Mechatronics, Electrical, Industrial & Civil). Certification: DAE and Educational Certificate	02	02	04



•	Exper Quali	upervisor* ience: Minimum 05years. fication: DAE (Mechanical, Metallurgy, Materials, Mechatronics, Electrical, trial & Civil). ication: HSE related Training Certificate.	02	02	04
	Exper	Pipeline Welder* ience: Minimum 05-10 years. fication: Third Party Inspection qualified Certificate.	02	0.5	01
	Exper	Pipe Welder /Jointers* ience: Minimum 05-10 years. fication: Third Party Inspection qualified Certificate.	08	0.5	04
	Exper	ressor / Machinery / Vehicle Operators* ience: Minimum 05-10 years. fication: Operator / Driving Certificate.	02	0.5	01
		ng & Backfilling Labor* ience: Minimum 05-10 years.	100	0.01	01
	Note:	If required SSGC representatives can physically check & Verify at the time of tion.	f Technical	Evaluation and d	uring Proje
	1	Facility Temporary Storage for Material	01	01	01
_		Computer with Printer	01	0.5	0.5
3	iii. 7	Telephone/Internet	01	0.5	0.5
3			01	0.5 01	0.5
3	iv. S	Felephone/Internet Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability	-		
	iv. S	Sitting Arrangement at site for Engineers (Temporary Office)	-		
3	iv. S	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability	01	01	01
	iv. S Const	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators	01	0.5	01
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary	01 02 05	0.5 0.5	01 01 2.5
	iv. S Constr i. ii.	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories*	01 02 05 05	0.5 0.5 0.5	01 01 2.5 2.5
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing*	01 02 05 05 05	0.5 0.5 0.5 0.5	01 01 2.5 2.5
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter	01 02 05 05 05 02 04	0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02
	iv. S Constr i. ii. iii. iv. v.	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter GPS Coordinates Recording equipment	01 02 05 05 05 02 04 02	0.5 0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02 01
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter GPS Coordinates Recording equipment HDPE Pipe Squeezing Machine for pipe 63mm to 180mm dia.*	01 02 05 05 02 04 02 04	0.5 0.5 0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02 01
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter GPS Coordinates Recording equipment HDPE Pipe Squeezing Machine for pipe 63mm to 180mm dia.* Single Cabin Vehicle*	01 02 05 05 02 04 02 04 02	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02 01
	iv. S Constr i. ii. iii. iv. v. vi. vii. viii.	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter GPS Coordinates Recording equipment HDPE Pipe Squeezing Machine for pipe 63mm to 180mm dia.* Single Cabin Vehicle* Pipe Squeezing Machine for Steel Pipe ¾" to 2" dia.*	01 02 05 05 02 04 02 04 02 04	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02 01 02 01
	iv. S Consti	Sitting Arrangement at site for Engineers (Temporary Office) ruction Equipment Availability Steel Pipeline Locators Automatic Electro fusion machines with bar code* Butt Fusion Machine for required Diameter along with all necessary accessories* Air Compressor (Capacity 150-200 cfm) for Purging / Testing* Asphalt Cutter GPS Coordinates Recording equipment HDPE Pipe Squeezing Machine for pipe 63mm to 180mm dia.* Single Cabin Vehicle* Pipe Squeezing Machine for Steel Pipe ¾" to 2" dia.* Dewatering/ Slurry /Mud pump*	01 02 05 05 02 04 02 04 02 04 04 04	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	01 01 2.5 2.5 01 02 01 02 01 02

Note: The bidder has to provide undertaking (Stamp Paper minimum worth of PKR 200/) that the above construction equipment are third party certified from the reputable inspection company and in ownership of contractor as per PEC By-Laws 1987, amended version 2023, clause-7.(3)(b)(iii). Further, these equipment will be made available at project site within the project period and the same is in fit and operational condition (later will be checked by SSGC). In case of requirement for heavy machinery such as dumper truck, crane, excavator etc., bidder shall arrange/lend on its own expense. For qualifying at least 70%, marks are mandatory to obtain in this category.

Further, if required SSGC representatives can physically check & Verify at the time of Technical Evaluation.

In case of any fraudulent practice, incomplete or wrong information provided the Contractor shall be liable to be dealt as per PPRA rules.





	TOTAL		100	100				
	4. PKR 5 – 9 Million	-	1					
	3. PKR 10 – 14 Million	-	2					
	2. PKR 15 - 19 Million	-	3	04				
	1. PKR 20 Million or above	-	4					
	The company shall have sufficient liquid assets for execution of project, to be graded or	n the follow	wing criteria:	Ĭ,				
	Liquidity:	L						
	4. PKR 30 – 49 Million	 	3	1				
	3. PKR 50 – 69 Million	-	6	12				
6.	2. PKR 70 - 99 Million		9	-				
	PKR 100 Million or above		12	T				
	The company to exhibit sound financial health to be graded on following Annual Turn-C	Over / Sale	s criteria:					
	Annual Turn-Over:	giilai at tii	e time of recrimica	ai Evaluation				
	Bidder shall attach LOI, Purchase Order and completion Certificate copy against each p Further, if required SSGC representatives can check all the required documents in Ori	-	e time of Technics	d Evaluation				
	d) 180 mm ø & above Project having scope of 15 – 20 Kms	02	02	04				
5.	c) 125 mm ø & above Project having scope of 15 – 20 Kms	02	02	04				
	b) 63 mm ø & above Project having scope of 25 - 30 Kms	03	02	06				
	a) 40 mm ø & above Project having scope of 40 - 50 Kms	03	02	9 06				
*	Relevant experience of similar type / nature of projects of HDPE pipeline construction in past five (05) years.							
	Past Performance as per Form <u>B-3</u>							

Note:

The above-mentioned manpower and equipment listed above and highlighted by * are minimum, indicative and meant only to assess the bidder's capability. During actual execution, the deployment of manpower and equipment shall be adjusted (increase) according to the work front requirements to effectively fulfill the scope of work, while ensuring compliance with site execution, Quality and HSE standards as per the approved Project Quality Plan (PQP) and Inspection Test Plan (ITP). Updated Quality Related formats will be provided after job awarded / during the kick-off meeting.





2. HSE Questionnaire

Do you have a formal written Safety Policy?	YES	NO
If yes, please attach a copy(s)		
Is safety policy distributed to all employees and		
posted at the offices?	YES	NO
Do you have a safety program manual?	YES	NO
If yes, please state scope		
Do documented procedures exist to support the safety manual?	YES	NO
If no, how is your safety program implemented?		
Do you operate a formal review/audit of the safety program?	YES	NO
How are review/audit results identified, documented and implemented?		:
Do you hold regular safety meetings for all employees	YES	NO
If yes, how frequently do you hold these meetings?		
Weekly	e V	
Fortnightly		
Monthly	9	
Others When?		
	1	
Do you hold regular safety inspection?	YES	NO
If yes, please provide details.		
What Type of employee training programs are in place?		
Is training delivered to subcontractors?	YES	NO
Is training delivered to clients?	YES	NO

How are accidents investigated and reports circulated to management? Give a copy of any report if available.



Ju



3. Form B-01

QUALIFICATION & EXPERTISE OF CONTRACTOR'S TEAM PROPOSED FOR THE ASSIGNMENT

- 1. Name:
- 2. Profession/Expertise:
- 3. Qualification/ No. of Years of Experience:
- 4. Date of birth:
- 5. Nationality:
- 6. Years with the firm:
- 7. Degree of proficiency:
- 8. Experience:
- 9. Membership of professional societies:
- 10. Academic Qualification:
- 11. Other trainings:

I, the undersigned, certify that, to the best of my knowledge and belief, these bio-data correctly describes myself, my qualifications and my experience

Signature:	_
Dated:	

Note:

- 1. Please fill one form for each expert as above. Additional experience information may be attached with the form.
- 2. An affidavit on stamp paper of Rs. 20 stating that the copies of certificates attached of key staff are genuine and will be responsible for any discrepancies arising later on.
- 3. All the above information provided shall be supported with documentary evidence; otherwise no marks will be awarded.





4. Form B-02

INFORMATION FORM

1.	Name of Contractor	
	• Address	
	• Telephone No (s)	
	• Fax number	
	• E-mail	
2.	Description of firm (Ownership / Organization)	
	Attach copy of certificate of registration	
3.	Experience (Number of Years)	
J.	Experience (Number of Tears)	
		*
4.	Experience of the firm (on appended B-3 form) dur	ring the past five (5) years.
5.	Organization chart showing contractor structure.	
6.	Additional information	
	y.	
		Yours truly,
		Name of Authorized Representative:
		1
		Position:
		Date:
	c . , , , , , , , , , , , , , , , , , , ,	*

* All the above information provided shall be supported with documentary evidence; otherwise no marks will be awarded.

Procurens W



7. Form B-05

UNDERTAKING FOR OWNERSHIP OF EQUIPEMENT Tender Enquiry No. SSGC /

I		, s/o, d/o, holding	CNIC No. copy attache	ed and
repres	entative	of Contractor/Company, solemnl	y affirm and declare th	at the
quanti	ty of equ	uipment detailed in below table is under my company	s ownership and will be	e made
availab	ole throu	ghout the project duration and the same are in fit and	operational condition. In	case o
		he equipment ownership claim or operational deficien		
•		ales. Moreover, I also agree to bear all financial loss		
misrep	orting th	ne facts. I further undertake to pay all liquidated dama	ges and penalties as per	SSGC
terms	and cond	litions.		
	Sr. #	Equipment	Quantity Available	
	i.	Steel Pipeline Locators		*
	ii.	Automatic Electro fusion machines with bar code		
	iii.	Butt Fusion Machine for required Diameter Jointing		
	iv.	Air Compressor for Purging / Testing		
	v.	Asphalt Cutter		
	vi.	GPS Coordinates Recording equipment		
	vii.	Single Cabin Vehicle	1	
	viii.	Dewatering/ Slurry /Mud pump		
	ix.	Generator 5 KVA		
	x.	Welding Plant		
	xi.	Portable Gas Leak Detector		
Ŷ		Name of 0	Contractor:	
		Signature of 0	Contractor:	
		Contractor's Name	e & Stamp:	

Note: The bidders are required to furnish this mandatory undertaking on Stamp Paper of Rs. 200/- while submitting this tender.





8. Milestones & Payment Schedule

	Rehabilitation Milestones and Payment Schedule					
Sr. No. Milestones Unit						
1	180mm ø HDPE pipeline Construction & Testing	Meters	1,968			
2	125mm ø HDPE pipeline Construction & Testing	Meters	3,132			
3	63mm ø HDPE pipeline Construction & Testing	Meters	17,900			
	Total	Meters	23,000			
4	Estimated Services to be shifted	Nos.	2,532			
5	Estimated existing Meters to be replaced or shift	Nos.	5,310			
6	Completely De-energizing/killing of the old existing network inc		5			
7	Submission of As-Build Drawings in hard and soft form all routing /Testing and commissioning Charts I photographs pipeline network and customers meters as per SSGC's PQ	/videos/sketches necessary P and ITP.	for energized			
- °	Re-conciliation of all type of new material issued and redu	ndant material removed to s	SSGC.			
10	Clearance of sites with all type of scrap, machinery and eq Clearance of all disputed matters if any with third-party ins underground network and oil pipeline network operators.	purpment. spection, civic authorities, o	ther utility agencies			
Mileston	e payment schedule	Quoted Amount	Total			
Ä	After 100% completion of Milestone 1 & 2	%age	75			
В	After 50% of completion of Milestone 3	%age	75			
С	After remaining 50% completion of Milestone 3	%age	75			
D	After 100% completion of Milestone 4	%age	80			
E	After 100% completion of Milestone 5	%age	80			

	After 100% completion of Milestone 4	%age	80	
Е	After 100% completion of Milestone 5	%age	80	
F After 100% completion of Milestone 6 which is directly associated with above milestones 1 to 5 the 60% remainir amount against milestones 1 to 5 will be released				
G After 100% completion of Milestones 7 to 10, the remaining amount as per actual work done will be released after deducting retention money for the maintenance period of 6 months.				

9. Project Completion Schedule


Sr.#	ACTIVITY	DAYS
1	Arranging Permission from Civic Agencies	05
2	The completion period of Mains Diameters 180 & 125 mm Pipeline network.	20
3	The completion period of Mains 63 mm Pipeline network	30
4	The completion of service connection	20
5	The completion of existing meter shifting to new service connections.	30
6	De-energizing / Killing the old Pipeline network	15
NOTE:	The contractor shall require completing the above-mentioned activities within 04	months'
time.		




Name of Contractor:	
Signature of Contractor:	

Contractor's Name & Stamp:

EXISTING DESIGN OF DOMESTIC METER INSTALLATION



5.11. DIMENSION / SKETCH OF RISER ASSEMBLY



PILLING FILLING BIRCKS (4x9x3") PIPE-BED PIPE-BED ANGLE BEDDING DITCH ?
FILLING
BIRCKS
(4x9x3") PIPE - FILLING PIPE-BED ANGLE BEDDING JNIT JUIN & BIDE TINE (4x9x3") PITCH PIPE-PIPE-BED ANGLE BEDDING

Market !

TYPICAL CROSS SECTION OF TRENCH

HDP-100 PIPE LINE

TROMING LIZETINE PIPE LINE

RASHID NIBAR (PED-SOUTH KT) 17-09-2025

LOMM & PIPELINE



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024

Page: 1 of 25

. 00	22/08/2024	Issued	Review	Review	Review
REV	DATE	GMI (HSE&QA/QC)	ASGM (TS)	ASGM (SBU-LS C/R)	ASGM (SBU-US)
SSGC		SUI-SOUTHERN GAS COMPANY Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-75300 Tel: 9021088 PROJECTNO: XXXXX			1
PROJECT		GAS DISTRIBUTION PIPELINE PROJECT			
TITLE		PROJECT QUALIT	TY PLAN FOR G	AS DISTRIBUTION I	PIPELINE PROJECT

This document is the Intellectual Property of SSGC. Any unauthorized use, including the modification and reproduction of the content is strictly prohibited.



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 2 of 25

Contents

1.	PROJECT SCOPE
2.	QUALITY OBJECTIVES
3.	DEFINITIONS / ABBREVIATIONS
4.	PROJECT INFORMATION
5.	ORGANIZATION4
6.	ROLES & RESPONSIBILITIES
7.	COMMUNICATION
8.	PROCUREMENT PROCESS
9.	INSPECTION PROCESS
10.	MATERIAL HANDLING AND STORAGE
11.	DESTRUCTIVE TESTING
12.	PRESSURE TESTING
13.	FINAL DOSSIER11
14.	RECORDS & DOCUMENTATIONS 11
15.	NON-CONFORMANCE
16.	CALIBRATION12
17.	MEASUREMENT & ANALYSIS12
18.	PROJECT WIND-UP13
19.	ANNEXURE





Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 3 of 25

1. PROJECT SCOPE

SSGC intend to plan for laying of Gas distribution network and is responsible for all aspects of design and construction of the project in accordance with the design criteria and specifications furnished in the tender documents.

The project scope covers Gas distribution network construction, Testing, commissioning, Services Installation, Killing of old network, As-built data compilation and material reconciliation work under the applicable codes and standards or project specification. Contractor has to arrange their team and respective resources for proper implementation of project quality plan and fulfil the quality-based requirements mentioned in the tender document while record / measure these requirements in a quantitative manner to compile quality dossier against the construction activities.

2. QUALITY OBJECTIVES

To achieve customer/Contractor/Executer confidence, support and participation for promotion of quality culture, SSGC has established a set of IMS objectives, which are measurable and consistent with QHSE policy. This PQP is in line with the company predefined objectives & policies for defining, monitoring and analysis of the quality system for execution of the project. The specifications prepared by the SSGC shall be exercised by contractor as baseline requirement and recommended practice.

Refer:

QHSE Policy

(Annex-A)

IMS

(Approved Copy Attached)

3. DEFINITIONS / ABBREVIATIONS

PQP

Project Quality Plan

IMS

Integrated Management System conforming to ISO 9001:2015,

ISO 14001:2004 & OSHAS 18001:2007

QA&QC

Quality Assurance & Quality Control

SOP

Standard Operating Procedure

MS

Method Statement

PM

Project Manager

FEDC

Field Engineer & Document Controller

E&P

Equipment & Plant

SM

Site Manager

QHSE

Quality, Health, Safety and Environment

CAR PAR Corrective Action Request

Company

Preventive Action Request Sui-Southern Gas Company

Contractor

SSGC-(P&C) or Outsource (Contractor)
Inspection, Measuring & Test Equipment

IMTE I/C

In charge

QCI

Quality Control Inspector (P&C / Third Party)

LOI

Letter of Issuance

LTP

Letter to Proceed

IFC

Issued for Construction





Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 4 of 25

IFA

Issued for Approval

4. PROJECT INFORMATION

4.1 Contract Information

Contract Title:

Rehabilitation of Distribution Gas Network

Contractor:

In-House Contractor (SSGC-P&C) / Contractor (Outsource)

Company:

Sui-Southern Gas Company Limited

Project Location: Sindh

4.2 Identification of Parties Involved

- SSGC-P&D-Distribution
- SSGC-Distribution Rehabilitation
- SSGC-P&C / Contractor (Outsource)
- SSGC-Procurement
- SSGC-HSE&QA
- Third Party Inspection

5. ORGANIZATION

Project specific organization chart shall be developed & submitted by contractor which is attached as Annex – B showing position, functional responsibilities, reporting channel and interfaces.

6. ROLES & RESPONSIBILITIES

The roles and responsibilities of different departments / functionaries include but not limited to the following

6.1 Project / Site Manager is responsible to:

- Careful study of contract agreement for all the technical, commercial and legal issues identifies the risks involved and mitigates and administers them. He will consult with Lead P&D-South / Lead-Rehabilitation / Project Engineer for any assistance on contractual matters. If necessary, PM / SM will get additional information or clarification from the company.
- Submit all necessary documentation in time, required to be submitted to SSGC before mobilization as per contract requirement.
- Prepare material requirement plan/MTO, E&P deployment plan, organization chart and mobilization / construction schedules. In case a change in cost is expected due to change in the scope work as per site condition, budget shall be reviewed. The SSGC competent authority then approves the budget.
- Timely arrangement of resources.
- Keep in close touch with the SSGC / contractor for any exposition and change / waivers required for the project.
- The nominated PM / SM will assist construction team for construction related activities and coordination with Lead P&D-South / Lead-Rehabilitation / Project Engineer.

6.2 I/C Planning is responsible for following documents:

- Revision of initial level-3 plan.
- Preparation of project specific MS's. Also add new MS if required.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 5 of 25

· Revision of project Organogram.

- Mapping of Work Break down Structure (WBS) and Organization Break down Structure (OBS).
- Prepare Material Requirement Plan.
- Determine BOQ and BOM from drawings.
- Enter BOQ / BOM into PCS.
- Preparation of Work/Test Packages.
- Raise queries for clarification from company.
- Highlight critical path, anticipate bottlenecks and mitigation of risks involved.
- · Track changes in material delivery schedule.
- System configuration of project management system such as PCS, SBT, SMART, GDMS according to the project scope.
- Follow up with P&D-Distribution (GIS) for drawings revision/update/As-built schedule.
- · Spool and joint Marking on drawings.

6.3 I/C QA & QC is responsible to:

- Implementation of Project Specific PQP.
- Implementation of Project Specific QIP's.
- Prepare Project Specific MS's related to QA&QC.
- Customize level-4 forms of QA&QC.
- Collect Codes and Standards relevant to the project.
- Arrange courses / training required to his team regarding project if applicable.
- To execute the QC plan at project site through a well-managed team of Engineers & activity Inspectors.
- Ensure that all IMTE's under use are calibrated and have valid dates
- Ensure that all critical activities like Jointing/Destructive Testing/Pressure Testing/Material is handled by execution according to the procedure and QIP's.
- Provide assistance to Project site management in answering all queries of the company relating to Quality of work.
- Post quality concerns and area requiring improvement to Project / Site Manager for timely rectification.
- If applicable facilitate & execute internal IMS audit programs organized by SSGC Audit depart.

6.4 QC Engineer is responsible to:

- Ensure that all relevant codes and/ or specifications are applied at Project and only current documents are in use.
- Ensure that all inspections & tests are carried out as per ITP, WPS, Method statement/ Procedures /Tender specifications.
- Verify all inspection reports done by QC inspector and review records of MTC's when required.
- Liaison with other departments for smooth inspection activities at site.
- Monitor the compliance of IMTE's calibration frequency is met and updated regularly.
- Will be responsible for all workshop & field QA/QC activities.
- Ensure that all repair and correction of work shall be done by company approved procedures/Tender Specifications.
- Follow up with QC Inspectors for preparation of inspection records.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 6 of 25

 Coordinate with TPI to compile all quality records and prepare QC dossiers on completion of work and final handover to department.

- Ensure that NCR's are raised for every rejection/ rework as occurred/ pointed out by QC Inspectors. And ensure that NCR's are cleared by target dates.
- Ensure timely closure of open CARs & PARs.

6.5 QC Inspector is responsible to:

- Observe and monitor the implementation of ITP with regards to Ditching/Jointing/welding/Laying/Backfilling/Pressure-testing/commsioning/Installation of services and gas meters related activities.
- Check MTC's (when required) of all received welding consumables required for steel
 pipe welding at site to ensure that all welding consumables, gases, flux, wire meet the
 code/ specification requirement and are in good condition prior to use. Also, responsible
 to control the storage, handling, backing and issuance of consumables to welder at site.
- Check Butt fusion / Electrofusion machines calibration certificate and proper operational parameters related to essential variables in WPS.
- Witness the steel welder qualification test as per WPS and ensure weld consumable control as per Project requirements and maintain welder qualification record.
- Witness the PE Jointer qualification test as per WPS and ensure proper use of specifications / machines operation and maintain their qualification record.
- Issue welder qualification card and allot welder identification stamp number.
- Issue PE Jointer/welder qualification card and allot them identification stamp number.
- Maintain PE Jointer & Steel Welder performance record of all the qualified PE Jointer & steel welders and evaluate their activities and performance periodically.
- Shall be responsible to monitor/ observe that all the PE Jointing & steel welding parameters are within the specified limits as stipulated in WPS during the PE Jointing & steel welding operations.
- Ensure that all PE Jointing machines & welding machines are calibrated as per frequency and periodically inspected for any discrepancy and maintain log.
- Carryout 100% visual inspection of all completed PE joints and steel welds with the help of inspection tools.
- Shall record all the inspections on project-approved formats to get verified by parties involved for the completed work scope.
- Compile all quality records and prepare QC dossiers on completion of work and final handover to client.
- Ensure that all process non-conformities are highlighted through CARs/PARs to the Area Engineer/ In-charge for rectification and follow up for timely close-out.

6.6 I/C HSE is responsible to:

- Prepare the HSE plan.
- Coordinate with procurement for (Personal Protective Equipment) PPE's required at site.
- Implement a training program that supports the achievement of personnel competency in relation to Health, Safety, and the Environment.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 7 of 25

 Conduct scheduled inspections and HSE audits of all work areas and advising managers and Area Supervisors on unsatisfactory conditions or practices being observed.

- Avoid all personal injuries during the execution of the Project, 'Target Zero LTI'.
- Ensuring that all injuries, accidents, incidents/near misses and hazards are positively and timely reported.
- Ensure that all personnel employed on the Project are competent to carry out their designated tasks safely.
- Create positive health, safety and environment attitudes and perceptions at all levels of the Project organization, and to raise health safety and environmental awareness in general.
- Complete the Project without incurring any significant property damage to permanent equipment, or temporary facilities.
- Complete the Project with minimum avoidable impact upon the surrounding environment.
- Implement a hierarchy of communication forums that ensures that HSE concerns can be raised and addressed at all levels of the organization.
- Introduce a method of motivating good HSE and environmental performance which shall include the use of commendation, as well as correction techniques.
- Attend and positively contributing in the HSE Committee Meetings.
- · Continually monitor and improve HSE performance.

6.7 HSE officer is responsible to:

- Lead the team of the HSE inspector.
- Carry out site surveys to see that only safe work methods are in operation that health,
 safety & Environment requirements are being observed.
- Ensure for observation cards are raised for each unsafe practice and safe practice and corrective actions taken.
- Coordinate with Field HSE inspectors and address the concerns.
- Evaluate and report performance of HSE inspectors to I/C HSE.
- Perform hazard identification, risk assessment and risk mitigation control activities pertaining to the Health, Safety and Environment.
- Ensure the health of equipment, tools & plants through regular inspections. This is equally applicable to all related suppliers & subcontractors.
- Assist I/C HSE in Promoting HSE culture by implementing QHSE policy, and strive to achieve project objectives.
- Encourage every person at site to report Near misses through trainings & incentives.
- Ensure implementation of project approved HSE plan for the subcontracted scope of work.
- Helps in Preparation of weekly HSE report.
- Evaluate and report performance of HSE team to I/C HSE.
- Ensures that all environmental issues are given due importance that they deserve.
- Measure & report cost of quality.
- Ensures that all vehicles used at project site are in roadworthy condition and are equipped with safety belts and fire extinguishers etc. Similarly, wherever required, ensures that construction machinery, particularly in the case of infrastructure work are fit for service and equipped with reverse horns.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

PROCURENCE

Date of Issue: 22-08-2024

Page: 8 of 25

• Takes ownership of company's QHSE Policy, Core & Operating Values, and ensures their implementation.

7. COMMUNICATION

Effective communication creates understanding of the information given and received. The project team provides timely and accurate information to all concerned persons. Members of the project team prepare and distribute information in a variety of ways to meet the needs of various project activities. The communication channel for information, feedback and improvements includes meetings, telephone calls, faxes, letters, emails and project reports. All instructions or understandings delivered verbally, or by telephone shall also be confirmed in writing.

Meetings in particular are the most effective way to disseminate information. The contractor shall invite TPI team for witnessing, inspection/examination and clearance of their work by Request for Inspection, through contractor QA/QC Personnel before the intended inspection starts at contractor's workshop or at site. The inspection shall be carried out as per ITP and measurable data shall be recorded on applicable format and signoff.

Different communication methods, with purpose, responsibility and frequency are given below:

Method	Purpose	Responsibility	Frequency	Audience
Project Kick-Off Meeting	Publicly state the project is beginning. Communicating project scope, costs, schedule, project administration, meetings plan, communication plan, etc.	Executive management	At the start of project.	Executive management, project manager, project team and all parties involved.
Project development meeting	Develop a formal document called the baseline project plan, which is used to define, monitor, and manage project execution. Identify the basic task elements of a project and assess the resource needs for delivering a project within an assigned time frame.	Project manager	Weekly until baseline plan is finalized	Project manager and all parties involved.
Project status review meeting	Report status and progress of scheduled milestones and activities. Identify and discuss problems and solutions for project obstacles.	Project manager	Monthly	Project manager and concerned supervisors/Engineers, Company



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 9 of 25

Method	Purpose	Responsibility	Frequency	Audience
Project team meeting	Report status and progress of scheduled milestones and activities. Identify and discuss project issues and corrective actions.	Project manager	As needed (weekly, monthly, quarterly	Project managers, and supervisors
Ad-hoc meetings	To deal with specific technical, contractual or other issues as they arise.	Project manager, functional managers	As needed	Participation at these meetings will be dependent on the issue under discussion
Customer and/or supplier meeting	Involve external customers and suppliers in the project	Project manager, functional managers	As needed	SSGC team
Correspondance (letters, faxes, emails, etc.)	Document status of action items, decisions made, and problems encountered.	All responsible persons	As needed	All responsible persons

8. PROCUREMENT PROCESS

Procurement is carried out in accordance with the relevant specifications (PPRA) and is executed in the cost effective and efficient manner as per material requirement plan. SSGC uses 'System for Material Acquisition Retrieval and Transfer' (SMART) as a centralized control system for material tracking and reconciliation at requisitioning, purchasing, expediting, inspection, receiving and issuance stages.

8.1 Supplier and Vender

SSGC procure materials from financially and technically sound sources that have demonstrable relevant experience by utilizing data bank of suppliers and vendors for procuring material and equipment.

All bulk procurement for project is made through open bid process as per procurement policy.

8.2 Request for Quotation

SSGC Distribution Rehabilitation department request Procurement department against Purchase requisition to ensures adequacy of information according to the requirement. If the information is inadequate, then the correct information is obtained. Inquiries are prepared and floated to suppliers / vendors through open bid process.

8.3 Bid Evaluation

Suppliers/vendors are evaluated on the basis of quality system, past performance and / or evaluation of samples. Performance of supplier is continuously monitored for ensuring that only competent suppliers stay on the list of pre-qualified suppliers. Comparative statement is prepared and sent to management for approval.

Records of all correspondence concerning quality and delivery problems are maintained by the Procurement Department and made part of individual assessment of suppliers.

8.4 Purchase order placement and follow-up

SSGC Procurement issue the PO to the selected vendors/suppliers upon approval of the selected supplier/vendor.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 10 of 25

After issuance of PO, procurement team expedite, track and follow-up for timely delivery and also coordinate with Distribution Rehabilitation for pre-shipment inspection. If the PO to be issued requires the import of material, then procurement department process the requisition and issue the requisite PO / LOI, as the case may be, for import of goods. The case is then assigned to coordinator Import / Export for further processing.

8.5 Material Inspection and Testing

SSGC distribution rehabilitation ensures that receiving inspection of material and equipment is carried out at receiving store in conformity with the applicable specifications.

9. INSPECTION PROCESS

Inspection shall be done following the requirement of relevant ITP, and SSGC Project Engineer / TPI shall be notified for inspection through contractor-QC against daily basis inspection.

- Inspection's interveritions performed by the Third Party shall be notified to the SSGC Project Engineer or Manager
- "W" (Witness) SSGC/TPI shall be notified of the timing of inspection or test in advance. However, the inspection or test shall be performed in presence of TPI as scheduled if the SSGC representative is not present.
- "H" (Hold) SSGC/TPI shall be notified of the timing of inspection in advance.
 Inspection or test shall not be carried out without the SSGC/TPI in attendance.
- "M" (Monitoring) SSGC/TPI shall not be notified of the timing of inspection in advance. However, the inspection shall be SSGC/TPI may perform random inspection / verification.
- "R" (Review) SSGC/TPI shall review and endorse the documents provided by contactor QA/QC.
- Results of inspection prepared by contractor QA/QC shall be analyzed and reported by TPI.
- TPI shall assign appropriate number to each request for inspection.
- TPI shall maintain the Inspection record against construction activities and keep its updated.
- At the Hold and witness point inspection by SSGC/TPI. The TPI shall present relevant inspection reports signed-off by TPI/SSGC/Contractor-QC after the inspection carried out.

10. MATERIAL HANDLING AND STORAGE

Material handling, storage, preservation, inspection & exclusion of quarantine material at workshop and site shall be as per project requirement.

- Inspection of the incoming material shall be carried out and all the relevant documents shall be reviewed by SSGC. All marking & traceability of the material to be verified.
- All the Material (PE Pipe, PE-Fittings, Services installation material) at project site shall be protected against weather conditions (Rains, Humid & Hot/cold conditions).
- The material at project site shall not be dumped on ground, instead wooden blocks or crates to be used.
- The material shall be carefully transported and handled during loading & unloading activities and proper clearance shall be maintained with nearby obstacles.



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 11 of 25

 Items which are prone to accumulation of moisture/water in crevices shall be covered properly.

- The material & consumables shall be segregated and kept away from dissimilar materials like PE and Steel etc. to avoid mixing & potential damage.
- When a small part of the material is cut from the length, then the traceability (heat no) shall be transferred on both pieces with markers/chalks for future reference.
- Materials with no marking/traceability shall be quarantined & shall be shifted away from the work place to avoid its further use.

11. DESTRUCTIVE TESTING

The destructive testing of material shall be performed and results assessed to qualify the HDPE procedure qualification as per TOR/tender clause-B (13).

12. PRESSURE TESTING

Pressure Testing shall be carried out according to approved procedure and test package prepared prior to the commencement of Test. All pressure testing Equipment such as Pressure gauges, manifolds, Recorders shall have valid calibration.

13. FINAL DOSSIER

Contents of final Dossier shall be finalized as per SSGC Requirements and TPI in coordination with contractor compile and submit the dossier after completion of project.

14. RECORDS & DOCUMENTATIONS

Contactor has to interact with SSGC-Rehabilitation, Civic agencies, other utilities, SSGC-HSE&QA & TPI. Proper documentation enables better communication of intent and consistency of action. Various daily, weekly and monthly reports are generated to ensure the effective planning, operation and control of processes. Documentation spells in a two-way channel and each side provides different documents to each other.

14.1 Documentation from SSGC-Distribution Rehabilitation to contractor

SSGC delivers and fulfils the documentation requirement of the contractor that commensurate with agreed contract agreement and company specifications. Such as:

- LOI/LTP
- Copy of the contract documents / Work Order
- Project mobilization & material
- Approved drawings
- QA & QC documents
- Project Specific Method Statements (TORs)
- CARs/PARs
- Progress Reports
- Correspondence with contractor / company, technical queries
- QHSE policies





Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 12 of 25

14.2 Documents from Contractor QA/QC to TPI for Onward Submission to SSGC

Contractor / TPI will deliver the Final Quality Dossier within one month of job completion as a hard copy in form of dossier and soft copy in CD (if applicable). List of Deliverable documents are mentioned below which are as per Approved Dossier Index

- Signed off Copy of Project Specific Quality Plan
- Approved Inspection & Test Plan's
- Approved WPS/PQRs and Jointer / Welder Qualification Records
- Test Packages including Weld maps & Weld summary sheets, Pressure Test Certificates.
- As Built Drawings and Datasheets
- Calibration Certificates for Jointing / Welding Machines, Pressure Gauges & Testing & Inspection Instruments.
- Daily material consumption report.
- Material Reconciliation Report.

15. NON-CONFORMANCE

SSGC (P&D/HSE&QA)/TPI issues Corrective Action Request (CAR) for all violations by the project execution against contract requirements and SSGC's approved procedures.

TPI maintains proper logs of CAR's and send monthly status to SSGC (HSE&QA). I/C QA/QC investigate the causes of non-conforming items, and initiate corrective actions to prevent recurrence of non-conformities.

The cost impart of each non-conformance has to be calculated for Cost of Quality analysis. Continuous efforts are required by the SSGC (HSE&QA) to reduce the Cost of Quality (COQ) as a whole.

16. CALIBRATION

All IMTE will be calibrated through a 3rd party Calibration Agency, before their due dates, using calibrated and traceable references. I/C QA&QC ensure the calibration validity of IMTE's.

Contractor QA/QC/TPI shall be responsible for the care and custody of all inspection, measurement and test equipment, required to be maintained. Documented procedures shall be maintained to control movement and calibration, and inspection of all measuring and test equipment used by the Contractor/TPI.

All IMTE shall be calibrated by 3rd party on required basis. SSGC (P&D/HSE&QA) / TPI with the help of contractor QA/QC shall ensure withdrawal of the IMTE, in time for next calibration from site.

Contractor QA/QC will check the validity of IMTE for its calibration prior to IMTE shifting at site and same shall be submitted to I/C QA/QC for review and approval.

Equipment shall be handled in a manner that these shall be protected against damage due to weather and transportation. In case the equipment is damaged, the same will be immediately withdrawn and tagged, identifying clearly unsuitability of such equipment for use in the process.

17. MEASUREMENT & ANALYSIS

The Organization collects and analyses appropriate data to demonstrate the suitability and effectiveness of the PQP and to evaluate where continual improvement of the effectiveness of the PQP can be made. The data analysed includes:

DIMS objectives



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 13 of 25

- Deliverables
- Contractor / Company satisfaction data where applicable
- Data from the suppliers/sub-contractors
- Product test data
- · Process monitoring data

18. PROJECT WIND-UP

19.1 Demobilization of E&P

Demobilization of Equipment, tools, plant, store material and consumables, Project / temporary site facilities etc. starts as soon certain resources are free from their intended work scope. contractor will coordinate with SSGC distribution rehabilitation for its accomplishment.

19.2 Manpower Demobilization

Demobilization of Manpower shall be carried out according to the plan issued by I/C Site Planning in co-ordination with the SSGC distribution rehabilitation department.

19.3 Project Wind-up Report

After successful completion of execution, a project wind up report is prepared as per the list of content. Project planning engineer/ in-charge planning & FEDC will prepare and compile the wind up report. The purpose of this report is to know the performance of various resources at the project, negative and positive points of the project and the lessons learnt for future reference.

19. ANNEXURE

	HSE&QA Policy	
•	•	Annex-A
•	Project Specific Organization Chart	Annex-B
•	Inspection and Testing Plan	Annex-C
•	IMS-QA/QC (List of ITP/QIP)	Annex-D
•	List of Method Statement	Annex-E
•	List of QA/QC Formats (IMS)	Anney-F





Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 14 of 25

ANNEX-A



H.S.E. & Q.A. POLICY

SSGC is committed to the health and safety of its employees and stake holders, preservation of environment with operational excellence in improving quality and continual improvement of HSE & QA performance by reducing potential hazards, preventing pollution, conserving resources and adhering to applicable laws and regulations, in all its activities relating to the transmission and distribution of natural gas.

Managing Director






Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 15 of 25





Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 16 of 25

ANNEX-C

INSPECTION & TESTING PLAN

		Applicable	CONSTRUCTION OF HDPE (PE-100) GAS DIS	TRIBUTION	PIPELII	NE	Revision Date of F Page: 1 c	Ralease: 22	A Igus
S. No.	Inspection Stage	Codes/Standards/Spec.	Description	Form Na.	Contractor	eck Poir	ts	-	Atark
-DOC	MENTATION			1	QA/QC	TPI	SSGCL		T
1.1	IFC Drawing / LTP / LOI	Approved Layout Plan	SSGC (P&D-Distribution) provide approved layout plan of scheme.					,	1
1.2	Road Cutting Permission (NOC		Distribution-Rehab issue LTP against LOI issued by Procurement.	IFC Drawings, LOI/LTP	H,R	H,R	H,R		L
		Applicable Jurisdiction Requirement	to the state of th	NOC Letter	R	R	H,R		T
1.3	Calibration of IMTE	Calibration Certificates	Applicable to all inspection, measuring and testing equipment, Butt Fusion, Electric Fusion Equipments	3rd Party certificate	H,R	H,R	HA		\vdash
1.4	SSGC/FPS/PE/001	ASME BPVC . IX-2021	Applicable jointing procedure for Butt fusion joints of Dia-250mm / 180mm / 125mm / 63mm HOPE Pipe along with testing reports.	Approved WPS/PQR	H,R	H,R	+		╁
1,5	SSGC/FPS/PE/002	ASME BPVC . IX-2021	Applicable jointing procedure for Socket fusion joints of Dia- 180mm / 125mm / 63mm HDPF		-		H,R		-
-	SSGC/FPS/PE/003	ASME BPVC , IX-2021	Pipe along with testing reports. Applicable jointing procedure for Saddle fusion joints of Dia-180mm / 125mm / 63mm / 20mm	Approved WPS/PQR	H,R '	H,R	H,R		L
1.7	Jointer / Welder Qualification		TIPPE Pipe along with testing reports.	Approved WPS/PQR	H,R	H,R	H,R		
	Record	ASME BPVC , IX-2021	Each Jointer / welder shall be qualified according to applicable procedure	Jointer / Welder Card	H,R	H,R	H,R		Γ
1.8	Pipeline Test Package	Test Package	Test Package contents approval and their applicability to each segment for Pneumatic testing	Test Package Index	H,R	H,R	H,R		1
	IANICAL SCOPE [HDPE PI	PE JOINTING)							\vdash
2.1	Stringing	Construction Specification	Monitoring for safe Unloading of Individual lengths of pipe and placing them in end to end arrangement at working place, Approved GIS PE main layout plan to be checked for line pipe	SSGC/QA/QC/PE/FRM-	w	w	м		-
2.2	Joint Fit Up	Approved FPS	To check the face peeling & cleaning methods, Hi Low & straightness of HDPE Butt Joints.	SSGC/QA/QC/PE/FRM-			-		-
2.3	Butt Fusion	Approved SSGC/FPS/PE/001	Monitoring correct use of components, applied temperature, Heat removal & pressure on HDPS		н	н	w		_
2.4	Socket Fusion	Approved SSGC/FPS/PE/002	<u>fusion joints.</u> Monitoring correct use of components, applied temperature, Heat removal & pressure on HDPE		w	w	м		
2.5			Traston Joints.		w	w	м		
-	Saddle Fusion	Approved SSGC/FPS/PE/003	Monitoring correct use of components, applied temperature, Heat removal & pressure on HDPE fusion Joints.	SSGC/QA/QC/PE/FRM-	w	w	м		
2.6	Visual Inspection	Approved Format	Visual check of heat fusion surface flaws. It should be 100% up to standard / FPS, Check recommended height and overlap of lamination joints.	SSGC/QA/QC/PE/FRM-	н		-		_
CIVIL	SCOPE [DITCHING BACK	FILLING HDD)	Transfer and Overlap or famination joints.	05		н	w		_
8.1	Excavation	Construction Specs. / TOR / scope of	To check the depth & width of the trench suitable for laying of HDPE pipeline. The activity						
		work /ASME B31.8	involve removal of boulders, clearance from existing utilities & water from the trench in case of high water table.	SSGC/QA/QC/PE/FRM-	w	w	м		
9.2	owering	Construction Specs. / TOR / scope of work /ASME B31.8	Prior to lowering, confirm that the heat fusion joints inspection have completed & monitoring	SSGC/QA/QC/PE/FRM-					
3.5	Backfilling	Construction Space. / TOR / scope of	the sale lowering of the line,	06	н	н	w		
PRES	SURE TESTING	work /ASME 831.8	Soft padding around the pipe pheriphary / use of brick and caution tape	SSGC/QA/QC/PE/FRM- 06	н	н	w		
	re-Pneumatic test Punchilist	Construction Specs. / TOR / scope of	All the defects and remaining work as per contract will be listed categorically, wherein category	Tessels de la lactación de					
4.2	eview of Test Package	Construction Specs. / TOR / scope of		SSGC/QA/QC/PE/FRM- 07	н	H,R	R		
-		Construction Specs. / TOR / scope of	Review the documents and on confirmation of completion of category 'A' punch list items, the line will be released for Pneumatic Test.	Final Test Package Index	н	н	R		
-	ection Wise Pipeline Purging	work	Purging activity performed for internal cleaning of HDPE pipeline before pneumatic testing.	SSGC/QA/QC/PE/FRM-	н	н	w		
4.4	ection Wise Pneumatic Test	Construction Specs. / TOR / scope of work	Pneumatic Test performed to ensure the integrity of Design, strength of Material and Jointing process.	SSGC/QA/QC/PE/FRM-			-	-+	_
F	inal Pneumatic Test	Construction Specs. / TOR / scope of	Pneumatic Test performed to ensure the integrity of Design, strength of Material and Jointing	SSGC/QA/QC/PE/FRM-	н	H,R	H,R		
	tains Network Commissioning	Construction Specs. / TOR / scope of	PIGEORY.	09	н	H,R	H,R		
_		[Riser Assembly Gas Meter]	Commissioning of entire network carried out after successful completion of pressure testing.	SSGC/QA/QC/PE/FRM- 10	н	н	w		
5.1 S	arvices Work (Raiser	Construction Specs / manufacturer							
- "	stallation)	Specification / TORs / Scope of work Construction Specs / manufacturer	installation of services and jointing with associated header.	SSGC/QA/QC/PE/FRM-	н	w	м		
-	pap Test	specification / TORs / Scope of work	Soap test shall be performed for service and meter connection to ensure no leak found.	SSGC/QA/QC/PE/FRM-	н	w	м	-+	
-	eter installation / Shifting	Construction Specs / manufacturer specification / TORs / Scope of work	Meter Shifting activity involve dismantling of existing meter assembly and installation of new meter assembly.	SSGC/QA/QC/PE/FRM-		\rightarrow		\rightarrow	
OST	OMPLETION SCOPE [Killi	ng of Old Network Material Re	conciliation Dossier Compilation]	11	н	н	м		
	lling of old network	Construction Specs / manufacturer	tilling activity involve identification of old network key point locations and isolate them from	SSGC/QA/QC/PE/FRM-					
.2 R	steration of Area	-	THE THE PERSON NAMED IN COLUMN TO TH	12	н	н	н		
-	view of As-Built Drawings		Completion of restoration works as per Construction Spece / TORs	Visual inspection	н	w	м		
-		Design Durg / As-Built Durg / Land L.	s Bullt Drawings shall be submitted by the contractor for review.	Test Package	н	H,R	W,R		-
_	sterial Reconciliation	Issuance		SSGC/QA/QC/PE/FRM-					
5 50	bmission of Documents	Approved Dossler List	ontractor shall submit all remaining documents including check sheets, Test reports etc. to QA	13		н	н		
Ha	nding Over QC / Dossler File		omplete QC / Dossier File shall be submitted to SSGC (P&D) deptt.	Dossier	н	н	н		
-			,	Dossier Submittal	н	н	н		
nds:	alta da a Roda							=	_
	nitoring Point A	point in construction or repair process wh	ers the contractor is not bound to invite responsible authority for inspection/verification, however	r, the authority may need					_
Me			· · · · · · · · · · · · · · · · · · ·	may perfor	n rangom ins	pections			
M	iness Point . A	point in construction or repair process wh	ere the contractor is bound to invite responsible authority for inspection/verification.				Valification	ns.	
W			ere the contractor is bound to invite responsible authority for inspection/verification. The work, h rond which work may not proceed until the required inspection/verification by the responsible au			e inspect	ion authori	ty is not pre	sent



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 17 of 25

SSGC-P&D

ANNEX-D

GAS DISTRIBUTION PIPELINE PROJECT SSGC-P&D (DISTRIBUTION)

LIST OF QUALITY INSPECTION PLAN (QIP) TABLE OF CONTENTS

SR. NO.	DESCRIPTION	
1	HDPE GAS DISTRIBUTION PIPELINE Construction of HDPE (PE-100) Gas Distribution Pipeline	Approved
*		e e got
	*	•
		3
a .		
	CORP. MENT	
	DEPT	



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024

Page: 18 of 25

SSGC-P&D

ANNEX-E

GAS DISTRIBUTION PIPELINE PROJECT SSGC-P&D (DISTRIBUTION)

LIST OF Method Statement (MS-QA/QC) TABLE OF CONTENTS

	TABLE OF	CONTENTS		
SR. NO.		DESCRIPTION		
	MECHANICA	AL / CIVIL		
1	Tender specification / TOR		•	SSGC Tender
	4			
	,			
	·			
	· · ·			
	,			
				*
				The section
	• •	,	· Y	THE WASH
			5 N	OCH ST.
				O. Gulsy
,				



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 19 of 25

SSGC-P&D

ANNEX-F

GAS DISTRIBUTION PIPELINE PROJECT SSGC-P&D (DISTRIBUTION)

LIST OF FORMATS (IMS-QA/QC)

TABLE OF CONTENTS

SR. NO.	DESCRIPTION	
	MECHANICAL / CIVIL	
1	Butt-Fusion Procedure Specifications	SSGC/FPS/PE/FRM-01
2	Socket-Fusion Procedure Specifications	SSGC/FPS/PE/FRM-02
3	Saddle-Fusion Procedure Specifications	SSGC/FPS/PE/FRM-03
4	Stringing	SSGC/FPS/PE/FRM-04
5	Daily HDPE Jointing Report	SSGC/FPS/PE/FRM-05
6	Excavation, Lowering and Backfilling	SSGC/FPS/PE/FRM-06
7	Pre-Pneumatic check list	SSGC/FPS/PE/FRM-07
8	Pre-Hydro Punch List	SSGC/FPS/PE/FRM-08
9	Pipeline Purging Report	SSGC/FPS/PE/FRM-09
10	Pneumatic testing	SSGC/FPS/PE/FRM-10
11	Pipeline network Commissioning	SSGC/FPS/PE/FRM-11
12	Services work / Soap test / Meter Installation	SSGC/FPS/PE/FRM-12
13	Killing of old network	SSGC/FPS/PE/FRM-13
14	Material Reconciliation	SSGC/FPS/PE/FRM-14
15	Visual Inspection Report	SSGC/FPS/PE/FRM-15





Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 20 of 25

FORM QF-482	(a) FORM	AT FOR BUTT-	FUSING PR	OCEDURE	SPECIFICATIONS (FPS OR SF	PS)	SSGC/FPS/PE Revision: 00 Date of Relea Page: 1 of 1	/FRM-001 ose: August 20
250		[See QF	-201.3, Sec	tion IX, AS	SME Boiler and Pre	ssure Ves	sel Code]		
Company Name:				-		******			
Fusing Procedure Specific	ation No :		 		D-4	-	 		-
Revision No.:	111011 140		1	Activities of the Control of the Con	Date:		-	<u> </u>	
FPS Qualification:		Du toctine		SFPS	Revision Date:				
Fusing Process Type:		By testing	<u> </u>	3FP3	If qualified by te	sting, sup	porting PQR I	No.:	
rusing riocess type.			<u> </u>	-	1	4		_	ļ
1-1-4- /OF 400\	NAME OF THE PARTY								
Joints (QF-402)	and the same of th					<u> </u>			
loint Type:	- Colone	***************************************		************		<u></u>		100 A.M. 100 A.M. 100 May 100 A.M. 100	
Pipe End Preparation:		***************************************	<u> </u>				*******************************	**************************************	
Miter Joint Angle:		***************************************	ļ		-				
Pipe Surface Alignment:			<u></u>			44			
Sketches, production draw									
should show the general a				d. Where					
applicable, the details of th		and the second second		e god whole Center in a					
Sketches may be attached	to illustrat	te joint desigi	ļ.	and the second s				***************************************	
		V							
Materials (QF-403)									
Specification:	0	Classification:			to Specification:			Classification:	
Pipe Size (Diameter):			Pipe Wall	Thickness	•		Cross-Section	nal Area:	
Other:					T T T T T T T T T T T T T T T T T T T				
		A com a common destruction of the common destruction		and the first of the same		N. N	San San	a waxayan a saaraa	
Position (QF-404)									
Pipe Position:									
Other:	With A A						 		
hermal Conditions (QF-405	The state of the s	14 * . 100 1.1 * 1.3 * 1.3 * 1.4		of Militaria ment of the body	100 - 240 Mr. v. 11 - 140 Ac. 12 - 12 - 12 - 14 - 14	Charleston, or a contract			
eater Surface Temperatur							ļ		
using Interfacial Pressure I	Range:						<u> </u>	1	
rag Pressure Range:			-		Butt-Fusing Press				
lelt Bead Size Range:		•	-		Heater Plate Rem	oval Time	Range:	Olivaria.	
ool-Down Time at Butt-Fus	ing Pressu	ure Range:			And American			7	
				28.4 CW 10 10 - 100 000 0	*****************************	· · · · · · · · · · · · · · · · · · ·	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	MICCONTAG MARKA SAN SAN SAN SAN SAN SAN SAN SAN SAN SA	************
			u sarana. Waxaalaa			ar thank on a street and the street are	on effect of 3 on 200 control	Markaman Color as a Six a Six a significant	
the state of the s					1		The state of the s	-	
sing Machine Manufacture	er:	*			<u> </u>				
juipment (QF-406) ising Machine Manufacture ita Acquisition Used:		***************************************	200	7	Data Acquisition N	/lachine M	anufacturer:	231	
sing Machine Manufacture			and an extension of the	CONTRACTOR OF THE PARTY OF THE	Data Acquisition N	Machine M	anufacturer:		
ising Machine Manufacture Ita Acquisition Used: Idraulic Extension Hose Le					Data Acquisition N	Machine M	anufacturer;		
sing Machine Manufacture ta Acquisition Used:				The state of the s	Data Acquisition N	Machine M	anufacturer:		



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024

Page: 21 of 25

FORM QF-483(a)	FORMAT FOR BUTT-FUSING PR	OCEDURE QUALIFICATION REC	CORDS (PQR	r)	SSGC/PQR/I Revision: 00 Date of Rele Page: 1 of 2	ķ.	
	[See QF-201.5(d), Se	ction IX, ASME Boiler and Pre	ssure Vess	el Code]	,		
Company Name:							
Procedure Qualification Record	d No.		Date:			1	· Sta Note a Security
FPS No.:	A C C C C C C C C C C C C C C C C C C C		-		1	1	
Fusing Process:							
Joints (QF-402)							
COMPANIE DE SECONO DE COMPANIE SE A COMPANIE DE COMPAN							
			ļ				
						Į.	
	n 1888an Samuelin de Mari de Level Seculation announcement en extension de la company	25 TH 11 TH					,
. Amanten		t to Annote of the comment was a superior and the contract of					Tari Janes Colonia La
	e od suc Sumare o mananania ana ang a <mark>aanaarsa</mark> aya	er er var var var var var var var var var va					
ACCO ACCO CO CALARON CO	TO COMMAND A PERSON OF A SERVICE AND A SERVI	CONTROL OF THE STATE OF THE STA		9 Acres 40 A	**************************************		
Pipe Surface Alignment:							
Pipe End Preparation of Test Co	pupon						
Materials (QF-403)			<u> </u>	ļ		1	-
Specification:	Closeifient	Equipment		<u></u>		.	
to Specification:	Classification:	Fusing Mach	line Manuf	acturer:		 	
Pipe Size (Diameter):	Classification:		<u> </u>			<u> </u>	
Pipe Wall Thickness:	6.	Data Acquis	***************************************	<u> </u>	YES		NO
Cross-Sectional Area:		Data Acquisi	ition Syster	n Manufactu	rer:	ļ	
Other:				<u> </u>		-	ļ
other.		Hydraulic Ex	tension Ho	se Length:			
Position (QF-404)	PAGAMAN PER LUMP TO THE PROPERTY OF THE PAGE THE THE THE PAGE THE THE PAGE	Technique (OF-407)	total and the state transfer of a work of	A MARIE COMPLETE AND A CONTRACTOR	APAC SACRESANCE	
Position of Pipe:		Location:		Fabrication			Field
Other:					1	 	rieid
Thermal Conditions (QF-405)						·	
leater Surface Temperature:							
using Interfacial Pressure:							
osing interracial Pressure:		Other:		***************************************			
utt-Fusing Pressure:					1 Stephen	200	
Melt Bead Size:					181	10	1
eater Plate Removal Time:			-		= PROCUR	T 10.	
eater Plate Removal Time: ool-Down Time at Butt-Fusing P					DET	10	1
oor bown time at butt-rusing P	ressure:			~ 2	1121		1



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 22 of 25

	FORM QF-	483(a) FORM	AT FOR BUTT	r-FUSING P	ROCEDURE QUA	\UFI	CATION RECO	RDS (PQR)	φ ,	Revision:	elease: Aug	
			[See C	QF-201.5(d)	, Section IX, ASM	ΛE B	oiler and Pres	sure Vess	el Code]			
						- [-				PQR No.		
isual Exam	ination (QF-	l 41)			•	- İ-				PQK No.		
		-					***************************************	•				
						7		 		<u> </u>		
						+	-	1		1	_	-
		1		1		+	-	-		1		ļ
		 				+		<u> </u>				ļ
		<u> </u>				+	-	<u> </u>				
vated Ten	nperature Su	stained Pres	sure Tests (C	(F-142)								
Joint No.						_						
TOINT NO.	neater i	emperature	Interfaci	al Pressure	Result	-	Joint No.	Heater T	emperature	Interfacia	l Pressure	Resu
		***************************************	-	*******************			-					
***************************************						-						
· ·		1		,		1					•••••	ļ
						1						
						7						
									1			1
											T	
h-Speed T	ensile Impac	t Tests (QF-1	44)									
h-Speed T	ensile Impac			mperature	Interfac	lal P						
h-Speed T		t Tests (QF-1		mperature	Interfac	lal P	ressure	Туре о	f Failure	Location	of Fallure	
h-Speed T				mperature	Interfac	lal P	ressure	Туре о	f Failure	Location	of Fallure	
h-Speed T				mperature	Interfac	lal P	ressure	Type o	f Failure	Location	of Fallure	
h-Speed T				mperature	Interfac	lal P	ressure	Туре о	f Fallure	Location	of Failure	
h-Speed T				mperature	Interfac	lal P	ressure	Туре о	f Fallure	Location	of Failure	
h-Speed T				mperature	Interfac	lal P	ressure	Туре о	f Fallure	Location	of Fallure	
h-Speed T				mperature	Interfac	ial P	ressure	Туре о	f Fallure	Location	of Failure	
h-Speed T				mperature	Interfac	lal P	ressure	Type o	f Fallure	Location	of Failure	
h-Speed T				mperature	Interfac	ial P	ressure	Туре о	f Fallure	Location	of Fallure	
h-Speed T			Heater Te	mperature	Interfac	ial P	ressure	Type o	f Fallure	Location	of Failure	
	Joint No.		Heater Te	mperature				Type o	f Fallure	Location	of Fallure	
ng Operato	Joint No.		Heater Te	mperature	Identification	No.:			f Fallure	Location	of Fallure	
ng Operato Conducte	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I				Stamp No.:			
g Operato Conducte ertify that on IX of th	Joint No.	Spec.No.	Heater Te	ect and tha	Identification				Stamp No.:			rements of
ng Operatos Conducte ertify that on IX of th	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I	No.:			Stamp No.:			rements of
ng Operatos Conductes	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I	No.: t No wer	ce prepared, fu		Stamp No.:			rements o
ng Operato Conducteertify that	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I Laboratory Tes	No.: t No wer	ore prepared, fu	used, and	Stamp No.:	ordance wit	h the requi	ements o
ng Operator Conducteertify that	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I Laboratory Tes	No.: t No wer	ore prepared, fu	used, and	Stamp No.:	ordance wit	h the requi	rements o
ng Operator Conducteertify that	Joint No.	Spec.No.	Heater Te	ect and tha	Identification I	No.: t No wer	ore prepared, fu	used, and	Stamp No.:	ordance wit	h the requi	rements o



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 23 of 25

		_									 			age: 2	4.				
Des Not SSGC/PE-7724-05 Rev 60 Date of State, 23 Apr., 2024 Page 1 of 1 Pages	Report No.	Date:	Location:	REMARKS		٤										VYDERD BY CCC of my	William Color of the Color of t		
				Visual Inspection															
				,						,					1				
																	\dagger		
				Jointing Detail					<u> </u>				1						
				Joint Fusion Macline Heafing Tool Gange Pressure	2		The agency beautiful									14T YI			
PORT				feafing Tool G.	2											CHECKED BY TPI			
DAILY HDPE JOINTING REPORT				Irem-3 Code								,							
ITNIO													,						
OPE J				Join Detalls liem-1 Code Item #2		,			-			н							
ILYH			L	Vem # 1								-							
DA				WPS No															
(5)			_	Tick												OVIDO			
			-	No. Die		_										PREPARED BY QAQC			
			-	Joint Type. John No.	-	_	_									PR			
			-				_	_											
SSGC SSGC	CONSTRUCTION:	SEG / SEC / AREA:		Draving ISO No. Line No.						2				1.		N.		***************************************	
SSGC CLENT: PROJECT:	CONST	SEG / SI		Sr.No.								1	300		REMURES.	COMPANT	NAME	SIGNATURE:	DATE
					9							A H.C.	D	UREMEN!			e_l_	53	Δ.



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 24 of 25

SSGC	Ö			D	DAILY STRINGING REPORT	TRIN	CIN	GRE	PORT			Doc No: SS Rev: 00 Date of 1ss	Doc No: SSGC/PE/TRM-04 Rev: 00 Date of Jane: 22 Aug. 2024	
Client:												Pıge: 1 of		_
ProjectS cheme No./Name	e No/Name										Date:			_
Contractor											Report No.:			_
Line No. / Dray No.	. No.										Segment No.:			_
											Location / Area / Sec.	sa / Sec.:		Т
S NO.	PIPE NO.:	PIPEDIA (m)	HEAT NO.:	LENGTH (m)	PPEDAMAGED / DEFECTIVE	ENDS	S. NO.	PIPE NO.:	PIPE DIA (m)	HEAT NO.:	LENGTH (m)	PIPE DAMAGED /	ENDS	_
														_
														1
					N.									_
	1		C .											_
-														_
														_
				,										_
														_
	Total Le	Total Length (m)							•					_
								Total	Total Length (m)					
- Marie 14	turatejai, i, ;	1	DETAILS	22	PREVIOUS	ous		I	TODAY		101	TO DATE		
		4	NO. OF PIPES STRUNG	UNG										
Check Items:-		븨	LENGTH OF STRINGING	KGNG										
Line pipes	lifted or lov	rered by suft	1. Line pipes lifted or lowered by suitable and safe equipment	Outnme nt									the statement of the	
Pipes strun	g on padde	d skids/ sand	bags free fron	1 contact with	2. Pipes strung on padded skids/ sand bags free from contact with the oround eturms or each and the structure or each and	me or other del				YES / No.	/No.			,
Gaps left be	tween adja	cent lengths	3. Gaps left between adjacent lengths of pipe at suitable intervals.	ble intervals.		and a come to edit	STIG			YES / No.	/No.			
Quantity an	d de tail of c	4. Quantity and detail of damaged / defective pipes	ective pipes							YES/No.	/ No.			
REMARKS:										YES / No.	/No.			
3 A	(50)		,											
COMPANY	VII	REPARED B	PREPARED BY CONTRACTOR / SSGC-P&C	TOR / SSGC	-P&C	CHE	CHECKED BY TPI	YTM			CHECKEN P.	THE CITED BY SECTOR		
Name:												1 sancernen		
Signahure:														
Date:														



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 25 of 25

-	ssGC	TRENCH	EXCAVATIO	N AND LO CHECK I		BACKFILLING	Doc No: SSGC/PE Rev: 00 Date of Issue; 22 A Page: 1 of 1 Date:	
Client:		 				Report No.:	Date:	
Project / S	chene:					Pipe O.D (Inch / mm):		
Constructi	len .					Segment / Line No.: Drawing No.:		
Soil Type:	on:	Crumbly	Sandy [Rocky	Clay	Dry Dry	1	Vet
To 9 800000 4000		NAME OF TAXABLE PARTY OF TAXABLE PARTY.	Name and Address of the Control of t		A CONTRACTOR OF THE PARTY OF TH	CONTRACT OF THE PARTY OF THE PA	CONTRACTOR OF THE CONTRACTOR O	12 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3.0000000	7	a de la companya de	Massachus (Massachus)	renen	Excavation	STACTORERS NAVANITAD	新型型 (14 mm)	An well at
Sr. No	From	To To	Length (ft)	Width (ft)	Depth (ft)	Existing Utility	Clearance	Remarks
	,							
		L	L	Descript	ion Of Check	L	1	
					IDII OT CIRCK			
	Check trench I	or proper cleaning.	. It must be free of b	oudlers/stones.		Excavation is fenced off/		
		r filled in trench.				Adequate provision is mad		nd traffic.
		rance for existing				Trench is clear of all obstr	uctions and debris.	
			for Nala/Road crossi			•		
A 174 C	\$1800 ct*\\$	rans and Day (4)	e significação qua	Lowering	& Backfillin	ig 'all'a l'al'	Mary Mary 1977	esconditions,
Sr. No	Stree	t / Road	Langth (ft)	Width (ft)	Depth (ft)	Existing Hillity	Clearance	Remarks
SF. 140	From	То	Length (ft)	winth (it)	Depta (a)	Existing Utility	Стентинсе	Remarks
	L							
	***************************************			Descript	ion Of Check	1		
	Ensure check u	se of nylon belts d	turing lowering.			Ensure complete backfilling	g.	2
	Ensure tie-in joi	int accesibility in tr	ench.			Proper bedding in a manne support.	r so as to provide un	iform bearing and
	Ensure proper t	ise of lift equipmen	nt / lowering of pipe s	segment.		Use of non-abrasive nylon damage.	belts of sufficient w	idth to avoid pressure
*** *** ******************************			used during crossing	Nala / Road.		Laying of pipeline at the ce	entre of ditch.	
	Ensure use of s	oft padding and pa	rtial back filling.			Laying of pipe at its proper	depth.	
<u></u>	Ensure use of b	rick after backfillir	ng.	¥		Placement of plastic warni	ng tape after initial b	ackfilling (max. 18")
	Ensure use of c						<u> </u>	
	L TODAY:	Progress (m):	01001100100 0 00 a 000	Today:	COMMENTATION CONT. C.			
TOTAL	L TODAY:	Progress (m):		1 only :		To Date:		
	vering &	Previous :		Today:		To Date:		
						MERCE		
Remarks:				THE PERSON NAMED IN THE PE			18	
Note:		1	Quantity may vary wit	h drawing as per si	te condition.	FROCURE	MENT 15	
CO	MPANY	PREPARED	BY CONTRACTOR / S	SGC-P&C	СНЕ	CKED BYTPI DEPI	CHECKED BY	SSGC-CLIENT
Name:								
Signature:	•	×						
Date:	+							The street of th



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00 Date of Issue: 22-08-2024 Page: 26 of 25

		T	T	T		Τ						Τ			Γ	T	Γ			T	T		T
Doe No: SSGC/PE/FRM-08	Date of Issue: 22 Aug, 2024 Page: 1 of 1	Page No.:					Remarks		9.										before handing over.	CHECKED BY SSGC-CLENT			
							QA/QC TPI / CLIENT	Date						,					e-completed				
	21		a/Sec.:	gment No.:	Dwg No.:	Completion	QA/QC TP	Juitial											C = sbould b	E.			
		Date:	Area / Location / Sec.;	Test Pack / Segment No.:	Doc. / P&LD / Dwg No.:	Comi	Contractor / SSGC-P&C	Date											nissioning.	CHECKED BY TH			
		74						Jeiriel											urging /comr				
[_						Category												before pu				
TOTALI	I ONCH LIS					, i	Description			C				A	,				Description of Cafegory: A = Should be completed before Pneumanic test. B = Should be completed before purging /commissioning. C = should be completed before handing over.	PREPARED BY CONTRACTOR /SSGC-P&C			
8 *	D		PROJECT / SCHEME No./ Name:	CHON:			Dur / Paid NO.					١.							n of Category: A	(4)	73	legijag.	
•	SSG	CONTRACT OF THE PARTY OF THE PA	PROJECT	CONSTRUCTION:	Line No.:		Sr. No.						1				-		Descriptio	COMPANY	Name	Separative:	Date:



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024

Page: 27 of 25

ssGC		PRE-HYDRO / PNEUMATIC FOR TEST LIST	Doc No: SSGC/PE/FRM-07 Rev: 00 Date of Issue: 22 Aug. 2024 Page: 1 of 1					
Clien			Date:					
Project Name	ct/Scheme		Report No.:					
	actor:	3	Test Pack:					
Line 1	No.:		Area/Loc./Sec.:					
P&I.I	D/Dwg No			Pipe Dia	WT:			
	ariamitre a de de de	all of the transfer of the second and the second and the second at		K.R. in A.	and the first of the control of the			
Sr. No		Te chnical Data	Description		Remarks			
1	Check/Re	eview Test Pack by QA/QC TPI/ Client.						
2	Live Walk	(pre-punch-list)						
3		of same configuration.						
4		tem is olation by use of blind / End Cap.						
-								
5		-purging carried out -plurging carried out -plurging carried out						
6	segment.	instituty of testing assembly used for HDFE pipe		Į	3			
7		ssure test assembly used for Pneumatic test is tested and satisfactory for use.						
11	Check con	npressor capacity.						
12-1	Gauge							
12-1	Gauge Tag	g no. & Calibration / Range.	THE RESERVE OF THE PROPERTY OF					
12-2	Date of Ca	libration.	**************************************					
13	Pressure	Recorder						
		Recorder Tag no. & Calibration						
	Date of Ca	·						
13-2	Daile of Ca							
-		·						
	L							
Re	marks:				-			
		4						
CON	IPANY	PREPARED BY CONTRACTOR / SSGC-P&C	CHECKED BY TPI		CHECKED BY SSGC-CLIENT			
Name			·					
	-							
Signa	ture:				6			
		6		,				
Date:	.							
					15 Pin Yell			
			1	ž	OLPT S			
			•		Gulshan-e-lohal			



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00

Date of Issue: 22-08-2024 Page: 28 of 25

Commence of Management States and	Location: Sec / Seg:	Report No.: Purging System Operational Flo		Date:
The state of the s		Operational Flo		
The second secon			14 11	
Constitute of Constitution of the Constitution	Sec / Seg:		ow Medium:	
Control of Manhamatan and the Control		Pipe Dia (Inch	/ nm):	
			The same of the sa	of the second to make the second second

	<u> </u>	· · · · · · · · · · · · · · · · · · ·		
	T			
			1	
			j	
<u> </u>				
2		<u> </u>		
Line No. De	scription		o. / Location / St	
		From	-	То
				
			-	
ζ.				
· · · · · · · · · · · · · · · · · · ·				
			L	
	The state of the s			
4				THE REPORT OF THE PARTY OF THE
				COLOR OF THE STATE
	and the second of the second of the second second of the s			POSINESTICO PER SEE - TOUR OR PROPERTY
				Some Street appropriate to the Street
RACTOR/SSGC-P&	CHECKED BY TF	1	CHECKED BY	YSSGC-CLIENT
	•			ETUN GO
		•	187	181
			1 G7 P1	ROCUREMENT)
	ε.		From C.	From From CHECKED BY TPI CHECKED BY



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 29 of 25

ssGc	HYD	ROSTA	TIC / PNI	EUMATIC	CTEST		Rev: 00	Issue: 22 Aug. 2024
CLIENT:				ď	Date	:		
Project/Scheme:					Test	Pack::		
Contractor:					Loc.	/Sec/Segme	nt:	
Line No.:			9,			Dia / WT:		
Dwg No.:	*****		Report No	D. :		: (From	to	Hours)
	Station Control	Transfer in the						Tiouis)
				*				
				2 965 S 2				
Cauge a)	3 100 8000							
		ļi						
Gauge b)		-						
Pressure Recorder / Validity		·				· · · · · · · · · · · · · · · · · · ·		
riessure Recorder/ Vallany		· ·	i i					
Temperature Recorder / Validit	·		.l		· · · · · · · · · · · · · · · · · · ·			togeneration - excess resident and
- Temperature Tocordor / Vanda	y ,	· -	1					
Test Pressure								ř
Bar (G)/psi/kg/Cm²		· • • • • • • • • • • • • • • • • • •		*******		- A		
Test Medium					i i			
Test Medium Temp. (°C)	i	-		-,				+
Main Ambient Temp. (°C)								
Test Duration (Hrs.)		:			;			
Test Result		:						
						·		
	į							1
Remarks:							1	,
								
·	organi – kandidakan jungkan kand							
		· 	<u> </u>					
man Santan and a santan and and a santan and a								-
	-		ļ					
**	7	9		· · · · · · · · · · · · · · · · · · ·				
	9					**		
			Property Colonial Col	. 1000 0 0		90 (6)	1	
entified by:					÷			J
				• /	(The second contract of
	[1			\$1
COMPANY	PREPARED E	Y CONTR	ACTOR/	100	CHECKED BY 1	PI	CHECK	ED BY SSGC-CLIENT
anie:								
ignature:								IREMENT
ate:				· ·			100 D	EPL /
							Guid	15

A
Λ
SSGC

Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00

Date of Issue: 22-08-2024 Page: 30 of 25

ssGc	MAIN	NETWORF	COMMISS	IONING RE	EPORT	Doc No: SSGC/A Rov: 00 Date of Issue: 22 Page: 1 of 1	
Client:					Report No.:	Tage. 1 of 1	Date:
Project / Schen	1				Purging Syste	em:	I Date.
Contractor;			Location:		Operational F		
Line No.:			Sec / Seg:		Pipe Dia (Inch		
mana ar amagana amana				****		1	
Descr	i <u>ption:</u>	ethios consissions, essa house granularium consiste insis sinsi	handa garan hali salah sa aran sa				
·····							e de l'Aren iniciales de la company de la co
					Y	· · · · · · · · · · · · · · · · · · ·	
	to the transfer of the transfe	······································					
and the companies of the contract	A				:		***************************************
	According to the second of the second	and any the sequence of the second			I	J	Commission of the same of the
		i.		200		1	Total Section 1
	49-110-11-7-39-19-19-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-99-11-0-9	evanimonity outequary as no success year mag.	***************************************				
		i					
Drawin	g No.	Line No. 1	Description	E	Equipment N om	o. / Location / St	
				FI	om		То
		r					
	· .			i.			
						1	
		L.					
marks	::A::			***************************************		22	
· · · · · · · · · · · · · · · · · · ·							
		anno al mananta de la					
						er parte same a series and same	**************************************
							THE STORE SHOW AND
OMPANY P	SSGC	CONTRACTOR/	СН	ECKED BY TPI		CHECKED DAY	1000
ne:		-140	1			CHECKED BY	SSGC-CLIENT
nature:						6 3 3 63 °	· I
::					- 12	7	-
					1/3	DENE !	- 1
					16	SEOCOURT.	7:
					. 108	SEO DIST.	



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00 Date of Issue: 22-08-2024 Page: 31 of 25

,2034						ırks													3	No.													
Rek CO Dete of Issue: 22 Aug, 2024	11		6			Remarks													Short Nipple	ź										Fort			
Rev. 00 Date of Is	Page:10f1	Date:	Area:	Street No:	LATION														Te No.					1					T	V 5666.0			
					MBLY INSTAL	Soap Test of Meter											Billist of 1Pt		Socket No.											OHEOMED BY CCC. CHENCE			
					METER ASSEMBLY INSTALLATION	Meter betaka ion							~	21					Elbow No.		1			T									
NO						Regulator 1		,								*****	R V		Swivel Atting														
SERVICE & METER INSTALLATION						Metabation												biy fittings	Cock valve	T													
TAL				ſ		Backfilling.						,						eter Assem	G Pipe	T		T								CHECKED BY TPI			
INS	ŀ					serrater on							1			**** /*		ation and M	Caution	T	T									CHECK			
ETER						Soft Padding								1		ene side		Phase specifymateia quantity against each service installation and Meter Assembly fittings	Regulator No.														
& M						Scap Test												pinst each	Service Valve No.														
ICE				MOL		2												# quantity a	Tapping														1
EKV				SERVICE INSTALLATION	Sadde	Judda			9									ci ymzesi	PEsodet No.											GC-P &C			-
Ω				SERVICE														Prease spe	PEPipe Length (m)											PREPARED BY CONTRACTOR / SSGC-P.B.C			
					Park	Fabric z ion													Riser Piece No.						1		1	1		BY CONTR			
	•	VNeme	.0.		Esteing Meter	No. Curtomer to			7	.	٠,			. -	1				METER NO/CUROMER R	7		*	*1		~	*1	2	3	-	PREPARE			
SSGC	Clent	Contractor	Lin No. Dr. No.		Strates 20	-			1	•	m			4			initial of QA/QC:		Service D	-1				7	1	*	+			CONFANT	Name	Sepanne:	Dze:

A
(4)
SSC(
3300

Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00 Date of Issue: 22-08-2024

SSGC				Page: 32 of 25	
ssGC	KILLING OF N	ETWORK REI	PORT	Doc No: SSGC/PE/ Rev: 00 Date of Issue: 22 A Page: 1 of 1	
Client:			Report No.:		ate:
Project / Schen	e a t		Purging Sy:		
Contractor:		Location:	Operational	Flow Medium:	
Line No.:	2	Sec / Seg:	Pipe Dia (In		
Description:	,				
		•		·	
Drawing No.	Time No. Dec.	Intion	Equipment	No. / Location / Street	
Drawing 140.	Line No. Descr	iption	From	To	
emarks					
· V			120		ţ
COMPANY PREPARED B	Y CONTRACTOR/SSGC- P&C	CHECKE	D BY TPI	CHECKED BYSS	GC-CLIENT
ame:				WHERM	
gnature:			•	Manufacture The Manufacture Th	
ate:				Gylshan orlgball	7



Doc. No: SSGC/P&D/Dist/PQP-01

Rev.: 00 Date of Issue: 22-08-2024 Page: 33 of 25

											DEEP OF BSUE: 22 A Ug. 20
Project / Scheme:	ne:										P age: 1011
Contractor:										Dance No.	
Segment No.:	The second secon									Drawing No.:	
ollowing datail	A UNIVERSITY OF SECOND	A SAM CHANGE CONTROL OF THE PARTY OF THE PAR	Consultation Consultation of	(100 大大学) 100 大学 1	AGS SECURITION OF STREET	2 2 1 1 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1	The Control of the Co			Area/Loc/Sec.	
ne final invoice	to must be attached as a la	s eline informat	ion for mater	lal reconciliation data	review & signing			The second second second	CONT. STREET, STREET, STREET,	Constitution of The Constitution of	SECTION STREET, SECTION SECTIO
Design based	1-Design based material sections the conciliation sheet will not acceptable applicable and subject to hold	satisfactory res	<u>.</u>			termi firm to come	ng data, the Mate	rial Reconciliati	on sheet will no	í acceptable / app	licable and subject
S.N.	o non marine o need	Anched		2- Store based material Iss nance MR / MR.V/ D.A. Attached	rial Issuance MR/	MRV/ D.A. Artach		3-As-Built data	dwo and actual		3-As-Bull (data dwo and actual accounts)
	DESCRIPTION OF ITEMS	NO.	COM	DESIGN DATA- IFC	C STORE	AC. BITT T. D. T.	RETURN	SCRAPE		mater tal dullizat	lon sheet Affached
-				2	ISSUANCE	VIVO INTO OU		MATERIAL	VARIANCE	TOTAL	REMARKS
2											
4				٥.							
5	1										
9											
7											
80											
6											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21 1 1 8/1/	1					1					
FLS	(0)										
RO FI	111										
UR	En										
\$1.5	7					1					
VI	1000	T				1					
COMPANY	PREPARED BY CONTRACTORY SSGC-P&C	RACTOR/	CHECKED	CHECKED BY SSGC-STORE	CHECKED BY THE	RV TPr					
Name:							CHECKED	CHECKED BY SSGC-HS E&QA	ro.	CHECKED	CHECKED BY SS GC-CLENT
Signature:											
	,					2					
									_		



Doc. No: SSGC/P&D/Dist/PQP-01 Rev.: 00 Date of Issue: 22-08-2024

Page: 34 of 25

SSGC	a a	VISUAL	INSPECTION		Doc No: SSGC/PE/FRM-16 Rev: 00 Date of issue: 22 Aug, 2024 Page: 1of 1
Client				Date:	
Project/Scheme No./ Name:	8			Report No.:	
Contractor:				Doc./Drw No.:	
Segment No.:			,	Area/Loc./Sec.:	
Subject:	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	14.77.27.400.90 (3.3.5			
the same of the sa	cription of Items	1	Observations		
	į.	·			Remarks
		-			
		 			
			i i		
		-			
		-			
			6		
·	*				f
8					
n					
		-			
***************************************					ē 2
			8		
				i.	
OMPANY	PREPARED BY CONTRACTO	R/SSGC-P&C	CHECKED BY TPI	- CAMPONE	
ame:			Omeran Bi IPI	CHECKE	D BY SSGC-CLIENT
gnature:					
					1100
ite:			,	699	
				(B) PRO	CURE S

Section - Special Conditions of Tender Document Tender Enquiry No. SSGC/SC/

Note: In case of any conflict between special conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

- 1- Contractor to submit the following within 15 days after issuance of Letter of Intent (LOI).
 - a. Performance Bank Guarantee
 - b. Stamp Papers
 - c. Insurance Policy
 - d. Any other Document as mentioned in the LOI
- 2- Formal contract will be made on Non-Judicial stamp paper of value @ Rs 0.35 per hundred rupees of contract value, as per prevailing rate by Government of Sindh & Balochistan. The stamp duty will be borne by the contractor and also submit the copy of challan of stamp paper. Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.
- 3- All kinds of Government Taxes, Duties and Levies against any item of the contract, shall entirely be the responsibility of the Contractor. Income Tax will be deducted as per applicable Law under the prevailing Government Rules. Rate of Income Tax deduction in relation to submission of Income Tax certificate from the Contractor should also be stipulated.
- Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bank guarantee being prepared by the State Bank's schedule banks should ensure that there should be no deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 5- If the letter to proceed (LTP)by user deptt. is not issued within six months after issuance of letter of intent (LOI), both the parties are at liberty to terminate/revoke the LOI without any claim of loss or damage to the other party.
- 6- The completion period of the said work shall start with effect from the issuance of Letter to Proceed, which in case of work exigencies could be issued prior to signing of formal agreement.
- 7- In case of services and works tenders:
 Bids determined to be substantially responsive will be checked by the Procuring Agency for an arithmetic error. Errors will be corrected by the Procuring Agency as follows:
 - a. Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern;
 - b. Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rates as quoted will govern, unless in the opinion of the Procuring Agency there is an obviously gross misplacement of the decimal point in the unit rate, in which case the line item total as quoted will govern and the unit rate will be corrected.
- 8- The bidder shall fill in rates and prices for all items of the works / services described in the BOQ. Item against which no rate or price is entered by a bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by rates and prices for other items in the BOQ. Any Bidder who change / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- 9- Method For Submission of Bid Bond (Under Single Stage Two Envelope Bidding Procedure):
 In case of Single Stage Two Envelope Tenders the fixed bid bond as per clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the bid bond is placed in the financial proposal will also be considered. Without submission of bid bond (either in Technical proposal or financial proposal) the bid will be rejected.
- 10- Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however other contents of clause 9 will remain unchanged. The submission of fixed amount of Bid security is appearing in the Schedule of Requirement/Bid Form.

Rev-SC-270 22 Sept 2025 PROCUREMEN

Page 1 of 4

- a) All the bidders are advised to furnish fixed bid security (Original Instrument) as per amount appearing in Schedule of Requirement/Bid Form, failing which their bid will be rejected.
- b) The submission of fixed amount of bid security is also mandatory for all the bids valuing Rs.500,000/- or less.
- c) The word lowest bidder or the lowest evaluated bid has been substituted to read as most advantageous bid.
- 11- Bid shall remain valid for acceptance for period of (120) days from the date of public opening of the bids & Bid Bond validity is for 150 days.
- 12- In case the local agent requires to offer bid form more than one Principal / Manufacturer, it is mandatory to purchase separate tender document for each Principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be
- 13- Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing
- terms as mentioned in the General Terms & Conditions. 14- Original counter slip of token which is issued with tender document to be attached on the TOP of envelope at the time of bid submission"
- 15- The Successful Contractor(s) / Supplier(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their Invoices / Bills failing which the payment will not be released.
- 16- Contracts of Contractors

In the event the contractor is not willing to extend the CONTRACT for further term(s) / Period(s) under the same terms & conditions and the quoted price as defined in the bid documents, the contractor is liable to intimate in writing to SSGC at-least 3 (Three) months in advance prior to completion of the existing contract term / period, failing which, action will be taken as per tender terms.

17- Insurance

In addition to the Clause 22 -Insurance, of General Term and Condition, when The Successful Contractor(s) / Supplier(s) will submit Insurance Policy to SSGC, the Insurance Company (policy issuer) should be registered with SECP, otherwise the insurance policy will not be considered / rejected at contractor's risk and cost. The insurance coverage period will be according to the work completion period as mentioned in the contract / tender documents.

18- <u>Fixed Bid Security – Alternative Bid</u>

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for

- 19- Bid Bond & PBG (Performance Bank Guarantee) for Proprietary Tenders In case of proprietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / Applicable.
- 20- SSGC will not pay invoices if they are turned in after 6 months of work completion / material delivered.
- 21- It is mandatory for the bidders to follow all the terms and conditions given in the tender documents without any addition / deletion / amendment and submit the bid accordingly. Therefore, in this context, the bidders are requested not to give their own terms and conditions as it tantamount towards the conditional bid. Otherwise their terms and conditions will not be considered and the Purchase Order / Contract will be awarded based on only as per SSGC tender terms and conditions.
- 22- The bidders/contractors are required to provide their only one Bank Account number (IBAN number) on the 'FORM-X' attached duly signed & stamped as one time information, which shall be firm (not changeable) for all the future payment transactions.
- 23- Payment:

The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.

- Purchase order No. & date (a)
- Items (b)
- **Ouantity** (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc.
- Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, (g) (h)

Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid. Payment will be made within 30 days of completion of stated requirements.

- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ)
- 25. Subsequent to the issuance of LOI, successful bidder has to submit 10% Performance Bank Guarantee of the contract value unless and until specified in the tender document.
- 26. Company reserve the right to award the Purchase Order /LOI to most advantageous bidder.
- 27. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 28. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fraudulent practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have withdrawn or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
- 29. Wherever the "Rate Only" is mentioned (either on BOQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 30. Lots: In case when the tender is floated on LOT basis, following clauses to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be awarded separately.
- 31. For open competitive bidding if the most advantageous bidder is new local manufacturer, 10% trial order will be placed and remaining 90% order will be awarded to the next most advantageous bidder at their own quoted rates.
- 32. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid
 may lodge a written complaint concerning his grievances within seven days of announcement of
 the technical evaluation report and five days after issuance of final evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.
 - In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot
 raise any objection on technical evaluation of the report. Provided that the complainant may raise
 the objection on any part of the final evaluation report in case where single stage single envelope
 bidding procedure is adopted.
- 33. All the bidders are allowed to participate in the subject procurement without regard to nationality/origin, except bidders of some nationality/origin, prohibited in accordance with policy of the Federal Government. Following countries are ineligible to participate in the procurement process:
 - India
 - Israel

PROCUREMENT DEPL

- 34. In Open Competitive Bidding Procedure where the quoted price is less than Rs. 500,000/- the Bid Bond will be retained in lieu of PBG.
- 35. In case the Bid Bond is not required, the bidder must submit the Form of Bid-Securing Declaration attached with the Tender Document else the Bid will be liable for rejection.
- 36. All Tenders floated through EPADS are to be governed by S.R.O. 296(I)/2023 dated: March 8, 2023 "E-Pak-Procurement Regulations 2023". In case of any conflict between SSGC Tender Terms / Instructions to Bidders and the PPRA EPADS Rules, the S.R.O. 296(I)/2023 will prevail.






General Terms & Conditions

1. <u>Definitions and Interpretation:</u>

- In these tender documents (as hereinafter defined) the following words and expressions shall have the meaning hereby assigned to them except where the Tender requires otherwise.
 - Company means the Sui Southern Gas Company Limited; a Company registered under statutes of Pakistan and includes any successors-in-interest or assignees.
 - b) Engineer means the Engineer(s) nominated by the Company to look after and supervise the Work.
 - c) Representative of the Company means a duly authorized person appointed by the Company or as specified in the "Special Conditions of the Contract" to perform the assigned duties.
 - Bidder means any person or persons, firm or company bidding for the Work.
 - e) Contractor means the persons, firm or company whose Tender (as hereinafter defined) has been accepted by the Company and includes the Contractor's representatives, sub-Contractors, successors and permitted assignees (Prior to the execution of the Contract the word "Contractor" also means a Tenderer or Bidder submitting a proposal in accordance with the Tender Documents).
 - f) Agent or Representative means person(s) appointed by the Contractor to perform duties as set forth in the Contract.
 - g) Laborers/Workmen means such laborers/workmen and staff as may be employed by the Contractor for purpose of carrying out the Work.
 - h) Sub Contractor means any firm or person having a direct Contract with the Contractor. Nothing contained herein however, shall be deemed or be construed to impose upon the Company, any obligation, liability or duty to a sub-contractor or to create any contractual relation between any sub-contractor and the Company.
 - i) Work means whole of the Works / Services or part thereof to be executed in accordance with Tender / Contract documents, whether temporary or permanent and whether original, altered substituted or additional.
 - j) Contract Documents shall consist of duly executed Articles of Agreement, the Tender Documents and the Tender submitted by the successful Bidder including modifications thereto incorporated in the documents before and after the execution of the Contract.
 - k) Contract Price/Value means the sum named in Schedule of (SOR) / BOQ subject to additions thereto or deductions there from as may be made under the provisions hereinafter contained.
 - Plant means all machineries, equipment, materials, appliances or things of whatsoever nature required in or about the execution, completion or maintenance of the Work, but does not include such equipment, materials, appliances or things intended to form part of the permanent Work.
- m) Temporary Works means all temporary works of every kind required in or about the execution, completion or maintenance of the Work.
- Drawings means the drawings referred to in the Contract documents and any modification of such drawings.
- O) Location means the land and other places on, under in or through which the Work is to be executed or carried out and other lands or places provided by the Company for the purpose of the Contract.
- p) Approved/Approval means approved/approval in writing by Company's representative or as specified in "Special Conditions of Contract".
- q) Tender/Bid means the offer tendered by the Bidder for the Work governed by the Contract.
- r) When the terms Acceptable, Satisfactory, Proper, or other such general qualifying terms are used in the Contract, it shall be understood that reference is made to be sole ruling and the sole judgment of the Company.
- s) The Word Equivalent or Equal where used in these documents in the general sense shall not mean Similar but shall mean "Conforming to, Like, of Kind/Quality and Function". "Proprietary Items" and "Trade Names" are used for the purposes of establishing a standard of "Kind, Quality and Function" and "Equipment" items, articles, things or materials will be approved, if held to be "Equivalent" by the Company.
- Approved Banker wherever occurring in this Contract shall mean a Scheduled Commercial Bank operating in Karachi and acceptable to the Company.



- u) Specification(s) means the standard codes of practice and other specifications issued with the Tender and any notification such as specifications approved in writing by the Company and other specifications as may from time to time be furnished or approved in writing by the Company.
- v) Month means calendar month of the Christian era.
- w) Time Schedule is a graphical illustration of the time span of various Work activities defining starting and completion dates.
- **Bonds** mean Bid Bond, Performance Bond or Bank Guarantee and other instruments of security furnished by the Bidder of his surety in accordance with the Tender/Contract.
- y) Completion Date means the date on which the Work has been completed in accordance with the Contract so that it can be utilized for intended purpose.
- z) Day means a day of 24 hours mid night to mid night.
- aa) Completion Period means the time allowed for the execution of the Work.
- 1.2 Words importing the singular only also include the plural and vice-versa where the Contract so requires.
- 1.3 The marginal headings or notes in these Conditions of Contract shall not be deemed to be part thereof or be taken into consideration in the interpretation or construction thereof or of the Contract.
- 1.4 If there is any conflict between the Special Conditions and the General Conditions, the Special Conditions shall modify, supplement and supersede the General Conditions.
- Examination:

 Bidders shall visit/inspect/examine the Work & Location and shall fully acquaint themselves with the nature and requirements of Work/Services, access to Work/Location, availability of materials, weather, law and order and local conditions etc. before submitting their Bids. Submission of the Bid shall be prima facie evidence that the Bidders have fulfilled this requirement and shall be binding upon him.
- 3. Conflict between Drawings/Specifications/SOR:
 In case of any conflict between drawings/specifications, SOW/TOR and SOR/BOQ, with regard to the quality of any item, the Contractor / Consultant shall base his quotation for the better quality. In case of any deficiency in the drawings/details, the Contractor / Consultants shall seek clarification from the Company. Submission of Bids/rates on the basis of incomplete drawings/details shall be Contractor / Consultant's sole responsibility.
- 4. Additions, Deletions:
 The Company reserves the right to make addition (Upto 15 %) and delete the quantity from the Work defined in SOW/TOR/SOR/BOQ as deemed necessary before or after the execution of the Contract. All such additions and deletions shall only be authorized in writing by the Company.
- 5. Schedule of Requirement:

 The quantities specified in the SOR/BOQ are estimated and are intended to serve only as a guide to the Bidders. Payments shall be made on the basis of actual Work quantum done as measured. No claims or adjustments shall be entertained/allowed on account of increase or decrease in the Scope of Work which has not been duly authorized by the Company through the issue of change orders as stipulated in the relevant provision.
- Rate:

 The Bidder shall quote all item rates and lump sum prices as shown in the "SOR/BOQ". Bidders shall fill in the rate / price for each item in the SOR/BOQ. In case of any discrepancy between item rate and the amount, the quoted item rate will prevail. The quantities given in the SOR/BOQ are estimated ones and are subject to variations. That is, there could be increase or decrease. Nevertheless, the item rates quoted by the Bidder shall remain fixed and no escalation whatsoever shall be permissible. The rates / prices quoted by the Bidder shall be workable. The Bidder shall be required to furnish a complete rate analysis of any item in the SOR/BOQ as considered necessary, by the Company.
- 7. Escalation:
 It may be clearly understood that this tender does not contain a price variation clause and therefore, all unit prices quoted shall be firm, irrevocable fixed and valid until completion of the Contract and will not be subject to variation on any account.
- 8. <u>Validity:</u>
 Bids shall remain valid for acceptance for a period of (120) days from the date of bid opening. If the last date falls on a holiday, the validity will be extended to the first Company working day thereafter.
- 9. Bid Bond (Earnest Money):
 The Bidder is required to furnish Bid Bond strictly in accordance with the prescribed format, in the form of a Pay Order, Demand Draft or Bank Guarantee issued only by a scheduled commercial bank operating in Karachi, for an amount fixed bid bond as specified of tendered Work / Services quoted by the Bidder in favor of Sui Southern Gas Company Limited. No Bid shall be considered without a Bid Bond and no cash or cheque or a guarantee issued by an insurance company shall be accepted.

Procuremen Dept.

The Bid Bond shall remain valid for a period of 150 days from the date of Bid opening. Bid Bonds of the unsuccessful Bidders shall be returned as soon as practicable, The successful Bidder's Bid Bond sphall be retained by Company until execution of a Contract for the Work / Services defined in these documents and the submission of a Performance Bond prior to the execution of Contract.

In the event that the successful Bidder refuses or fails to provide (PBG) and Stamp papers for contract within fifteen (15) days of the issuance of a Letter of Intent, Company shall be at liberty to forfeit the Bid

In the event of the bid bond validity falling short of the prescribed period of 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, than in such an event it shall be mandatory on the bidder to extend the bid bond validity up to 150 days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.

In case when bidder submit alternate bids a separate bid bond for each bid is required otherwise bid will be liable for rejection. In case of Single Stage Two Envelope bidding system (bid bond will be enclosed with "Financial" bid, unless and until specified separately in Tender terms).

The bid bond may be forfeited if a bidder withdraws the bid during validity period specified by the bidder or if successful bidder fails to:

- A Accept purchases order/LOI,
- A Furnish performance guarantee in accordance with clause 10 of General Terms & Conditions,
- A Extend Services as per requirement and completion Period.

10. Performance Bond:

The Bidder shall furnish a Performance Bond strictly (if the bid increases to Rs. 500,000/-) in accordance with the prescribed format in the form of a bank guarantee issued by a scheduled commercial bank operating in Karachi for an amount equivalent to Five (05) percent of the Contract value. Failure to furnish the performance Bond before execution of the Contract will entitle the Company to consider the Bidder as having abandoned the Contract and the forfeit the Bid Bond. The Performance Bond shall remain valid till after three (03) month of completion of the work.

The Company's right to recover damages from the Bidder for breach of Contract shall not be limited to the value of the Performance Bond. In the event of the Bidder failing to execute a formal Contract or to submit the Performance Bond in the manner aforesaid and in the period specified, the Company shall be entitled to appropriate the earnest money submitted by the Bidder with his tender without prejudice to its right to claim any further loss or damage which may result to it by reason of the aforesaid default of the Bidder as if Contract is actually executed for the purpose of such claims.

The Bidder shall extend the validity period of the Performance Bond for such period(s) as required for the Contract performance.

The performance bond of the successful bidder will be released after successful completion of work.

11. **Retention Money:**

400

1 16 34 1 4 14 10 A

> The amount to be retained from payments shall be equal to the specified percent of certified value of Work which would be released after the maintenance period.

12. **Completion Period:**

Subject to any requirements as to completion of any portion of the Work before the completion of the whole of Work, the Work shall be completed within the specified completion period. The Work shall not be considered as completed until the Company has certified in writing that it has been completed. Should extra, altered or additional Work of any kind, or any other cause of delay, which in the opinion of the Company could not have been foreseen by the Contractor / Consultant requires extension in completion time, then on the written request of the Contractor / Consultant, the completion period as provided in the Contract shall be extended by the Company. All such extensions shall be allowed in writing by the Company's representative.

13. Signing / Execution of Contract / Agreement:

Formal signing / execution of Contract / Agreement shall be completed within fifteen (15) days of receipt of "Letter to Proceed". The Company shall prepare the Contract in accordance with the prescribed format (Contract Form, and Articles of Agreement) for the purpose and the successful Bidder shall be communicated the date and time by the Company for the execution of Contract.

The successful Bidder shall provide the stamp paper, of value at the rate of thirty five (35) paisa per every hundred Rupees or part thereof of the amount of the Contract, or at the prevailing rate as specified by the Government of Pakistan. thern Ga

Procuremen Dept

In case the agreement is executed for services i.e Janitorial, Canteen, Landscaping, Maintenance Contract etc.... will be for One year extendable for further Two terms of one year each unless specified in Special Term & conditions.

Award / Evaluation Criteria: 14.

Company reserves the right to settle the final award of job to the technically compliant and lowest evaluated and commercially responsive bidder.

Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.

Commencement & Execution of Work: 15.

Notwithstanding any delay in the preparation / execution of the Contract the successful Bidder shall commence mobilization / preparations and under take the Work within (15) days after receipt of the Letter to Proceed.

The Contractor / Consultant shall prior to commencement of Work, obtain the written authority and instructions of the Company.

Change in Orders: 16.

The Company may at any time, by a written notice to the Contractor / Consultant, make changes within the

general Scope of Work of the Contract.

Upon notification by the Company of such change, the Contractor / Consultant shall submit to the Company an estimate of costs for the proposed change (hereinafter referred to as a change) within ten (10) calendar days of receipt of notice of the change, and shall include an estimate of the impact (if any) of the change on the completion date (s) under the Contract, as well as detailed schedule for the execution of the change, if applicable.

The Contractor / Consultant shall not perform changes in accordance with above, until the Company has authorized a Change Order in writing on the basis of the estimate provided by the Contractor / Consultant.

Changes mutually agreed upon as a change shall constitute a part of the Work under this Contract, and the provisions and conditions of the Contract shall apply to said change.

Assignment: 17.

The Contractor / Consultant shall not assign, in whole or in part, its obligations to perform under the Contract except with the Company's prior written consent.

Termination of Contract: 18.

The Company may decide to terminate the Contract in one of the following situations:

Termination for Default: (i)

The Company may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Contractor / Consultant, terminate the Contract in whole or in part.

- If the Contractor / Consultant fails to complete the contracted Works / Services within the (a) time period(s) specified in the Contract or any extension thereof granted by the Company.
- If the Contractor / Consultant fails to perform any other obligation(s) under the Contract. (b)
- If the Company during the completion period of the Contract has reason to believe that (c) the Contractor / Consultant will not be able to fulfill the obligations under the Contract.

Prior to the exercising of any right by the Company to terminate the Contract, the Company shall issue notice to the Contractor / Consultant specifying the default(s) and the Contractor / Consultant shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and / or the default(s) continues, the Contract may be terminated by the Company.

Termination for Insolvency: (ii)

The Company may at any time terminate the Contract by giving written notice to the Contractor / Consultant, without compensation to the Contractor / Consultant, if the Contractor / Consultant becomes bankrupt or otherwise insolvent. Notwithstanding the above such termination will not prejudice or affect any right of action or remedy which as accrued or will occur thereafter to the Company.

Procuremen Dept.

(iii) Termination for Convenience:

- a. The Company may by written notice sent to the Contractor / Consultant, terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the company's convenience, the extent to which performance of work under the Contract is terminated and the date upon which such termination becomes effective.
- b. The Works that are complete and ready for Commissioning within thirty (30) days after the Contractor / Consultant's receipt of notice of termination shall be at the Contract prices and on the existing Contract terms. For the remaining Works, the Company can also opt to have any portion thereof completed and commissioned at the contract prices and on the other contract terms.

19. Liquidated Damages:

If the Contractor / Consultant fails to complete the Work or perform the Services specified in the Contract within the stipulated period / scheduled time specified in the Contract, the Company, without prejudice to any other remedies, shall deduct from the bills or any other due payments / guarantees, as liquidated damages, a sum equivalent to 0.1 % per day of the value the Contract, until actual completion of the Work or performance of the Services. However if delay of over 100 days takes place (i.e. equal to 10%), the Company reserves the right to terminate the Contract at the risk and cost of Contractor / Consultant. The liquidated damages shall also be applicable for the Works / Services terminated under Clause 16.

The payment of liquidated damages shall not relieve the Contractor / Consultant from performing and fulfilling all its obligations under the Contract and nor shall the rights and entitlements of the Company be affected or reduced in any manner.

20. Force Majeure:

The parties will not be considered to be in default in the execution of their contractual obligations or any of them to the extent that the execution of such obligations or any of them is delayed or omitted by cause of Force Majeure. Each party will advise the other party by written notice within 07 days of the occurrence of any such case of Force Majeure. The term Force Majeure employed herein shall mean acts of public enemy, wars (whether declared or not) invasion, hostilities, revolution, epidemics, riots (other than among the Contractor / Consultant's own employees) fires, floods, earth quake, commotion, disorder and other causes similar in kind to those herein mentioned, not under the control of either party, which makes the performance of this agreement unfeasible and which by the exercise of due diligence the party seeking excuse from performance is unable to over come.

The Company shall not be liable to the Contractor / Consultant for any damage or loss caused by Force Majeure directly or indirectly.

21. Safety of Employees and Works:

The Contractor / Consultant shall be responsible to take all necessary precautions for the safety of employees on or off the Work, and shall comply with all applicable safety laws and codes to prevent accidents or injury to persons on about or adjacent to the places where the Work is being performed. All statutory rules, orders, regulation from time to time in force relating to taking and observance of all safety precaution governing or which might be deemed to be given during the execution and performance of the Work. The Contractor / Consultant shall comply with any and all personnel safety regulations. Any person of the Contractor / Consultant violating the safety rules shall be removed by the Contractor / Consultant from site and replaced without delay.

22. Insurance:

The Contractor / Consultant shall be responsible for obtaining a Contractor / Consultant's All Risk Policy (CAR) against risks to the Works and shall make good at his own cost, all losses or damages whether to the Works or to the lives, persons, whether under the workmen's compensation Act or Third Party Risk, or property of others from whatsoever cause arising out of or in connection with the works either during the progress of the works or during the period of maintenance provided by this Contract.

The Contractor / Consultant shall arrange insurance approved by the Company fully to cover workmen compensation and other claims arising out of sickness, injury or death of his personnel working at site and also to cover theft, loss of or damage to the Company's material in his possession and to indemnity the Company for third party claims for damage done or said to have been done to those persons or their property as a result of the Contractor / Consultant's activities on and off the site.

Insurance will be required where ever applicable: Company's Address: GENERAL MANAGER (PROCUREMENT) SUI SOUTHERN GAS COMPANY LIMITED, 2ND FLOOR, HEAD OFFICE, ST-4/B, B-14, SIR SHAH SULEMAN ROAD, GULSHAN-E- IQBAL, KARACHI -PAKISTAN.

Contractor / Consultant's Address:

Dispute Resolution: 23.

If any dispute shall arise as to the interpretation of this Contract or any matter or thing arising there from, the same shall be settled as far as possible by way of amicable resolution. Failing such settlement, the dispute may be referred for arbitration to two Arbitrators, one to be nominated by each Party. The appointed Arbitrators shall before proceeding on the reference appoint an Umpire. The Award given by the Arbitrators or the Umpire as the case may be shall be final and binding on the Parties. The proceedings shall be governed by the Pakistan Arbitration Act, 1940 and any statutory modification thereof. The venue of arbitration shall be Karachi.

All costs of Arbitration shall be borne by the Parties themselves, unless otherwise ordered by the Arbitrator. Notwithstanding the existence of any difference or dispute, or the commencement or continuance of any arbitration proceedings, Works to be done or Services to be provided under this Contract shall not be suspended or discontinued by the Contractor / Consultant nor shall any payment be withheld by the Company except the difference of the amount in dispute, which is the subject matter of such proceedings.

24.

All kinds of Government Taxes and Duties (income tax, custom duties, etc.) also the provincial sales tax as per provincial law, against any item of the contract, shall be entirely the responsibility of the Contractor / Consultant. Income Tax will be deducted as applicable under the prevailing Government Rules. Rate of Income Tax deduction in relation to submission of Income Tax certificate from the Contractor / Consultant should also be stipulated.

All Foreign Service providers are required to obtain Advance Ruling from the Federal Board of Revenue (FBR) under Section 206A of the Income Tax Ordinance 2001 (Pakistan's Income Tax Law). The advance Ruling issued by FBR covers application of Income Tax Ordinance 2001 to Transaction proposed or entered in to Foreign Service Provider".

25. Payments:

Payment will be made within 30 days after completion of works.

The Contractor / Consultant shall submit to the Company during the execution of the Work on-account bills along with a statement / details of executed Work.

The rates and prices in such on-account bills and statement of Work shall be in accordance with those in the SOR/BOQ so far as such rates and prices are applicable and on the approved rates and prices for other items of Work. All payments against on-account bills shall be treated as provisional payments and will be subject to final adjustment.

The Company may withhold payment or on-account of subsequently discovered evidence, nullify the whole or part of any certificate to such extent as may be necessary to protect itself from loss on-account of:

Defective Work not remedied. (a)

Claims filed or reasonable evidence indicating probable filling of claim. (b)

Failure of the Contractor / Consultant to make payments properly to Sub-Contractor / Consultants. (c)

Damage to another Contractor / Consultant. (d)

When the grounds are removed payment shall be made for amounts withheld because of them.

Payments in respect of extra / additional Work will be made on the basis of the original Contract rates and the Contractor / Consultant will not be entitled to any extra compensation / payment including idle charges hern G because of such delays.

\$

rocurement Dept.

Procuremen Dept.

The making and acceptance of the final payment after successful completion of Work shall constitute a waiver of all claims by the Company other than those arising from faulty Work appearing after final payment and of all claims by the Contractor / Consultant, except those previously made and still unsettled. Supplier (s) are required to submit signed and stamped acknowledgement slip, Sale Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.

Blacklisting of Suppliers and Contractor / Consultants: 26.

The company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceeding) if, a supplier or Contractor / Consultant who either constantly fails to perform satisfactorily or found to be indulged corrupt and fraudulent practices as defined blow:

- Corrupt and fraudulent practices" includes the offering, giving, receiving, or solicities of anything 26.1
- of value to influence the action of an official/company.

 If the supplier/Contractor Consultant found responsible for the detriment of campany during 26.2 proceedings of trocuroment/contract, process or its execution.
- Misrepresentation of facts (by providing fake documents, concealing / mis- reporting facts pertaining to the bid) in order to influence the procurement process of the execution of the purchase order contract. 26.3 reporting facts
- Collusive practices among bidders (prior to or after bid submission) designed to establish bid 26.4 prices at artificial, non-competitive levels and to deprive the company of the benefits of free and open competitive.

27. GOP's Obligation:

The contract shall be governed by the Law of Pakistan. The Contractor / Consultant is obligated to comply with all regulations and ordinance in force or to be passed by the Government of Pakistan in connection with Labor legislation during the course of the work to be performed. Any additional financial charges on account of revision in minimum wages by GOP will be company's responsibility while the contract is in operation.

This contract embodies the entire understanding of the parties hereto on this subject and there are no commitment, terms, conditions or obligations, oral or written, express or implied, other than those contained herein.

28. Late Bid:

Sealed bids shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, and SSGC Head Office, In accordance to the time specified in invitation to bid & tender notice (which ever applicable), Bids are to be delivered on or before closing time after which all bids submitted after the time prescribed shall not be entertained and will be returned without being opened. In case bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening time.

29. Rebate / Discount:

Unit rate (s) given in the Bill of Quantities shall take into account all relevant factors including discount if any. Discount given separately at the time of bid opening will not be considered.

30. Joint Ventures:


In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.

31. Correction / Amendments in Quoted Price:

Any overwriting in BOQ / SOR is not allowed. In case of type of any amendment / correction required in unit price / total amount the same has to be strikeout and re-written with corrected figures, properly signed & stamped out, in order to avoid an ambiguous bid. nern G

FINANCIAL PROPOSAL





TENDER FORM

Sui Southern Gas Company Limited, ST 4/B, Block 14, Sir Shah Muhammad Suleman Road, Gulshan-e-Iqbal, Karachi.

REHABILITATION OF GAS DISTRIBUTION NETWORK AT SULTANABAD KARACHI

Dear Sir,

1. Having examined the Site, Drawings, Conditions of Contract, Scope of Work and Bill of Quantities for the subject Work, I/We, the undersigned offer to undertake, complete and maintain the whole of the said Work in conformity with the contract terms the unit rates given.

I/We undertake, if my/our tender is accepted, to commence the Work within specified time after receipt of the letter of intent/letter to proceed/signing of contract, and to complete and deliver the whole of the Work contained in the contract within the period

specified in the tender document.

3. If my/our tender is accepted, I/We shall provide an irrevocable bank guarantee of a Scheduled Bank (acceptable to the Company) to be jointly or severally bound with me/us in a sum specified hereunder and in Annexure II for the due performance of the contract.

- 4. I/We agree to abide by this tender for the period of 30 days from the date fixed for opening the same and it shall remain binding upon me/us and may be accepted at any time before the expiration of this period.
- 5. I/We agree to execute the Work in a manner satisfactory to the Company whose decision shall be final and without appeal on work methods, specifications, and quality of materials, equipment and workmanship.
- 6. I/We agree to supervise and furnish adequate engineering and supervisory staff, labour force, tools, plants, machinery and finances to perform the Work in time as specified in the agreed Time Schedule to ensure that all will be done in accordance with accepted international engineering standards.
- 7. Unless and until a formal agreement is prepared and executed, this tender together with the Company's written acceptance shall constitute a binding contract between us.
- 8. I/We understand that the Company is not bound to accept the lowest or any tender received without assigning any reasons.
- 9. For ease of reference certain information and special stipulations applicable to the contract within the subject of the tender are set forth herewith:



a.	Name of the Company	:	Sui Southern Gas Company Limited.
b.	Name of Work	:	Rehabilitation of Gas Distribution Network at Sultanabad, Karachi.
c.	Amount of Bid	:	Rs. (To be filled in by the Bidder)
d.	Retention Money	:	Five (05%) Percent of all payments made to the Contractor.
e.	Date of award of Work	:,	Date of acknowledgement of Letter of Intent (LOI) by the Contractor.
f.	Mobilization Period	:	One (01) week from the date of issuance of Letter to Proceed.
g.	Value of Performance Bond	:	Five (05%) Percent of the Contract / Bid Value for each location.
h.	Completion Period	:	a) 4 Months
			b)
i.	Mode of Payment	:	As per General Condition of Contract Co.
j.	Maintenance Period	:	As per General Condition of Contract Co. Six (06) months from the date of completion.
k.	Liquidated Damages	:	(0.1%) percent per day of contract value for each day of delay subject to a maximum of 10%.
1.	Insurance	:	(CAR) Contract Value + 10%
In 4h a			
Dated this	e of day of		2025
Signature	day of in the capa	acity.	2025
of		•	
Duly author	rized to sign the tender for and o	n behal	fof
Witness			
Signature:			
Name :			
Address:	•		






- E. Schedule of Rate
- 1. SOR-01

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi

Trenching, Padding, Backfilling, Laying, Jointing and Sundry Work of HDPE 100 Pipe of Dia. 180 mm (Job No. 08260004)

		DESCRIPTION	11014	QUANTITY	RATE (Rs.)	TOTAL COST (Rs.)
		DESCRIPTION	UOM	(A)	(B)	(A x B)
	a.	Trial Pit (S) of Size (2' x 6') upto 4' to 6' depth			30	58862.88
ľ	b.	Road Cutter			94	184992
	c.	Removal of Grass/Turfing, Pavement, Linings, Drains road etc			6	12614.88
	d.	Trench Excavation / Backfilling as per TOR			428	841320
	e.	Dewatering / Cleaning of Trench as per TOR			11	21018.24
	f.	Uncoiling / Stringing of HDPE			11	21018.24
	g.	Laying of HDPE as per TOR			10	19680
	h.	Soft padding as per TOR			85	168165.6
	i.	Supplying & Fixing of Bricks			180	354240
	j.	Laying of Caution Tape	,		4	8403.36
	k.	Compaction of Backfilling & Crowing			43	84092.64
	l.	Disposal of Garbage, Asphalt layer, stone soling and Construction material	Meter	1,968	34	67266.24
T	m.	Repair & Maintenance of other underground utilities		,	43	84092.64
	n.	Material loading, transportation and unloading.			25	49200
		Jointing of Pipe ends with fittings, elbow, tee, reducers, tapping saddles, endcaps, transition fittings, casing etc.		*	82	161376
	p.	Once as per TOR, Destructive & Non-Destructive Testing of HDPE Joints including Butt, Socket & Electro Fusion Joints.			35	68880
r	q.	Air Purging of HDPE Pipeline		×		
r	r.	Poly Pigging of HDPE Pipeline			11	21010 24
	s.	Pneumatic Testing of HDPE Pipeline			-11	21018.24
	t.	Commissioning of HDPE Pipeline				
	u.	As-Built / As-Laid Drawings			10	19680
		Total (A1)	Meter	1,968	1,141.22	2,245,921



B1 = Quoted amount in (PKR) derived from above *Quoted Percentage (%)

T1 = (A1 + B1) Net Cost Quoted by Bidder in Rupees





2. SOR-02

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi

Trenching, Padding, Backfilling, Laying, Jointing and Sundry Work of HDPE 100 Pipe of Dia. 125 mm (Job No. 08260004)

		(Job No. 0826	00004)			
		DESCRIPTION	UOM	QUANTITY (A)	RATE (Rs.) (B)	TOTAL COST (Rs.) (A x B)
	a.	Trial Pit (S) of Size (2' x 6') upto 4' to 6' depth			30	93678.12
Ì	b.	Road Cutter			94	294408
ľ	c.	Removal of Grass/Turfing, Pavement, Linings, Drains road etc			6	20076.12
	d.	Trench Excavation / Backfilling as per TOR			428	1338930
1	e.	Dewatering / Cleaning of Trench as per TOR			11	33449.76
	f.	Uncoiling / Stringing of HDPE			11	33449.76
	g.	Laying of HDPE as per TOR			10	31320
1	h.	Soft padding as per TOR			85	267629.4
	i.	Supplying & Fixing of Bricks			180	563760
Ī	j.	Laying of Caution Tape			4	13373.64
	k.	Compaction of Backfilling & Crowing			43	133830.36
		Disposal of Garbage, Asphalt layer, stone soling and Construction material	Meter	3,132	34	107051.76
	m.	Repair & Maintenance of other underground utilities		,	43	133830.36
	n.	Material loading, transportation and unloading.			14	43848
	Ο.	Jointing of Pipe ends with fittings, elbow, tee, reducers, tapping saddles, endcaps, transition fittings, casing etc.	÷		77	241164
	p.	Once as per TOR, Destructive & Non-Destructive Testing of HDPE Joints including Butt, Socket & Electro Fusion Joints.			12	37584
	q.	Air Purging of HDPE Pipeline				
	r.	Poly Pigging of HDPE Pipeline			11	33449.76
	s.	Pneumatic Testing of HDPE Pipeline			**	33443.70
	t.	Commissioning of HDPE Pipeline				
	u.	As-Built / As-Laid Drawings			10	31320
		Total (A2)	Meter	3,132	1,102.22	3,452,153
		*Quoted Percentage (%) Increa				
-		B2 = Quoted amount in (PKR) derived	from ab	ove *Quoted Pe	ercentage (%)	203 60
		Procurement T2 = (A2 + B2)	Net Cost	Quoted by Bide	der in Rupees	





3. <u>SOR-03</u>

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi Boring/Moling for Crossing of HDPE 100 Pipe of Dia. 250, 180 & 125 mm

And Associated Sundry Work

(Job No. 08260004)

DESCRIPTION			QUANTITY (A)	RATE (Rs.) (B)	TOTAL COST (Rs.) (A x B)		
a.	Laying of HDPE Pipe using Moling or Boring Technique						
b.	Road Boring for crossing of HDPE Pipe	Meter	30	5,200	156,000		
c.	Inlet & Outlet Pits						
	Total (A3)	Meter	30	5,200	156,000		
	*Quoted Percentage (%) Increase (+) / Decrease (-) of A3 (total Cost)						
	B3 = Quoted amount in (PKR) derived from above *Quoted Percentage (%)						
	T3 = (A3 + B3) Net Cost Quoted by Bidder in Rupees						







4. SOR-04

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi

<u>Trenching, Padding, Backfilling, Laying, Jointing and Sundry Work of HDPE 100 Pipe of Dia. 63 mm</u> (Job No. 08260004)

	(Job No. 08	20000 17			
	DESCRIPTION	иом	QUANTITY (A)	RATE (Rs.)	TOTAL COST (Rs.) (A x B)
a	Trial Pit (S) of Size (2' x 6') upto 4' to 6' depth	-		24	428347
b	Road Cutter			75	1346080
C.	Removal of Grass/Turfing, Pavement, Linings, Drains road etc			5	91827
d	Trench Excavation / Backfilling as per TOR			342	6118220
e.	Dewatering / Cleaning of Trench as per TOR			9	153045
f.	Uncoiling / Stringing of HDPE			9	153045
g.	Laying of HDPE as per TOR			4	71600
h.	Soft padding as per TOR		-	68	1223644
i.	Supplying & Fixing of Bricks			180	3222000
j.	Laying of Caution Tape			3	61218
k.	Compaction of Backfilling & Crowing		17,900	34	611822
I.	Disposal of Garbage, Asphalt layer, stone soling and Construction material	Meter		27	489386
m.	Repair & Maintenance of other underground utilities			34	611822
n.	Material loading, transportation and unloading.			28	501200
0.	Jointing of Pipe ends with fittings, elbow, tee, reducers, tapping saddles, endcaps, transition fittings, casing etc.			39	698100
p.	Once as per TOR, Destructive & Non-Destructive Testing of HDPE Joints including Butt, Socket & Electro Fusion Joints.			5	89500
q.	Air Purging of HDPE Pipeline			_	
r.	Poly Pigging of HDPE Pipeline		ra.		452045
s.	Pneumatic Testing of HDPE Pipeline		3	9	153045
t.	t. Commissioning of HDPE Pipeline				
u.	As-Built / As-Laid Drawings			10	179000
	Total (A4)	Meter	17,900	905.19	16,202,901
	*Quoted Percentage (%) Increas	se (+) / De	ecrease (-) of A	4 (total Cost)	
	B4 = Quoted amount in (PKR) derived T4 = (A4 + B4) I	from abo	ve *Quoted Pe	rcentage (%)	رد و بالانتخاص المعرضين
	Procurement T4 = (A4 + B4) I	Net Cost (Quoted by Bidd	er in Rupees	SH A S CO





5. SOR-05

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi Killing of Existing Gas Pipelines (upto 6" inch) & Associated Sundry Work

(Job No. 08260004)

	Б	DESCRIPTION	UOM	QUANTITY (A)	RATE (Rs.) (B)	TOTAL COST (Rs.) (A x B)	
	a.	Excavation of Pits for locating existing network		*			
	b.	Killing / disconnecting of existing network			1,200	156,000	
	c.	Removal of extra material / Garbage	v	130			
	d.	De-watering	NOS.				
	e.	Repair & Maintenance					
	f.	Backfilling & Crowing of Pits					
	g.	Medium Compaction of soil after backfilling					
		Total (A5)	NOS.	130	1,200	156,000	

Note:

- All SOR/BOQ activities to be performed as per detailed scope of work in tender document.
- The Completion of all the above activities will be carried as directed by the Site Engineer. Billing would be made as per actual and activities wise breakup cost stated above.
- 1. Bid Pricing and Submission:
- 1.1 SSGC has provided an Estimated Total Amount for the Scope of Work based on detailed cost breakups, market prevailing rates, and applicable MLR rates.
- 1.2 Bidders shall quote only a percentage increase or decrease over the Estimated Total Amount instead of submitting individual itemized rates.
- 1.3 The Bid Price shall be determined by applying the quoted percentage to the Estimated Total Amount.
- 2. Application of Quoted Percentage to Individual Items:
- 2.1 The quoted percentage increase or decrease shall be applied uniformly to all items listed in the Schedule of Rates (SOR).
- 2.2 The adjusted unit rates for individual items shall be derived by proportionally adjusting SSGC's estimated unit rates based on the bidder's quoted percentage.
- 3. Deductions for Omitted or Underperformed Items:
- 3.1 In the event of an omitted or underperformed activity, the corresponding deduction shall be calculated using the adjusted unit rate derived from the bidder's quoted percentage.
- 3.2 SSGC shall deduct the amount proportionate to the omitted/underperformed quantity as per the result of the sold pricing.





6. SOR-06

Schedule of Rates

Rehabilitation of GDN at Sultanabad, Karachi

Riser Fabrication & Service Connections to Domestic & Commercial Customers

(Job No. 02260104)

	DESCRIPTION	UOM	QUANTITY (A)	RATE (Rs.) (B)	TOTAL COST (Rs.) (A x B)
a.	Fabrication of Riser drum Steel / Galvanized Iron Pipe 1/2", 3/4", 1" dia			1,200	2022400
b.	NPT Threading of Pipe	NOS.	2532		3038400
c.	Service Pits as per TOR	,			
d.	Trench Excavation / Laying of Bricks / Backfilling as per TOR		2532	1,213	3071316
e.	Jointing of PE service				
f.	Soft padding as per TOR	LUMPSUM	2532	243	615276
g.	Laying of Caution Tape		2532	12	30384
	Total (A6)	NOS.	10,070	2,668	6,755,376

Note:

- All SOR/BOQ activities to be performed as per detailed scope of work in tender document.
- The Completion of all the above activities will be carried as directed by the Site Engineer. Billing would be made as per actual and activities wise breakup cost stated above.
- 1. Bid Pricing and Submission:
- 1.1 SSGC has provided an Estimated Total Amount for the Scope of Work based on detailed cost breakups, market prevailing rates, and applicable MLR rates.
- 1.2 Bidders shall quote only a percentage increase or decrease over the Estimated Total Amount instead of submitting individual itemized rates.
- 1.3 The Bid Price shall be determined by applying the quoted percentage to the Estimated Total Amount.
- 2. Application of Quoted Percentage to Individual Items:
- 2.1 The quoted percentage increase or decrease shall be applied uniformly to all items listed in the Schedule of Rates (SOR).
- 2.2 The adjusted unit rates for individual items shall be derived by proportionally adjusting SSGC's estimated unit rates based on the bidder's quoted percentage.
- 3. Deductions for Omitted or Underperformed Items:
- 3.1 In the event of an omitted or underperformed activity, the corresponding deduction shall be calculated using the adjusted unit rate derived from the bidder's quoted percentage.
- 3.2 SSGC shall deduct the amount proportionate to the omitted/underperformed quantity as per the revised SOR pricing.



Procuremen Dept.



7. SOR-07

Schedule of Rates Rehabilitation of GDN at Sultanabad, Karachi Gas Meter Installation, Shifting and Associated Sundry Work

(Job No. 04260104)

	DESCRIPTION	UOM	QUANTITY (A)	RATE (Rs.) (B)	TOTAL COST (Rs.) (A x B)	
a.	Testing & Commissioning of Service Line & Overhead meter assembly via soap solution		15,310	500.75	2658983	
b.	Fabrication, Cutting, Bending of GI-Pipe					
c.	Installation GI / MI fitting & Pipe	NOS.				
d.	Removal of existing service connection / assembly					
e.	Painting of All GI fitting with Silver enamel color					
f.	Painting of all service valves with Red color					
	Total (A7)	NOS.	15,310	500.75	2,658,983	
	*Quoted Percentage (%) Increas	total Cost)				
	B7 = Quoted amount in (PKR) derived	entage (%)				
	C3 = (A7 + B7) Net (Cost Quote	d by Bidder	in Rupees	*	

TOTAL BID AMOUNT = (C1 + C2 + C3) Rs.

Note:

- All SOR/BOQ activities to be performed as per detailed scope of work in tender document.
- The Completion of all the above activities will be carried as directed by the Site Engineer. Billing would be made as per actual and activities wise breakup cost stated above.
- 1. Bid Pricing and Submission:
- 1.1 SSGC has provided an Estimated Total Amount for the Scope of Work based on detailed cost breakup market prevailing rates, and applicable MLR rates.
- 1.2 Bidders shall quote only a percentage increase or decrease over the Estimated Total Amount instead of submitting individual itemized rates.
- 1.3 The Bid Price shall be determined by applying the quoted percentage to the Estimated Total Amount.
- 2. Application of Quoted Percentage to Individual Items:
- 2.1 The quoted percentage increase or decrease shall be applied uniformly to all items listed in the Schedule of Rates (SOR).
- 2.2 The adjusted unit rates for individual items shall be derived by proportionally adjusting SSGC's estimated unit rates based on the bidder's quoted percentage.
- 3. Deductions for Omitted or Underperformed Items:
- 3.1 In the event of an omitted or underperformed activity, the corresponding deduction shall be calculated using the adjusted unit rate derived from the bidder's quoted percentage.
- 3.2 SSGC shall deduct the amount proportionate to the omitted/underperformed quantity as per the revised SOR pricing.



F. Annexures

1. SOPs for Polyethylene Pipe (Socket Fusion, Butt Fusion & Electro Fusion)

Socket Fusion (Temp 275 ± 15°C)

In this method the pipe end & fitting sockets are heated to fusion temperature using a heating bush and a heating spigot respectively.

Before each welding operation check the welding temperature of the heating plate preset to (260 + /- 10 °C). Heating bush and heating spigot must be free from contaminations. Saw / cutter suitable for plastic pipes. In case of pipe having diameter from 15 mm to 20 mm peel the pipe end with peeling tool. The blades must be the adjusted to the required diameter using and appropriate mandrel gauge.

The Heating time and cooling time of different diameter of pipe fitting is shown in below table.

Size (mm)	Heating Time (In Sec)	Cooling Time (In Min)		
20 mm	5-8	02 Minutes		
40 mm	12-15	05 Minutes		
63 mm	25-30	08 - 10 Minutes		

Butt Fusion:

Make sure the welding temperatures, pressure & times are known in advance as applicable to the pipe of fitting to be fused. Remove loose dirt/dust from the jointing surface. Before welding to ensure that the joint faces are parallel. Protect the working area from direct sunlight and rain. Check the butt fusion equipment is clear & is in working order. When the joint faces have heated up, they are released from the heating plate. The change over time should be as short as possible otherwise the molten joint faces will Freeze & poor joint will result.

- i. The pipe should be trimmed within the machine by using trimming tool, which should be operated until the pipe surfaces are parallel for better alignment of two ends.
- ii. The Heating plate should operate within the correct temperature zone and non-stick surfaces clean and undamaged.
- iii. The pipes are then brought into contact with the heating plate under the appropriate pressure; until 2 mm bead of polymer around the pipe indicates its full contact with the heater.
- iv. Heating of the pipe ends for appropriate period of time is carried out following release of applied pressure.
- v. At the end of heating period, the Heating plates and pipes are separated and the pipe ends brought quickly into contact under the appropriate fusion pressure which should be maintained for the specified cooling period.
- vi. The resultant joint bead profile should then be examined for uniformity, dimension, cleanliness & evenness.
- vii. Fusion Condition for Butt Fusion Jointing (Temperature 205± 8°C) are shown in below table.

Dia. of Pipe	Heating Time	Cooling Time	Bead Width	
125 mm	120 Sec	15 to 20 Minute	9 mm	
180 mm	140 Sec	15 to 20 Minute	11 mm	





Electro Fusion:

Only use automatic welding machine which is suitable & provide the required welding voltage for the joint & switch off the welding current automatically as soon as the socket fitting has been heated. The pipe surface & the inside of the socket fittings is electrically heated to welding temperature & welded by means of electrical winding incorporated in the socket fittings. The welding factor (e.g. time) are set on the welding machine according to the diameter & the nominal pressure of the pipe. Once the machine has been switched ON, the welding process is automatic.

The pipe joint must be left to cool for about 10 minutes depending upon the dimensions.

- i. The welding machine must provide the required welding voltage for the fitting and switch off the welding current automatically as soon as the fitting has been heated to the correct temperature.
- ii. The surfaced pipes to be welded immediately.
- iii. The welding machine is connected to the fitting by a welding lead.
- iv. The contact surface of welding machine lead must be cleaned and be connected I fixed properly in the fitting to get the accurate result I fusion.
- v. The weld joints should remain up to appropriate cooling time depending upon the diameter of pipe & fittings.
- vi. As fusion process is complete no disturbance is allowed till its cooling time is completed.



(On Stamp Paper @ Rs.100 for first Rs.100, 000 and Rs.50 per subsequent Rs.100, 000 of Guarantee Value)

BID BOND FORMAT

Sui Southern Gas Company Limited, ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, Karachi.

Tender Enquiry No SSGC / SC /

	Jear Sirs,
	n consideration of Messrs hereinafter
	ralled "The Bidder" having submitted the accompanying bid and in consideration of value received from we hereby agree to undertake as
	ollows:
-	To make un-conditional payment of Rupees upon your return demand without further recourse, question or reference to the Bidder or any other person, in the event of the with drawl of the aforesaid Bid by the Bidder before the end of the period specified in the Bid after the opening of the same for the validity thereof, or if no such period to be specified within 120 days after said opening and or in the event that the Bidder within the period specified thereof, or if no period be specified with 15 days after prescribed forms are presented to the Bidder of signature the Bidder shall fail to execute such further contractual documents if any as may be required by the Company, or on the Bidders' failure to give the requisite Performance Bond as may be required for the fulfillment or resulting Contract with 10 days of the acceptance of the Bid.
-	To accept written intimation(s) from you as sufficient evidence of the existence of default or non compliance as aforesaid on the part of the Bidder and to make payment immediately upon receipt of the written intimation.
3	No grant of time or other indulgence to, or composition, or arrangement with the Bidder in respect of the aforesaid Bid with or without notice to us shall in any manner discharge or otherwise, however, affect this guarantee and our liabilities and commitments hereunder.
4	The guarantee shall be binding on us and our successors in interest and shall be irrevocable.
5	This guarantee shall remain valid upto
Y	ours faithfully,
N	te: Any extensions / amendments (in all guarantees/bonds) if required shall be made on stamp papers of Rs.50



PERFORMANCE BOND FORMAT

	Sui Southern Gas Company Limited, ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, Karachi.	Bank Guarantee # Date of Issue : Date of Expiry : Amount :	
	Tender Enquiry No	SSGC/SC/	
	Dear Sirs,		
	In consideration of your entering/having entered into Con	The Contractor" and in consideration of walk	h
	amount as you may require from time to time as and whethe aggregate payment of Rupees damaged and security for the due fulfillment by the Contant total and faithful performance of the above Contant mentioned Contract upon your written demand(s) with Contractor or any other person in the event of the Contraliabilities and faithful performance arising under and in above mentioned agreement of which you shall be the so	being the amount covering liquidated tractor of all liabilities, obligations, commitments ract by the Contractor as specified in the above out further recourse, question or reference to the actor's default in compliance with its obligations.	d s e
2.	To accept written intimation(s) from you as sufficient compliance as aforesaid on the part of the Contractor and the written intimation.	nt evidence of the existence of default or non ad to make cayment immediately upon receipt of	
3.	To keep this guarantee in full force from the date of the specified in the above referred Contract and all other obliabove contract are duly fulfilled by the Contractor to the specified in the specified in the above contract are duly fulfilled by the Contractor to the specified in the specified	igations of the Contractor as are contained in the	
4.	No grant of time or other indulgence to, or composition, the performance of its obligations under and in pursuant with or without notice to us shall in any manner dischargand our liabilities and commitment there under.	ce of the said agreement or any clause thereof	
5.	The guarantee shall be binding on us and our successors in	n interest and shall be irrevocable.	
6.	This guarantee shall not be affected by any change in constitution of	the constitution of the guarantor bank or the	
6.	This guarantee shall remain valid upto		

5.

6.

6.



DECLARATION FORM

(FORMAT OF DECLARATION)

M/s [the Seller/Supplier]	hereby deciares its intention not to obtain or induce
ineprocurement of any contract, right, interest, privilege	e or other obligation or benefit from Sui Southern
dascompany Limited or any administrative subdivision	1 or agency thereof or any other entity owned or
controlledby Sui Southern Gas Company Limited (SSGCL)	through any corrupt business practice.

Without limiting the generality of the foregoing, [the Seller/Supplier] represents and warrants that it has fullydeclared the brokerage, commission, fees, etc., paid or payable to anyone and not given or agreed to give andshall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through anynatural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whetherdescribed as consultation fee or otherwise, with the object of obtaining or inducing the procurement of acontract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGCL, except that which has been expressly declared pursuant hereto.

[The Seller/Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGCL and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[The Seller/Supplier] accepts full responsibility and strict liability for making any false declaration, notmaking full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of thisdeclaration, representation and warranty. It agrees that any contract, right, interest, privilege or otherobligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights andremedies available to SSGCL under any law, contract or other instrument, be voidable at the option of SSGCL.

Notwithstanding any rights and remedies exercised by SSGCL in this regard, [the Seller/Supplier] agrees to indemnify SSGCL for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGCL in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [the Seller/Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefitin whatsoever form of SSGCL.

SIGNATURE & STAMP

NOTE

- 1. The above declaration is to be furnished along with the bid on letter head, for bid(s)amounting to total bid value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



CONTRACT FORM

Contract No. SSGC/SC/

ARTICLES OF AGREEMENT

THIS AGREEMENT, made and entered into this day of, 2018 by and between Sui Southern Gas Company Limited, having its office at ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, Karachi, hereinafter referred to as the "Company" of the one part and M/s.
expression shall include the successors, of the said firm, heirs, executives, administrators and assigns of the Partners of the said firm individually or severally) of the other part.
WITNESSETH:
WHEREAS, under the procedures, bids have heretofore been received by the Company for carrying out " work and the tender of the Contractor for the said work has been accepted by the Company.
NOW THEREFORE, for and in consideration of the promises, negotiations, covenants and agreements hereunder contained and to be performed by the parties hereto, the said parties hereby covenant and agree as follows:-
Article-1 Work and Cost of the Work:
In consideration of the covenants and agreements to be kept and performed by the contractor and for the faithful performance of this Contract and the completion of the work embraced therein according to the specifications and conditions herein contained and referred to or agreed to in course of subsequent negotiations and in accordance with the Contract, the Company shall pay and the Contractor shall receive and accept as full compensation for everything furnish and done by the contractor under this agreement as sum of approximately Rs
ascertained in accordance with the conditions of Contract, etc. and at rates quoted against each item of work and agreed to and accepted by the parties as one instrument, and at the times and in the manner prescribed by the conditions of the Contract.
The Contractor at his own proper cost and expense shall do all work and furnish all labour, materials, tools, supplies, machinery and other equipment and plant that may be necessary for the satisfactory completion of all the works as set forth in the contract documents.
Article-2 - Time:
The maintenance of a rate of progress in the works at a rate which will result in its completion within the specified time, is of the essence of the contract and the Contractor agrees to proceed with all the due diligence and care at all times to take all precautions to ensure the timely completion as defined herein; time being deemed to be essence of the Contract of part of the Contractor.
The said work shall be started on the Contractor's receipt from the Company of a written order to proceed, and the Contractor shall have the work called for duly and fully complete in total months {including () weeks mobilization period} from the date of issuance of such order.
Article-3 - Contract Documents:
It is understood and agreed that the contract documents which comprise this Contract are attached hereto and made a part hereof and consist of the following:-
a) The Article of Agreement.

Dept

	Bid ((subm Invitation, I Tender Form		to bladel.	3. SCO	DC UI V	VOIK SHE	lated cial and Gen	comperal Conditi	orising Letter of ions of Contract,
	Company le								
	Contractor	letter No			, d:	ated			
d) !	Notice of	Award	(Letter	of	Intent	(LOI)	No.SSGC/	MAT/S&C/	, dated
e) A	Acceptance l	by the Con	tractor on	the co	opy of L	OI.			
g) P	erformance	Bank (Guarantee	No.					amounting to
It is agreed by the in the office of the IN WITNESS WH authorized represer	EREOF the	parties her	eto have e	ed and	one giv	ontract a	Contractor.		
Signed for and on b M/s. Sui Southern (ehalf of				Signo	ed for and	on behalf of	Karachi	
Signature :				Signat	ure :				
Name:									
		,							8.1
In the presence of:							r.		
Signature :			5	Signatu	ıre :				
Name:									
Signature :									
Name :				a					
									uthern Ges
									Procurement



Supplier	code:	
----------	-------	--

FORM-X

Bank account details form for all Beneficiaries

(Mandatory requirement for Digital Online Banking)

As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142 payment online w.e.f. 01-11-2021. All beneficiaries are require mandatory:	2150-R dated 23 rd Sept'2021 to make the ed to fill in the below details, which is
Name of Firm:	_
Address of Firm:	_
	_
CNIC #:	
NTN #:	-
Bank Name:	-
Bank A/C Title name:	
Branch code:	• •
Bank A/c #:	(16 Digits)
Bank IBAN #:	(24 Digits)
☐ Information already submitted.	
Note: Please be attached copy of Cheque / Account Maintena	nce Certificate.(Mandatory)
Date:	Authorized Sign & Stamp
Note: All payments transactions will be made on above mentione time information to be provided by the all beneficiaries. I submitted, please tick the box above "Information already suld by signed by starters at	nease if the above detail has already

duly signed & stamped.

TTI-E GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 IPART II

ANNEXURE: 1

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- 2. Father's Name/Spouse's Name
- CNIC / NICOP/Passport No.
- 4. Nationality
- 5. Residential address
- 6. Email address
- Date on which shareholding, control or interest acquired in the business.
- 8. In case of indirect shareholding, control or interest being exercised through intermediary companies, entries or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided:

1	2	3	4	5	6	7	8	9	10
Name	Legal form (Company/Limited Liability Partnership /Association of Persons/Single Member Company/Partnership Firm/Trusted/Any other Individual, Body Corporate (to be Specified)	Date of Incorporation / Registration	Name of Registering Authority	Business Address	Country	Email Address	Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Interest of Legal Person or Legal Arrangement in the Company	Identity of Natural Person who Ultimately owns or Controls the Legal Person or Arrangement

 Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).

1	2	3	1	1 -			p.
Name and surname (in block Latter's)	CNIC no (in case of foreigner Passport No)	Father's / Husband's Name in Full	4 Current Nationally	Any other Nationality lies)	Occupation 0	Residenti ally address in full of the registered / principle office address for a subscribe rs other that natural Person	Numbers of shares taken by cash subscribers (in figures and words
			Total number	rs of shares to	kan /i	- <i>6</i> :	
			and words)	rs of shares ta	iken (ii	n rigures	

10. Any other information incidental to or relevant to beneficial owner(s).

Name and signature (Person authorized to issue notice on behalf of the company)



Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)]

[No.: [number of Bidding process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [complete name of Procuring Agency]

We, the fundersigned, declare that

We understand that, according to your conditions, Bids must be supported by a Bid-Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid-conditions, because we:

- (a) have withdrawn our Bid during the period of Bid validity specified in the Lefter of Bid; or
- (b) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid validity; (i) fail or refuse to sign the Contract; or (ii) fail or refuse to furnish the Performance Security (or guarantee), if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder, or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bi	dder h			ki	S. S		1
eff		- Magazina		Married Bridge			4
Name of the pe	erson duly auth	orized toisi	gn the Bid	on behalf	of the Bid	der**	4.00
Title of the per:	S. 4.		i and	An a			
	1975 A. C. C. C.	779 . Shape	A STATE OF	4.2		. A.	
Signature of the	e person name	i above	* ***		· Angles		
Date signed			The second secon	ay of	Y. 4.		
			at 13 mg good to Be South		:		

- *. In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- **: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a joint Venture, the Bid-Securing Declaration must be in the name of all members to the joint Venture that submits the Bid.]



SECTION-IX/X

SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Gas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PEC), or any other competent forum. The procedure shall also be applicable on the prequalified firms. The procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute / Law or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or rules shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority to Appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to lodge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/division/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty disqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for infractions committed during the competitive bidding stage, whereby such firms/individuals are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a project or contract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



REASONS FOR BLACKLISTING

4.1 The following shall comprise the broad multilateral guidelines for blacklisting:

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

4.2. I Competitive Bidding Stage

During the competitive bidding stage, the Procuring Agency shall impose on bidders or prospective bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

i. Submission of eligibility requirements containing false information or falsified documents.

ii. Submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.

iii. Submission of unauthorized or fake documents for pre-qualification/ tendering i.e.

without specific authorization from the principals/ manufacturers etc.

iv. Failure of the firm to provide authentic Warranty Undertaking and Performa Invoice of the manufacturers / Principal / Trading house.

v. Failure of the firm to submit specific authority letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;

vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.

vii. Deviations from specifications and terms & conditions of the purchase order/contract.

viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.

ix. Refusal or failure to post the required performance security within the prescribed time.

x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- ii. Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - Employment of competent technical Person(s) / Firm(s)nel, competent engineers and/or work supervisors;
 - Provision of warning signs and barricades in accordance with approved plans and specifications and contract provisions;
 - c. Stockpiling in proper places of all materials and removal from the project site of waste and excess materials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;
 - d. Deployment of committed equipment, facilities, support staff and manpower; and
 - e. Renewal of the effectivity dates of the performance security after its expiration during the course of contract implementation.
 - f. Non-Performance of the supplier in respect of tender terms & conditions and the delivery / supply of material.
- Assignment and subcontracting of the contract or any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from his fault or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- v. For the procurement of consulting services, poor performance by the consultant of his services arising from his fault or negligence, any of the following acts by the consultant shall be construed as poor performance:
 - Defective design resulting in substantial corrective works in design and/or construction;
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.

vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaining fraudulent payments;
 - ii. Obtaining contracts by misleading the purchaser:
 - iii. Refusal to pay SSGC dues etc.;
 - iv. Failure to fulfill contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been already blacklisted;
 - vii. Consequential operational damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof supplied on trial basis or due to failure of such equipment;
 - viii. Contractors who have negotiated Plea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default has been proved specifically in relation to supplies made to or contracts concluded with SSGC.
 - ix. Involved in litigation or needless petitioning to influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
 - x. A firm may be disqualified for a period extendable to two years in case a decision by a court is awarded against the said firm after litigation, or where the firm is involved in litigation at least three times during two financial years, or where a firm has on account of litigation caused substantial financial losses to SSGC;
 - xi. Blacklisted by other Federal and Provincial Government Ministries / Divisions / Departments and organizations / autonomous bodies subordinate thereto; and
 - xii. Blacklisting in case of Joint Venture firms will also result in termination of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1 Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

SUSPENSION AND BLACKLISTING PROCEDURE

- The supplier or contractor who is to be blacklisted for a specified period is given adequate opportunity of being heard.
- The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before taking any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice, if the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- A three-member committee will form comprising of User, Procurement and HSE&QA
 departments to address the issues in the meeting with the supplier or contractor. Members
 of committee may not below of grade IV.
- 5. In case the supplier or contractor is found at default based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is sought from the management for their temporary or permeant blacklisting alongwith encashment of bid bond or PBG as the case may be.
- The decision of the management is communicated to the defaulted supplier or contractor through a formal letter.
- A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal
 in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual due to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

9. AMENDMENTS

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the amendment of its specific provisions as the need arises.
- 9.2 Any amendment to this Blacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendments thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Public Procurement Rules, 2004.

11. The Steps to be Followed are As Under

The causes and reasons to be taken into consideration for Debarment / Blacklisting of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- Extraordinary delay in signing or refusal to accept the Notification of Award and/or the contract without any cogent reason.
- ii. Misconduct, i.e., failure to proceed with the signed contract, withdrawal of commitments, quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, frustrating the evaluation/bidding process and not responding to written communication in a reasonable time.
- iii. Causes mentioned in Sub-Clauses i, ii and iii above.
- iv. Submission of fake / frivolous or mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions / clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, any defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect liability period as defined in the contract.

3. OTHER CAUSES:

- The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is
 established that the firm is involved in any kind of corruption or corrupt practices anywhere
 in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting. Member of RPC must be one grade up from the members of PA.

5. PROCEDURE FOR BLACKLISTING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinabove under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concerned Project Authority / formation shall promptly formulate its recommendations and submit through the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person(s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said charges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RPC)", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Blacklisting on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an International Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution (Donor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blacklisting List:

- The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority. (iii)The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



AFFIDAVIT OF COMPLIANCE WITH INTEGRATED MANAGEMENT SYSTEM (IMS) MANUAL

!,		[Supplier's Authorized	Representative Full	
Name], of	[Supplier Company Na	me], with principal	
отпсе	located at			
[Full A	Address], do hereby solemnly affirm	m and declare as follows:		
1.	That I am the duly authorized re	epresentative of	[Supplier	
	Company Name] , and have the locompany.	egal authority to make this declaration	on on behalf of the	
2.	System (IMS) Manual provided b	read, and fully understood the Integ by Sui Southern Gas Company Limite gc.com.pk/web/wp-content/uploads/	d (SSGC), available a	
3.	That	[Supplier	Company Name]	
	agrees to comply fully with all th IMS Manual, and will ensure that aware of and comply with the san	ne policies, procedures, and responsi t all relevant employees, contractors, me.	bilities outlined in the and agents are mad	
 That [Supplier Company Name] acknowledges that failure to comply with the IMS Manual may result in corrective including but not limited to financial penalties as per SSGC policy and suspension termination of business with Sui Southern Gas Company Limited (SSGC). 				
	acknowledges that failure to com including but not limited to finance	ply with the IMS Manual may result ic cial penalties as per SSGC policy and s	in corrective action, suspension or	
5.	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S This affidavit is made in good faith	ply with the IMS Manual may result is cial penalties as per SSGC policy and somethern Gas Company Limited (SSGC nand for the purpose of affirming our standards in our operations and eng	in corrective action, suspension or c).	
5. gned a	acknowledges that failure to comincluding but not limited to finance termination of business with Sui Substitution of	ply with the IMS Manual may result cial penalties as per SSGC policy and somethern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur ame: [l	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [year tee:	ply with the IMS Manual may result cial penalties as per SSGC policy and somethern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur ame: [l	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [yesters] Full Name of Supplier Representation: [Job Title]	ply with the IMS Manual may result cial penalties as per SSGC policy and southern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur ame: [l esignat ompan	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [yesters] Full Name of Supplier Representation: [Job Title] By Name: [Supplier Company Name]	ply with the IMS Manual may result cial penalties as per SSGC policy and southern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur ame: [l esignat ompan	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [year at [City]] this [day] this [day] of [month], [year at [City]] this [day] of [month], [year at [City]] this [day] this [day] this [day] this [day] this	ply with the IMS Manual may result cial penalties as per SSGC policy and southern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
gned a gnatur ame: [lesignator pmpan ontact itnesse	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [year at [City] this [day] of [month], [ye	apply with the IMS Manual may result cial penalties as per SSGC policy and so couthern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur gnatur esignat ompan ontact itnesse	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [year Full Name of Supplier Representation: [Job Title] by Name: [Supplier Company Name Details: [Phone, Email] and by:	apply with the IMS Manual may result cial penalties as per SSGC policy and so couthern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
5. gned a gnatur ame: [l esignat ompan ontact itnesse gnature ime of	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [year at [City] this [day] of [month], [ye	aply with the IMS Manual may result cial penalties as per SSGC policy and southern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar).	in corrective action, suspension or c).	
5. gned a gnatur ame: [l esignat ompan ontact itnesse gnature ime of	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [yestere:	apply with the IMS Manual may result cial penalties as per SSGC policy and so couthern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
gned a gnature ame: [lesignate ontact itnesse gnature ame of te:	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [yester:	apply with the IMS Manual may result cial penalties as per SSGC policy and southern Gas Company Limited (SSGC n and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	
gned a gnature gnature itnesse gnature of te:	acknowledges that failure to comincluding but not limited to finance termination of business with Sui S. This affidavit is made in good faith health, safety, and environmental at [City] this [day] of [month], [yestere:	apply with the IMS Manual may result cial penalties as per SSGC policy and so couthern Gas Company Limited (SSGC in and for the purpose of affirming out standards in our operations and engar].	in corrective action, suspension or c).	

Ref No	Dated
M/s	
SNTN	
Address	
NOTICE UNDER RULE 3(1) OF T PROCEDURE (WITHHOLDING	THE SINDH SALES TAX SPECIAL) RULES, 2011.
Dear Sir,	
deduct the prescribed amounts of Sind relation to the services provided or rendered	h sales tax against your tax invoices in dered by you to us. We hold NTN/FTN e withheld/deducted amounts of Sindh d of account "B-02384" against a SRB-W-04) in the manner prescribed under occedure (Withhelding) Pulsa, 2014
	Signature
	Name
Procurement C	Designation
Dept. Dept. Gulstian e. No. 18.	Official seal



Procurement Department

Standard Advisory to all Bidders

SUB: Sindh Sales Tax Withholding On Services Payment

(Effective from 1 July 2024)

Dear Sir,

Background

Please be informed that:

- Uptil February 2024, SSGC deducted 20% of Sindh Sales Tax amount from Invoice value payable to a Vendor for services rendered in Sindh & deposit the same with Sindh Revenue Board, while remaining 80% is deposited by the Vendor themselves.
- From March 2024 June 2024, SSGC deducted 80% of Sindh Sales Tax amount from Invoice value payable to a Vendor for services rendered in Sindh & deposit the same with Sindh Revenue Board, while remaining 20% is deposited by the Vendor themselves

Amendment in Law

Sindh Revenue Board (SRB) has amended Withholding Rules thereby requiring SSGC to deduct 20% of sales tax amount from Invoice Value.

Revised Procedure for Sindh Sales Tax Withholding

In order to ensure implementation of above amendment, following process is being implemented 01. July 2024:

- 80% Sales Tax to continue to be withheld on 'Past" Invoices only (where Vendor has already deposited 20% Sales Tax in Government treasury provides evidence thereof).
- 20% Sales Tax will be deducted on Current and future invoices (while 80% will be deposited by vendor directly with SRB)

It is needless to mention that only Sindh Withholding Rules have been amended white there is no change in other Rules (income tax withholding Balochistan Sales Tax withholding; etc.)





سوئ سدرن گیس کمپنی لمیثلاً پروکیورمنٹ ٹیپارٹمنٹ

تمام ٹھیکیداروں کے لئے معیاری ایڈوائزری خدمات کی ادائیگی پر سندھ سیلز ٹیکس (۱ جولائی ۲۰۲۴ سے نافذ العمل)

یس مننظر

مطلع كيا جائ كه:

1. فروری 2024 تک، SSGC نے سندھ میں فراہم کی جانے والی خدمات کے لیے وینڈرزکی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 20% کاٹ لیا ہے اور اسے سندھ ریونیو بورڈ کے پاس جمع کرایا ہے، جبکه وینڈرز بقیه 80% خود جمع کراتے ہیں۔

2. مارچ 2024 سے جون 2024 تک، SSGG نے سندھ میں فراہم کی جانے والی خدمات کے لیے وینڈرز کی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 80% کاٹ لیا ہے اور اسے سندھ ریونیو بورڈ کے پاس جمع کرایا ہے، جبکہ بقیه 20% وینڈرز خود جمع کراتے ہیں۔

قانون میں ترمیم

سندھ ریونیو بورڈ (SRB) نے ود ہولڈنگ رولز میں ترمیم کی ہے جس کے تحت SSGC کو انوائس ویلیو سے سیلز ٹیکس کی رقم کا 20% کٹوتی کرنا ہوگی۔

سنده سیلز ٹیکس ودسولڈنگ کا نظرثانی شدہ طریقه کار

مندرجه بالا ترمیم کے نفاذ کو یقینی بنانے کے لیے، 01 جولائی 2024 سے درج ذیل عمل کو نافذ کیا جا رہا ہے:

1) %80 سیلز ٹیکس صرف 'ماضی' انوائسز پر کٹوتی جاری رہے گی (جہاں وینڈر نے پہلے ہی سرکاری خزانے میں 20% سیلز ٹیکس جمع کرایا ہے اس کا ثبوت فراہم کرتا ہے)۔

2) %20 سیلز ٹیکس موجودہ اور مستقبل کے انوائسز پر کاٹا جائے گا (جبکہ 80% وینڈر براہ راست SRB کے ساتھ جمع کرائے گا)

یه واضح رہے که صرف سندھ ودہولڈنگ رولز وائٹ میں ترمیم کی گئی ہے دیگر رولز (انکم ٹیکس ود ہولڈنگ بلوچستان سیلز ٹیکس ود ہولڈنگ بلوچستان سیلز ٹیکس ود ہولڈنگ وغیرہ) میں کوئی تبدیلی نہیں کی گئی ہے۔

